

KG
11066
v.803

Reference Book.
Stars, Asteroids &c. observed or
under observation.

Page
11

Index.

1

Page 4. Algol and Antalgol stars being observed.
" 50. Algol - Limiting times and range of most rapid variation in light.

and Antalgol
Algol Variables taken up.

<u>Design.</u>	<u>Comp. Star.</u>	
R X Cassio.	+66° 242 (7.8)	
R Z Cassio.		
R Z Ophiuchi.		
R X Draconis.	+52° 1265 (9.1)	
R Y Persei.	+47° 691 (9.1)	
R V Lyrae.	+32° 3374 (9.2)	
R R Draconis.	+62° 1639 (9.3)	
R W Persei.	+41° 256 (9.0)	
R Z Lyrae (Ant.)	+32° 3193 (9.2)	
R V Capric. (Ant.)	-15° 5267 (9.0)	
X Z Cygni. (Ant.)	+56° 2260 (9.2)	
R V Capric. (Ant.)	-15° 5267 (9.0)	

U Cephei.

From 7.9 to 8.9 magn. on prec. side of curve, the time
is 49.3 ($= -0.940$ to -0.592)

From 7.9 to 8.9 magn. on fol. " " " " "
is 47.1 ($= +0.905$ to $+0.572$)

These limits ~~are~~ correspond to about the time of most rapid variation in light.

