


KG
11365
726

KG 1136 5.726

KQ 11365.726



Index 15 Book 20Variables measured.Page

Var.	In Cygnus	4 15 62.
"	Estimates of Beraskis Var.	63 " 93.
"	- Sagittarii	94 " 153
"	RT Cygnus	154 " 222

4

Aug. 2, 1905

New Var. in Cygnus

19 37.1 + 32.23 (1900)

✓ 18989

9.88	22r	10.08	10.03 = 10.06	02 03
10.03	22f	10.23		

✓ 18938

9.88	22r	10.08	10.03 = 10.06	02 03
10.03	22f	10.23		

✓ 16685h

8.48	22r	8.68	8.63 = 8.66	02 03
8.63	23f	8.93		

✓ Bear edge, 20992

10.23	2r	10.43	10.25 = 10.34	09 09
10.25	23g	10.53		

✓ 21346

9.88	22r	10.08	9.93 = 10.00	08 07
9.93	23f	10.23		

✓ 22769

9.53	22r	9.73	9.68 = 9.70	03 02
9.68	22f	9.88		

✓ 23443h

8.48	21r	8.58	8.73 = 8.66	08 07
8.73	22f	8.93		

Aug. 2, 1905

5

Var. in Cygnus cont.

✓ Q 30397

9.53 d 2 r 9.73 9.58 = 9.66 07 08

9.58 r 3 d 9.88

✓ Q 30399

9.88 d 3 r 10.18 9.83 = 10.00 18 17

9.83 r 4 f 10.23

✓ Q 30401

9.88 d 1 r 9.98 9.93 = 9.96 02 03

9.93 r 3 f 10.23

✓ Q 30472

9.88 d 3 r 10.18 9.93 = 10.06 12 13

9.93 r 3 f 10.23

✓
Near edge. Q 25622 Sp.r 4 s. 9.23 Q

9.23 r 3 d 9.53

✓ Q 25197

9.53 d 2 r 9.73 9.78 = 9.76 03 03

9.78 r 1 d 9.88

✓ Q 25183

9.53 d 2 r 9.73 9.58 = 9.66 07 08

9.58 r 3 d 9.88

✓ Q 25663

9.88 d 1 r 9.98 10.03 = 10.00 02 03

10.03 r 2 f 10.23

6

Aug. 2, 1905

Val. in Cygnus cont.

✓ J 27435

9.53 d 40 9.93 9.68 = 9.80 = 13 12
 9.68 022 9.88

✓ J 27638

9.53 d 20 9.73 9.58 = 9.66 07 08
 9.58 032 9.88

Near edge. ✓ J 29507

9.53 d 40 9.93 9.58 = 9.76 17 18
 9.58 032 9.88

✓ J 32375 ~~Sp~~

8.93 f 10 9.03 8.98 = 9.00 03 02
 8.98 022 9.18

✓ J 21263

9.53 d 20 9.73 9.58 = 9.66 07 08
 9.58 032 9.88

✓ J 28460

9.88 d 20 10.08 9.93 = 10.00 08 07
 9.93 032 10.23

✓ J 25160

9.53 d 30 9.83 9.58 9.70 13 12
 9.58 032 9.88

✓ J 30506

9.53 d 40 9.93 9.68 = 9.70 03 02
 9.68 022 9.88

Aug. 2, 1905.

7

Var. in Cygnus pont.

✓ Q27896 Sh.

8.93 ± 10 9.03 8.98 = 9.00 03 028.98 $\sigma 20$ 9.18

✓ Q27928 Sh.

8.48 $\sigma 20$ 8.68 8.73 = 8.70 02 038.73 $\sigma 20$ 8.93

✓ Q27929

9.53 $\sigma 20$ 9.73 9.68 = 9.70 03 029.68 $\sigma 20$ 9.88

✓ Q27933 Sh.

8.93 ± 10 9.03 R $\sigma 20$

✓ Q27938

8.93 ± 20 9.13 R $\sigma 20$

✓ Q29550

9.88 $\sigma 20$ 10.08 10.03 = 10.06 02 0310.03 $\sigma 20$ 10.23

✓ Q29973

9.53 $\sigma 30$ 9.83 9.58 = 9.70 13 129.58 $\sigma 30$ 9.88

✓ Q30067

9.88 $\sigma 30$ 10.18 9.93 = 10.06 12 139.93 $\sigma 30$ 10.23

Aug. 2, 1905.

Val. in Cygnus cont.

✓ I 30070

9.53 d 20 9.73 9.78 = 9.76 03 02
 9.78 212 9.88

✓ I 30072

9.88 e 10 9.98 10.03 = 10.00 02 03
 10.03 227 10.23

✓ I 20898

Poor plate.

✓ I 27639

9.53 d 20 9.73 9.68 = 9.70 03 02
 9.68 222 9.88

✓ I 27759

9.53 d 20 9.73 9.78 = 9.76 03 02
 9.78 212 9.88

✓ I 27869

9.53 d 20 9.73 9.78 = 9.76 03 02
 9.78 212 9.88

✓ I 27889

9.53 d 20 9.73 9.68 = 9.70 03 02
 9.68 222 9.88

✓ I 30801

~~212 9.88~~ 212 9.88

Aug. 2, 1905.

9

Val. in Cygnus cont.

✓ Q30800

9.18 d2r 9.38 9.33 = 9.36 02 03
 9.33 r2d 9.53

✓ Q30174

9.88 d2r 10.08 9.93 = 10.00 08 07
 9.93 r3f 10.23

✓ Q30164

9.53 d2r 9.73 9.68 = 9.70 03 02
 9.68 r2d 9.88

✓ Q30161

9.53 d1r 9.63 9.68 = 9.66 03 02
 9.68 r2d 9.88

✓ Q30132

9.53 d2r 9.73 9.58 = 9.66 07 08
 9.58 r3d 9.88

Q30130

9.53 d2r 9.73 9.78 = 9.76 03 02
 9.78 r1d 9.88

✓ Q30284

9.53 d2r 9.73 9.68 = 9.70 03 02
 9.68 r2d 9.88

✓ Q30285-

9.88 d1r 9.98 10.03 = 10.00 02 03
 10.03 r2f 10.23

Aug. 2, 1905.

New Var. in Cygnus cords

✓ Q30287

9.88 d 20 10.08 9.93 = 10.00 08 07

9.93 03 f 10.23

✓ Q30297

9.53 d 20 9.73 9.68 = 9.70 03 02

9.68 02 e 9.88

✓ Q30298

9.53 d 20 9.73 9.68 = 9.70 03 02

9.68 02 e 9.88

✓ Q30313

9.53 d 20 9.73 9.58 = 9.66 07 08

9.58 03 e 9.88

✓ Q30316

9.53 d 10 9.63 9.68 = 9.66 03 02

9.68 02 e 9.88

✓ Q30729

8.93 d 20 9.13 9.08 = 9.10 03 02

9.08 01 n 9.18

✓ Q30756

9.53 d 10 9.63 9.68 = 9.66 03 02

9.68 02 e 9.88

✓ Q30758

8.93 d 20 9.13 9.08 = 9.10 03 02

9.08 01 n 9.18

Aug. 2, 1905.

11

Star Val. in Cygnus cont.

✓ Q30783

9.18 d1r 9.28 9.33 = 9.30 02 03

9.33 r2d 9.53

✓ Q30799

9.53 d1r 9.63 9.58 = 9.60 03 02

9.58 r3e 9.88

✓ Q30912

Surface

✓ Q30894

9.53 d2r 9.73 9.58 = 9.66 07 08

9.58 r3e 9.88

✓ Q30892

9.53 d2r 9.73 9.68 = 9.70 03 02

9.68 r2e 9.88

✓ Q30890

9.53 d2r 9.73 9.58 = 9.66 07 08

9.58 r3e 9.88

✓ Q30887

9.53 d2r 9.73 9.58 = 9.66 07 08

9.58 r3e 9.88

✓ Q30836

9.53 d2r 9.73 9.58 = 9.66 07 08

9.58 r3e 9.88

Aug. 2, 1905.

New Var. in Cygnus cont.

J Q30562

9.53

d 20 9.73 9.58 = 9.66 07 08

9.58

032 9.88

J Q30560

9.88

e 20 10.08 10.13 = 10.10 02 03

10.13

017 10.23

J Q30508

9.53

d 20 9.73 9.58 = 9.66 07 08

9.58

032 9.88

J Q30504

9.53

d 30 9.83 9.58 = 9.70 13 12

9.58

032 9.88

J Q30474

9.53

d 20 9.73 9.68 = 9.70 03 02

9.68

022 9.88

J Q30616

9.53

d 20 9.73 9.58 = 9.66 07 08

9.58

032 9.88

J Q30618

9.58

d 30 9.88 9.68 = 9.78 10 10

9.68

022 9.88

J Q30620

9.53

d 20 9.73 9.58 = 9.66 07 08

9.58

032 9.88

Aug. 2, 1905

13

New Var. in Cygnus cont.

✓ Q30638

9.53 d 30 9.83 9.58-9.70 13 12
9.58 03 e 9.88

✓ Q30649

9.53 d 30 9.83 9.58-9.70 13 12
9.58 03 e 9.88

✓ Q30650

9.53 d 20 9.73 9.68-9.70 03 02
9.68 02 e 9.88

✓ Q30651

9.53 d 20 9.73 9.68-9.70 03 02
9.68 02 e 9.88

✓ Q30656

9.53 d 20 9.73 9.58-9.66 07 08
9.58 03 e 9.88

✓ *Swedge* Q30680 *Sp.*

8.93 f 20 9.13 8.88-9.00 13 12
8.88 03 e 9.18

✓ Q30725

9.53 d 20 9.73 9.68-9.70 03 02
9.68 02 e 9.88

14

Aug. 2, 1905.

New Val. in Cygnus cont.

✓ A 6510

9.88 21 or 9.98 10.13 = 10.06 08 07
 10.13 or 10.23

✓ A 6030

8.93 22 or 9.13 9.08 = 9.10 03 02
 9.08 or 9.18

✓ A 5198

8.93 22 or 9.13 8.98 = 9.06 07 08
 8.98 or 9.18

✓ A 3865-

9.18 22 or 9.38 9.33 = 9.36 02 03
 9.33 or 9.53

✓ A 787

9.18 22 or 9.38 9.33 = 9.36 02 03
 9.33 or 9.53

✓ A 982

9.18 22 or 9.38 9.23 = 9.30 08 07
 9.23 or 9.53

✓ A 6850

9.18 22 or 9.38 9.43 = 9.40 02 03
 9.43 or 9.53

✓ A 1716

Toomax edge of H₂

Aug. 4, 1905.

15

New Var. in Cygnus.

✓ AB²⁶⁷⁸₂₇₃₈

9.53 d 20 9.73 9.68 = 9.70 03 02

9.68 r 22 9.88

✓ AB₂₇₃₈

9.53 d 30 9.83 9.58 = 9.70 13 13

9.58 r 32 9.88

✓ AB₂₇₇₂

9.53 d 20 9.73 9.68 = 9.70 03 02

9.68 r 22 9.88

✓ AB₂₇₉₁

9.18 d 20 9.38 9.23 = 9.30 08 07

9.23 r 30 9.53

✓ AB₂₈₃₈

9.88 e 20 10.08 10.03 = 10.06 02 03

10.03 r 27 10.23

✓ AB₂₈₄₄

9.53 d 20 9.73 9.78 = 9.76 03 02

9.78 r 12 9.88

✓ AB₂₈₆₆

9.53 d 20 9.73 9.58 = 9.66 07 08

✓ 9.58 r 32 9.88

AB₂₈₈₈

9.53 d 20 9.73 9.58 = 9.66 07 08

9.58 r 21 9.88

Aug. 4, 1905.

New Val. in Cygnus.

✓

AB 2895-

9.88 $\alpha 1\alpha$ 9.98 10.03 = 10.00 02 03
 10.03 $\alpha 2\gamma$ 10.23

✓

AB 5332

9.53 $\alpha 3\alpha$ 9.83 9.68 = 9.76 07 08
 9.68 $\alpha 2\epsilon$ 9.88

✓

AB 5649

9.53 $\alpha 2\alpha$ 9.73 9.68 = 9.70 03 02
 9.68 $\alpha 2\epsilon$ 9.88

Poor fl.

✓

AB 6190

9.53 $\alpha 2\alpha$ 9.73 9.78 = 9.76 03 02
 9.78 $\alpha 1\epsilon$ 9.88

✓

AB 6294

9.53 $\alpha 3\alpha$ 9.83 9.58 = 9.70 13 12
 9.58 $\alpha 3\epsilon$ 9.88

✓

AB 6341

9.53 $\alpha 2\alpha$ 9.73 9.58 = 9.66 07 08
 9.58 $\alpha 3\epsilon$ 9.88

✓

AB 6450 -0

9.18 $\alpha 2\alpha$ 9.38 9.33 = 9.36 02 03
 9.33 $\alpha 2\delta$ 9.53

✓

AB 3404

9.53 $\alpha 2\alpha$ 9.73 9.58 = 9.66 07 08
 9.58 $\alpha 3\epsilon$ 9.88

Aug. 4, 1905

17

New Var. in Cygnus.

✓ AB 939

Too near edge of fl.

✓ AB 418

10.23

10.55

for
20g10.33 10.55 = 10.44 11 11

10.55

✓ AB 425

9.88

10.03

22r

22f

10.08 10.03 = 10.06 02 03

10.23

✓ AB 502

9.53

9.58

22r

23e

9.73 9.58 = 9.66 07 08

9.88

✓ AB 861

9.53

9.58

22r

23e

9.73 9.58 = 9.66 07 08

9.88

✓ AB 918

9.88

9.93

22r

23f

10.08 9.93 = 10.00 08 07

10.23

✓ AB 1016

9.53

9.68

23r

22e

9.83 9.68 = 9.76 07 08

9.88

✓ AB 1644

Class II

Aug. 4, 1905.

New Var. in Cygnus.

J AB 5104
Purple

J AB 5112

9.53	d 3 r	9.83	9.58 = 9.70	13	<u>12</u>
9.58	r 3 e	9.88			

J AB 5117

9.53	d 3 r	9.83	9.58 = 9.70	13	<u>12</u>
9.58	r 3 e	9.88			

J AB 5163

9.53	d 2 r	9.73	9.68 = 9.70	03	<u>02</u>
9.68	r 2 e	9.88			

J AB 5182

9.53	d 3 r	9.83	9.58 = 9.70	13	<u>12</u>
9.58	r 3 e	9.88			

J AB 5235

9.53	d 3 r	9.83	9.58 = 9.70	13	<u>12</u>
9.58	r 3 e	9.88			

J AB 5303

10.23	f 1 r	10.33	10.35 = 10.34	01	<u>01</u>
10.35	r 2 g	10.55			

J AB 5330

9.88	e 3 r	10.18	10.03 = 10.10	08	<u>07</u>
10.03	r 2 f	10.23			

Aug. 4, 1905.

19

New Var. in Pygmaus.

✓ AB5345

10.23

10.25

f 2r 10.43 10.25 = 10.34 09 09
r 3g 10.55

✓ AB5384

9.88

10.03

e 3r

o 2 f

10.18

10.23

10.03 = 10.10 08 07

✓ AB5396

9.88

9.93

e 2r

o 3 f

10.08 9.93 = 10.00 08 07

10.23

✓ AB5495

9.88

9.93

e 2r

o 3 f

10.08 9.93 = 10.00 08 07

10.23

✓ AB5502

9.53

9.68

d 3r

o 2 e

9.83 9.68 = 9.76 07 08

9.88

✓ AB4009

9.53

9.68

d 3r

o 2 e

9.83 9.68 = 9.76 07 08

9.88

✓ AB4031

9.53

9.58

d 2r

o 3 e

9.73 9.58 = 9.66 07 08

9.88

✓ AB4149

9.53

9.58

d 2r

o 3 e

9.73 9.58 = 9.66 07 08

9.88

Aug. 4 1905.

New Var. in Cygnus.

✓

AB 4256

9.53 $\alpha 2^m$ 9.73 9.58, 9.66 07 08
 9.58 $\alpha 3^e$ 9.88

✓

AB 4293

9.53 $\alpha 2^m$ 9.73 9.68, 9.70 03 02
 9.68 $\alpha 2^e$ 9.88

✓

AB 4739

9.88 $\alpha 2^m$ 10.08 10.03 = 10.06 02 03
 10.03 $\alpha 2^f$ 10.23

✓

AB 4756 -58

9.53 $\alpha 2^m$ 9.73 9.58 = 9.66 07 08
 9.58 $\alpha 3^e$ 9.88

✓

AB 4913

9.88 $\alpha 2^m$ 10.08 9.93 = 10.00 08 07
 9.93 $\alpha 3^f$ 10.23

✓

AB 4964

9.88 $\alpha 2^m$ 10.08 9.93 = 10.00 08 07
 9.93 $\alpha 3^f$ 10.23

✓

AB 4973

9.53 $\alpha 2^m$ 9.73 9.58 = 9.66 07 08
 9.58 $\alpha 3^e$ 9.88

✓

AB 5010

Pl. trailed.

Aug. 4, 1905.

21

Few Var. in Cygnus.

✓ AB 5033

9.53 d2r 9.73 9.58 = 9.66 07 08
 9.58 r3e 9.88

✓ AB 5072

9.53 d3a 9.83 9.58 = 9.70 13 12
 9.58 r3e 9.88

✓ AM 133

9.88 e2r 10.08 10.03 = 10.06 02 03
 10.03 r2f 10.23

✓ AB 95

9.88 e1r 9.98

✓ AB 5623

9.88 e1r 9.98 10.03 = 10.00 02 03
 10.03 r2f 10.23

✓ AB 3488

9.88 e1r 9.98 10.03 = 10.00 02 03
 10.03 r2f 10.23

✓ AB 5443

9.88 e1r 9.98 10.03 = 10.00 02 03
 10.03 r2f 10.23

✓ AB 4354

9.53 d2r 9.73 9.68 = 9.70 03 02
 9.68 r2e 9.88

Aug. 4, 1905.

New Var. in Cygnus.

✓ AB 4077

Too near edge.

✓ AB 2635

9.88 210 9.98 10.03 = 10.00 02 03
 10.03 02 f 10.23

✓ AB 2492

Purple

✓ AB 2572

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 02 f 10.23

✓ AB 1954

9.88 220 10.08 10.03 = 10.06 02 03
 10.03 02 f 10.23

✓ AB 326

Purple

AB 366

Class C

✓ AB 2919

9.88 220 10.08 10.03 = 10.06 02 03
 10.03 02 f 10.23

✓ AB 2920

Pl trailed

Aug. 4, 1905.

23

New Var. in Cygnus.

✓ AB 1153
Class C✓ AB 1732
9.88 d20 10.08 10.03 = 10.06 02 03
10.03 r27 10.23✓ AB 1850
Too near edge of plateAB 1875
Class C✓ AB 2978
9.53 d30 9.83 9.78 = 9.80 03 02
9.78 r12 9.88✓ AB 3253
Poor plate✓ AB 3353
9.53 d30 9.83 9.68 = 9.76 07 08
9.68 r22 9.88✓ AB 3571
9.53 d1 1/2 9.63✓ AB 3594
Poor in reg.

Aug. 4, 1905.

Star Var. in Cygnus.

✓

AC 4040

Too near edge.

✓

AB 3909

9.88

d2r

10.08 10.03 = 10.06 02 03

10.03

r2f

10.23

✓

AB 961

Purple

✓

AB 1536

9.53

d2r

9.73 9.58 = 9.66 07 08

9.58

r3e

9.88

Near edge

✓

AB 1492

9.88

e1f

9.98

✓

AB 1459

Bl. tailed

✓

AB 378

9.88

e1f

9.98

✓

AB 3622

Class Fr

AB 357

Class C

Aug. 4, 1905.

25

New Var. in Pygmaea

✓ AC 346

9.53 d 20 9.73 9.68 = 9.70 03 02

9.68 022 9.88

✓ AC 297

9.53 d 20 9.73 9.58 = 9.66 07 08

9.58 032 9.88

✓ AC 94

10.23 f 20 10.43 10.35 = 10.39 04 04

10.35 029 10.55

✓ AC 1660

9.53 d 20 9.73 9.68 = 9.70 03 02

9.68 022 9.88

✓ AC 962

Pomph

✓ AC 379

9.53 d 30 9.83 9.68 = 9.76 07 08

9.68 022 9.88

✓ AC 3675

9.53 d 30 9.83 9.58 = 9.70 13 12

9.58 032 9.88

✓ AC 3730

Pl. trilled

Aug. 4, 1905.

New Var. in Cygnus

✓ AB ³⁸⁰⁴3767

8.93 120 9.13 8.98 = 9.06 07 08

8.98 122 9.18

✓ AB 3767

9.53 130 9.83 9.68 = 9.76 07 08

9.68 122 9.88

✓ AB 3844

Purple

✓ AB 3946

9.18 120 9.38 9.33 = 9.36 02 03

9.33 122 9.53

✓ AB 6378

9.53 115 9.63

✓ AB 336

Class C

✓ AB 340

Class C

✓ AB 341

Class C

✓ AB 342

Class C

Aug. 4, 1905.

27

New Var. in Cygnus.

✓ AB 344

9.53 d 20 9.73 9.68 = 9.70 03 02

9.68 222 9.88

AB 365

Class C

✓ AB 6033

9.88 21 1/2 9.98

✓ AB 6180

9.88 22 1/2 10.08 10.03 = 10.06 02 03

10.03 22 1/2 10.23

✓ AB 6227

Pond fl

✓ AB 6253

9.53 d 30 9.83 9.68 = 9.76 07 08

9.68 222 9.88

✓ AB 6315

9.88 21 1/2 9.98 10.03 = 10.00 02 03

10.03 22 1/2 10.23

✓ AB 6330

9.88 22 1/2 10.08 10.03 = 10.06 02 03

10.03 22 1/2 10.23

28

Aug. 4, 1905.

New Val. in Cygnus

✓ AB 2354

9.88 $\frac{21}{2}$ 9.98

✓ AB 2305

9.53 d 30 9.83 9.58 = 9.70 13 12

9.58 r 32 9.88

✓ AB 2316

9.53 d 30 9.83 9.78, 9.80 03 02

9.78 r 12 9.88

✓ AB 2323

Class C

✓ AB 2326

Poorly

✓ AB 3335

9.88 $\frac{21}{2}$ 9.98

✓ AB 616

Class C

✓ AB 649

Class C

✓ AB 727

10.23 f 10 10.33 10.25 = 10.29 04 04

10.25 r 39 10.55

Aug. 4, 1905

29

✓ New Var. in Cygnus.
Ab 821

9.53 ~~Ab 82~~ 9.83 9.58 = 9.70 13 12
9.58 ~~832~~ 9.88

Ab 371
Class C

Ab 374
Class C

Ab 375
Class C

✓ Ab 382
Class C

✓ Ab 383
Class C

✓ Ab 395
Class C

✓ Ab 403
Class C

✓ Ab 404
Class C

✓ Ab 405
Class C

Aug. 4, 1905.

New Var. in Cygnus.

✓ AB 407
Class C✓ AB 408
Class C✓ AB 422
Class C✓ AB 423
Class C✓ *Ischn* AB 280

8.48	$\alpha 10$	8.58	$8.73 = 8.66$	<u>08</u>	07
8.73	$\alpha 2$	8.93			

✓	AB 312				
	9.53	$\alpha 20$	9.73	$9.68 = 9.70$	<u>03</u> <u>02</u>
	9.68	$\alpha 22$	9.88		

✓	AB 3048				
	9.88	$\alpha 20$	10.08	$10.03 = 10.06$	<u>02</u> <u>03</u>
	10.03	$\alpha 22$	10.23		

✓	AB 3739				
	10.23	$\alpha 10$	10.33	$10.35 = 10.34$	<u>01</u> <u>01</u>
	10.35	$\alpha 29$	10.55		

✓	AB 3759				
	9.88	$\alpha 10$	9.98	$10.03 = 10.00$	<u>02</u> <u>03</u>
	10.03	$\alpha 22$	10.23		

Aug. 4, 1905.

31

New Star in Cygnus.

✓

AB 3813

9.53 d30 9.83 9.68 = 9.76 07 08
 9.68 022 9.88

✓

AB 3873

Class F

✓

AB 3877

9.53 d20 9.73 9.68 = 9.70 03 02
 9.68 022 9.88

✓

AB 3906

9.88 020 10.08 10.03 = 10.06 02 03
 10.03 027 10.23

✓

AB 3973

10.23 f1 1/2 10.33

✓

AB 4021

9.88 d30 10.18 10.03 = 10.10 08 07
 10.03 02f 10.23

✓

AB 4045

9.88 e1 1/2 9.98

✓

AB 2014

9.88 c30 10.18 9.93 = 10.06 12 13
 9.93 02f 10.23

Aug. 4, 1905.

New Star in Cygnus.

✓ AB 2503

10.23

f 10

10.33 10.35 = 10.34 01 01

10.35

029

10.55

✓ AB 2567

9.88

e 30

10.18 9.93 = 10.06 12 13

9.93

03 f

10.23

✓ AB 2599

9.88

e 30

10.18 9.93 = 10.06 12 13

9.93

03 f

10.23

✓ AB 2601

9.53

a 30

9.83 9.58 = 9.70 13 12

9.58

03 e

9.88

✓ AB 2659

9.88

e 29

10.08 10.13 = 10.10 02 03

10.13

01 f

10.23

✓ AB 1767

9.88

e 30

10.18 9.93 = 10.06 12 13

9.93

03 f

10.23

✓ AB 6448

Poorly

✓ AB 6482

9.88

e 14

9.98

Aug. 4, 1905.

33

New Var. in Cygnus.

✓ AB 2756
Poor images

✓ AB 2733
9.88 $\alpha 1 \frac{1}{2}$ 9.98

✓ AB 2848
9.53 $\alpha 1 \frac{1}{2}$ 9.63

✓ AB 3026
9.88 $\alpha 2 \frac{1}{2}$ 10.08 9.93 = 10.00 08 07
9.93 $\alpha 3 \frac{1}{2}$ 10.23

✓ AB 879
9.53 $\alpha 3 \frac{1}{2}$ 9.83 9.58 = 9.70 13 12
9.58 $\alpha 3 \frac{1}{2}$ 9.88

✓ AB 890
9.88 $\alpha 1 \frac{1}{2}$ 9.98

✓ AB 943
9.53 $\alpha 1 \frac{1}{2}$ 9.63

✓ AB 1022
10.23 $\alpha 1 \frac{1}{2}$ 10.33

✓ AB 1268
9.88 $\alpha 3 \frac{1}{2}$ 10.18 10.03 = 10.10 08 07
10.03 $\alpha 2 \frac{1}{2}$ 10.23

Aug 4, 1905.

New Var. in Cygnus.

✓ AB 1496

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 02 f 10.23

✓ AB 1630

Class F

✓ AB 1645

9.88 22 f 10.08

✓ AB 1701

Purple

✓ AB 1713

9.53 21 f 9.63

✓ AB 495

Blanc

✓ AB 1822

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 02 f 10.23

✓ AB 1863

9.88 230 10.18 9.93 = 10.06 12 13
 9.93 03 f 10.23

✓ AB 1974

10.23 f 10 10.33 10.35 = 10.34 01 01
 10.35 02 2 10.55

Aug. 4, 1905.

35

New Var. in Cygnus.

✓ AM 2035

9.88	230	10.18	10.03 = 10.10	08 07
10.03	027	10.23		

✓ AM 1992

Pooning.

✓ AM 1888

Pooning.

✓ AM 1876

9.88	220	10.08	10.03 = 10.06	02 03
10.03	027	10.23		

✓ AM 1641

9.88	220	10.08	10.03 = 10.06	02 03
10.03	027	10.23		

✓ AM 1623

9.53	230	9.83	9.58 = 9.70	13 12
9.58	030	9.88		

✓ AM 1493

9.88	210	9.98	10.03 = 10.00	02 03
10.03	027	10.23		

✓ AM 1385

9.88	220	10.08	10.03 = 10.06	02 03
10.03	027	10.23		

Aug. 4, 1905.

Star-Var. in Cygnus

✓ AM 1354

9.88 220 10.08 9.93 = 10.00 08 07
 9.93 037 10.23

✓ AM 1344

9.88 230 10.18 9.93 = 10.06 12 13
 9.93 037 10.23

✓ ^{on} AM 1319
 Class C

✓ AM 1312

9.88 230 10.18 Q R
 9.93 037

✓ Epoch
 AM 1547

8.93 110 9.03 8.88 = 8.96 07 08
 8.88 030 9.18

✓ AM 3091

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 027 10.23

✓ AM 2201

9.53 220 9.73 9.58 = 9.66 07 08
 9.58 030 9.88

✓ AM 12308

9.88 210 9.98 10.03 = 10.00 02 03
 10.03 027 10.23

Aug. 4, 1905.

37

New Var. in Cygnus

✓ AM 2534

9.53 d 20 9.73 9.78 = 9.76 03 02
 9.78 012 9.88

✓ AM 2662

9.53 d 30 9.83 9.78 = 9.80 03 02
 9.78 012 9.88

✓ AM 2670

9.53 d 20 9.73 9.68 = 9.70 03 02
 9.68 022 9.88

✓ AM 2703

9.53 d 30 9.83 9.58 = 9.70 13 12
 9.58 032 9.88

✓ AM 2778

9.88 020 10.08 9.93 = 10.00 08 07
 9.93 037 10.23

✓ AM 2826

9.53 d 30 9.83 9.58 = 9.70 13 12
 9.58 032 9.88

✓ AM 2857

9.53 d 20 9.73 9.68 = 9.70 03 02
 9.68 022 9.88

✓ AM 2935

9.53 d 20 9.73 9.58 = 9.66 07 08
 9.58 032 9.88

Aug. 4, 1905.

Star Val. in Cygnus

✓ AM 2185

9.53 d 30 9.83 9.58 = 9.70 = 13 12

9.58 0 32 9.88

✓ AM 2062

9.88 21 1/2 9.98

✓ AM 1881

9.53 d 20 9.73 9.58 = 9.66 07 08

9.58 0 32 9.88

✓ AM 957

Poor images

✓ AM 973

Class C

✓ AM 989

9.53 d 30 9.83 9.68 = 9.76 07 08

9.68 0 22 9.88

✓ AM 1000

9.53 d 20 9.73 9.58 = 9.66 07 08

9.58 0 32 9.88

✓ AM 1088

9.53 d 30 9.83 9.68 = 9.76 07 08

9.68 0 22 9.88

Aug. 4, 1905.

39

New Var. in Cygnus.

✓ AM 1202

9.88 $\sigma 1 \frac{1}{2}$ 9.98

✓ AM 1215

Defect in reg. of var.

✓ AM 510

Poor images

AM 440

Pl. tail

✓ AM 247

9.88 $\sigma 1 \frac{1}{2}$ 9.98

✓ AM 199

9.88 $\sigma 1 \frac{1}{2}$ 9.98 $\frac{R}{=}$

✓ AM 121

9.88	$\sigma 2 \sigma$	10.08	10.03 = 10.06	02 03
10.03	$\sigma 2 \frac{1}{2}$	10.23		

✓ AM 102

9.88	$\sigma 2 \sigma$	10.08	10.13 = 10.10	02 03
10.13	$\sigma 1 \frac{1}{2}$	10.23		

✓ AM 53

9.88	$\sigma 2 \sigma$	10.08	10.03 = 10.06	02 03
10.03	$\sigma 2 \frac{1}{2}$	10.23		

Aug. 4, 1905

New Var. in Cygnus.

Ips. ✓

AM 568

9.18

220

9.38 9.43 = 9.40 02 03

9.43

210

9.53

✓

AM 599

9.88

230

10.18 10.03 = 10.10 08 07

10.03

227

10.23

✓

AM 657

Pom. Aug.

✓

AM 861

9.53

220

9.73 9.58 = 9.66 07 08

9.58

230

9.88

✓

AL 2356

9.88

210

9.98 10.03 = 10.00 02 03

10.03

227

10.23

✓

AL 2335

9.88

210

9.98 10.03 = 10.00 02 03

10.03

227

10.23

✓

AL 6430

9.88

220

10.08 9.93 = 10.00 08 07

9.93

237

10.23

✓

AL 3689

10.23

217

10.33

Aug. 4, 1905.

41

Star Var. in Cygnus.

✓ Ab 3646

9.88 $\sigma 1 \frac{1}{2}$ 9.98

✓ Ab 3631

9.88 $\sigma 1 \frac{1}{2}$ 9.98

✓ Ab 3613

9.88 $\sigma 1 \frac{1}{2}$ 9.98

✓ Ab 3384

9.88 $\sigma 20$ 10.08 10.13 = 10.10 $\overset{2}{08}$ 03
 10.13 $\sigma 1 \frac{1}{2}$ 10.23

✓ Ab 3495

9.53 $\sigma 20$ 9.73 9.78 = 9.76 $\overset{03}{02}$
 9.78 $\sigma 1 \frac{1}{2}$ 9.88

✓ Ab 2353

9.53 $\sigma 20$ 9.73 9.78 = 9.76 $\overset{03}{02}$
 9.78 $\sigma 1 \frac{1}{2}$ 9.88

✓ Ab 2350

9.53 $\sigma 20$ 9.73 9.78 = 9.76 $\overset{03}{02}$
 9.78 $\sigma 1 \frac{1}{2}$ 9.88

✓ Ab 2041

9.88 $\sigma 30$ 10.18 9.93 = 10.06 12 $\overset{13}{13}$
 9.93 $\sigma 3 \frac{1}{2}$ 10.23

Aug. 4 1905

Star Var. in Cygnus

✓

AB 548

Class C

✓

AB 555

Class C

✓

AB 563

Class C

✓

AB 575

Class C

✓

AB 453

Class C

✓

AB 456

Class C

✓

AB 466

Class C

✓

AB 468

Class C

✓

AB 472

Class C

✓

AB 496

Class C

Aug. 4, 1905.

43

Star in Cygnus

✓ AB 508
Class C✓ AB 510
Class C

✓ AM 870

9.53	d 20	9.73	9.68 = 9.70	03	<u>02</u>
9.68	σ 22	9.88			

✓ AB 1688

9.88	σ 15	<u>9.98</u>
------	------	-------------

✓ AB 1769

Poor fit

✓ AB 1707

9.53	d 30	9.83	9.68 = 9.76	07	<u>08</u>
9.68	σ 22	9.88			

✓ AB 1649

9.53	d 20	9.73	9.68 = 9.70	03	<u>02</u>
9.68	σ 22	9.88			

✓ AB 1602

9.88	d 20	10.08	10.03 = 10.06	02	<u>03</u>
10.03	σ 24	10.23			

✓ AB 1586

9.88	d 20	10.08	10.03 = 10.06	02	<u>03</u>
10.03	σ 24	10.23			

Aug. 4, 1905.

New Var. in Cygnus.

✓ AC 1437

9.88 21^h 9.98

✓ AC 1391

Pl-tailed

✓ AC 1973

9.88 21^h 9.98 10.03 = 10.00 02 03
 10.03 22^h 10.23

✓ AC 1860

10.23 21^h 10.33 10.35 = 10.34 01 01
 10.35 22^h 10.55

✓ AC 1815

9.88 22^h 10.08 10.13 = 10.10 02 03
 10.13 21^h 10.23

✓ AC 1774

9.88 22^h 10.08 10.03 = 10.06 02 03
 10.03 22^h 10.23

✓ AC 2924

9.88 21^h 9.98 10.03 = 10.00 02 03
 10.03 22^h 10.23

✓ AC 2209

9.53 22^h 9.73 9.68 = 9.70 03 02
 9.68 22^h 9.88

Aug. 4, 1905.

45

Star Val. in Cygnus.

✓ AB 2192

9.53 d20 9.73 9.58 = 9.66 07 08

9.58 032 9.88

✓ AB 2052

10.23 f20 10.43 10.35 = 10.39 04 04

10.35 029 10.55

✓ AB 2217

9.53 d30 9.83 9.68 = 9.76 07 08

9.68 020 9.88

✓ AB 2254

Pl. trailed

✓ AB 2267

9.88 010 9.98 10.03 = 10.00 02 03

10.03 007 10.23

✓ AB 2270

9.53 d30 9.83 9.58 = 9.70 13 12

9.58 032 9.88

✓ AB 2289

9.53 d20 9.73 9.68 = 9.70 03 02

9.68 020 9.88

✓ AB 2299

9.53 d10 9.63 9.68 = 9.66 03 02

9.68 020 9.88

Aug. 4, 1905.

Near Val. in Cygnus.

✓ AB 1723
Poor wing.✓ AB 1747
Poor wing.✓ AB 2364
Class C✓ AB 2377
Poor images

✓	AB 2396				
9.53	d 20	9.73	9.68	9.70	03 02
9.68	022	9.88			

✓ AB 2420
Pl. trailed✓ AB 2438
Pl. trailed✓ AB 2440
Poor✓ AB 2441
Class C✓ AB 2464
Class C

Aug. 4, 1905.

47

Star Var. in Cygnus.

✓ AB2465
Class C

✓ AB2478
Class C

✓ AB2479
Class C

✓ AB2526
Class C
9.88 $\ell 2\alpha$ 10.08 10.03 = 10.06 02 03
10.03 $\alpha 2\gamma$ 10.23

✓ AB2535
Class C

✓ AB2532
9.88 $\ell 2\alpha$ 10.08 10.03 = 10.06 02 03
10.03 $\alpha 2\gamma$ 10.23

✓ AB2594
9.53 $d 2\alpha$ 9.73 9.68 = 9.70 03 02
9.68 $\alpha 2\epsilon$ 9.88

✓ AB25121
9.18 $p 1\gamma$ 9.28

✓ AB25781
9.88 $\ell 2\alpha$ 10.08 9.93 = 10.00 08 07
9.93 $\alpha 2\gamma$ 10.23

Aug. 4, 1905

Star Var. in Cygnus.

✓

Ab 5207

9.88 220 10.08 10.03 = 10.06 02 03
 10.03 027 10.23

✓

Ab 5236

9.18 214 9.28

✓

Ab 5329

10.23 730 10.53 10.45 = 10.49 04 04
 10.45 019 10.55

✓

Ab 5365

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 027 10.23

✓

Ab 5397

9.88 214 9.98

✓

Ab 5322

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 027 10.23

✓

Ab 5351

9.88 210 9.98 10.03 = 10.00 02 03
 10.03 027 10.23

✓

Ab 5978

9.88 214 9.98

Aug. 4, 1905.

49

Star Val. in Cygnus.

✓

AB 4052

9.88 220 10.08 10.03 = 10.06 02 03
 10.03 027 10.23

✓

AB 4084

9.88 220 10.08 10.03 = 10.06 02 03
 10.03 027 10.23

✓

AB 4116

9.88 240 10.28 10.03 = 10.16 12 13
 10.03 027 10.23

✓

AB 4171

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 027 10.23

✓

AB 4209

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 027 10.23

✓

AB 4719

9.88 230 10.18 10.03 = 10.10 08 07
 10.03 027 10.23

✓

AB 4797

9.88 210 9.98 10.03 = 10.00 = 02 03
 10.03 027 10.23

AB 4832

✓ 9.88 220 10.18 10.03 = 10.10 08 07
 10.03 027 10.23

Aug. 4, 1905.

Star-Var. in Cygnus.

✓

AB 4870

9.88 ~~212~~ 9.98 10.03 = 10.00 02 03
 10.03 ~~027~~ 10.23

✓

AB 4877

10.23 ~~122~~ 10.43 10.35 = 10.39 04 04
 10.35 ~~029~~ 10.55

✓

AB 4959

9.88 ~~222~~ 10.08 10.03 = 10.06 02 03
 10.03 ~~027~~ 10.23

✓

AB 4998

9.53 ~~212~~ 9.63 9.68 = 9.66 03 02
 9.68 ~~022~~ 9.88

✓

AB 2302

Ponple

✓

AB 5045

9.53 ~~230~~ 9.83 9.68 = 9.76 07 08
 9.68 ~~022~~ 9.88

✓

AB 5069

9.88 ~~222~~ 10.08

✓

AB 5707

9.53 ~~230~~ 9.83 9.68 = 9.76 07 08
 9.68 ~~022~~ 9.88

Aug. 4, 1905.

51

Star Vain in Cygnus.

✓ AB5201

9.53 ~~130~~ 9.83 9.68 9.76 07 089.68 ~~022~~ 9.88

✓ AB5212

9.88 ~~130~~ 10.18 10.03 = 10.10 08 0710.03 ~~027~~ 10.23

✓ AB5221

9.88 ~~117~~ 9.98

✓ AB5234

9.53 ~~117~~ 9.63

✓ AB5244

9.88 ~~120~~ 10.08 10.03 = 10.06 02 0310.03 ~~027~~ 10.23

✓ AB5336

9.88 ~~110~~ 9.98 10.03 = 10.00 02 0310.03 ~~027~~ 10.23

✓ AB5392

10.23 ~~110~~ 10.33 10.35 = 10.34 01 0110.35 ~~029~~ 10.55

✓ AB5406

9.88 ~~117~~ 9.98

Aug. 4, 1905

Var in Cygnus.

✓

AB 5483

9.88

e 20

10.08

10.03 = 10.06 02 03

10.03

o 27

10.23

✓

AB 5474

9.88

e 20

10.08

10.03 = 10.06 02 03

10.03

o 27

10.23

✓

AB 5362

9.53

d 30

9.83

9.68 =

9.76

07 08

9.68

o 22

9.88

✓

AB 6022

9.88

e 14

9.98

✓

AB 6087

9.53

d 30

9.83

9.68 =

9.76

07 08

9.68

o 22

9.88

✓

AB 6181

Pondy

✓

AB 6221

9.88

e 25

10.08

✓

AB 6432

9.53

d 25

9.73

✓

AB 6454

9.88

e 14

9.98

Aug. 4, 1905

53

Van in Cygnus.

✓ AB3923

9.53 d20 9.73 9.68 = 9.70 03 02

9.68 r22 9.88

✓ AB3957

9.53 d30 9.83 9.78 9.80 03 02

9.78 r12 9.88

✓ AB4028

9.53 d22 9.73

✓ AB4037

10.23 f10 10.33 10.35 = 10.34 01 01

10.35 r29 10.55

✓ AB4065

9.88 d10 9.98 10.03 = 10.00 02 03

10.03 r27 10.23

✓ AB4109

9.88 d30 10.18 10.03 = 10.10 08 07

10.03 r27 10.23

✓ AB4124

9.88 d20 10.08 10.03 = 10.0⁶ 02 03

10.03 r27 10.23

✓ AB4156

9.53 d20 9.73 9.68 = 9.70 03 03

9.68 r22 9.88

Aug. 4, 1905

Star Val. in Argus.

✓

AB 4748

9.53 d 2 r 9.73 9.78 = 9.76 03 02
 9.78 o 1 e 9.88

✓

AB 4805

9.53 d 3 r 9.83 9.58 = 9.70 13 12
 9.58 o 3 e 9.88

✓

AB 4906

9.88 e 1 f 9.98

✓

AB 4954

9.18 o 1 f 9.28

✓

AB 3149

9.88 e 2 f 10.08

✓

AB 3108

9.53 d 1 f 9.63

✓

AB 3901

9.88 e 1 f 9.98 10.03 = 10.00 02 03
 10.03 o 2 f 10.23

✓

AB 3894

9.53 d 2 r 9.73 9.68 = 9.70 03 02
 9.68 o 2 e 9.88

✓

AB 3884

9.53 d 2 f 9.73

Aug. 4, 1905.

55

New Val. in Cygnus.

✓

Ab 3833

9.53

d1 $\frac{1}{2}$ 9.63

✓

Ab 3826

9.88

e1 $\frac{1}{2}$

9.98

10.03 = 10.00 02 03

10.03

o2 $\frac{1}{2}$

10.23

✓

Ab 3713

9.53

d1 $\frac{1}{2}$ 9.63

✓

Ab 3688

10.23

f2 $\frac{1}{2}$

10.43

10.45 = 10.44 01 01

10.45

o1 $\frac{1}{2}$

10.55

✓

Ab 3667

9.88

e2 $\frac{1}{2}$

10.08

10.03 = 10.06 02 03

10.03

o2 $\frac{1}{2}$

10.23

✓

Ab 3658

9.53

d1 $\frac{1}{2}$ 9.63

✓

Ab 3564

9.88

e1 $\frac{1}{2}$

9.98

✓

Ab 3475

9.88

e2 $\frac{1}{2}$

10.08

10.03 = 10.06 02 03

10.03

o2 $\frac{1}{2}$

10.23

✓

Ab 3261

Poor in Cyg.

Aug. 4, 1905:

Star Var. in Cygnus:

✓

AB 3057

Ponfle

✓

AB 3056

9.88 10.03 9.98 10.03 = 10.00 02 03
 02 10.23

✓

AB 6254

9.53

d1 1/2

9.63

✓

AB 6333

9.88 10.08 10.03 = 10.06 02 03
 10.03 02 10.23

✓

AB 6364

9.88 10.08 10.03 = 10.06 02 03
 10.03 02 10.23

✓

AB 6483

9.53 9.63 9.68 = 9.66 03 02
 9.68 02 9.88

✓

AB 2030

Class C

✓

AB 2041

9.88 10.08

✓

AB 2036

Class Ponfle

Aug. 4, 1905-

57

Aur Var in Cygnus.

✓ AB2029

9.88	e30	10.18	10.03 = 10.10	08 07
10.03	027	10.23		

✓ AB1940

9.88	e20	10.08	10.13 = 10.10	² 08 03
10.13	017	10.23		

✓ AB1926

9.88	e10	9.98	10.03 = 10.00	02 03
10.03	027	10.23		

✓ AB1862

9.88	e20	10.08	10.03 = 10.06	02 03
10.03	027	10.23		

✓ AB1849

9.53	e20	9.73	9.68 = 9.70	03 02
9.68	020	9.88		

✓ AB2193

Poor fl.

✓ AB2186

Poor fl.

✓ AB2152

Poor fl.

✓ AB2170

Poor fl.

Aug. 4, 1905.

Near Van in Cygnus.

✓

AB 2069

9.88

220

10.08 10.03 = 10.06 02 03

10.03

027

10.23

✓

AB 2061

Pl. trailed

✓

AB 2240

9.53

220

9.73 9.58 = 9.66 07 08

9.58

030

9.88

✓

AB 2831

Pl. trailed

✓

AB 2854

9.88

220

10.08 10.03 = 10.06 02 03

10.03

027

10.23

✓

AB 2874

Class C

✓

AB 2906

9.88

220

10.08 10.03 = 10.06 02 03

10.03

027

10.23

✓

AB 2934

Class C

✓

AB 2962

Class C

Aug. 4, 1955

59

New York in Cygnus

✓

AB2985

9.53

d 20 9.73 9.68 = 9.70 03 02

9.68

o 2 e 9.88

✓

AB2770

9.53

d 1 f 9.63

✓

AB952

Class C

✓

AB882

9.88

e 10 9.98 10.13 = 10.06 08 07

10.13

o 1 f 10.23

✓

AB809

9.53

d 20 9.73 9.78 = 9.76 03 02

9.78

o 1 e 9.88

✓

AB1814

9.53

d 1 f 9.63

✓

AB2774

Class C

✓

AB2775

Class C

✓

AB2776

Class C

Aug. 4, 19052

Stars Jan. in Cygnus.

✓

AB 2783

9.53

d 2 1 9.73

✓

So. AB 2804

Ponpl

✓

AB 2822

9.53

d 2 9.73 9.68 = 9.70 03 02

9.68

02 9.88

✓

AB 2830

Class C

✓

AB 2707

Ponpl

✓

AB 2706

9.18

d 1 1 9.28

✓

AB 2688

Class M

✓

AB 2657

Class M

✓

AB 2198

Ponpl

✓

AB 2729

Class C

Aug. 4, 1905-

61

Vain-Bygones

✓ AB2555-

9.53 d20 9.73 9.68-9.70 03 02

9.68 r2e 9.88

✓ AB2600

9.88 e20 10.08 10.13=10.10 02 03

10.13 r1f 10.23

✓ AB2607
Class C✓ AB2608
Class C

✓ AB2683

9.88 e1 f 9.98

✓ AB2727

9.18 r1 f 9.28

AB2707

9.88 e1 f 9.98

✓ AB1923

9.88 e30 10.18 10.03=10.10 08 07

10.03 r2f 10.23

✓ AB1512

9.88 e20 10.08 10.03=10.06 02 03

10.03 r2f 10.23

Aug. 5, 1905

New Data in Cygnus

✓ AB1804

9.88	e2r	10.08	9.93 = 10.00	08 07
9.93	r3f	10.23		

AB1399

✓ AB469

9.88	e1f	9.98
------	-----	------

✓ AM978

Class C

✓ AM3059

9.88	e2r	10.08	9.93 = 10.00	08 07
9.93	r3f	10.23		

✓ AC24878

9.88	e2r	10.08	9.93 = 10.00	08 07
9.93	r3f	10.23		

✓ AC1453

9.53	d3r	9.83	9.68 = 9.76	07 08
9.68	r2e	9.88		

✓ AC5674

9.53	d3r	9.83	9.68 = 9.76	07 08
9.68	r2e	9.88		

Aug. 23, 1905.

63

Estimate of Mr. Ceraschi's New-Argel Var.

AB 3626

a 5 $\frac{1}{2}$ r

AB 3340

a 4 $\frac{1}{2}$ r

AB 3619

a 5 r

AB 3215

a 5 r

AB 3149

a 4 r

AB 3126

a 4 $\frac{1}{2}$ r

AB ³³3626

a 4 r

AB 3372

a 5 r

AB 3329

a 5 r

AB 4115

a 5 r

Aug. 23, 1905.

New-Algol cont.

AB 3920

a 5 m

AB 3633

a 5 m

AB 3634

a 6 m

AB 3635-

Pompl

AB 3639

Pompl

AB 3654

a 4 m

AB 3671

San. H. S.

AB 3679

a 5 m

AB 3744

a 5 m

AB 3748

a 4 m

Aug. 23, 1905

65

New Algol cont.

AB 3764

Purple

AB 3766

asr

AB 3772

asr:

AB 3798

asr

AB 3802

Purple

AB 3806

asr

AB 3824

Fl. + Purple

AB 3834

Purple

AB 3843

?

AB 3890

asr

Aug. 23, 1905.

New Algol cont.

AB 3907
a 30AB 3921
Var. m.s.AB 3925
Var. m.s.AB 3938
a 60AB 3968
a 20AB 3981
Var. m.s.AB 4004
a 50AB 4020
a 30AB 4050
a 30AB 4079
a 40

Aug. 23, 1905:

67

Near Algol conj.

AB 4114

a 30

AB 4185

a 40

AB 4249

a 30

AB 4278

a 30

AB 4307

a 20

AB 4496

a 40

AB 4658

a 30

AB 4659

a 40

AB 4661

a 30

AB 4662

Pon pl

AB 4663

Aug. 23, 1905

Near Algol cont.

AB 4664

Var.?

AB 4665

Pl. Len.

AB 4666

?

AB 215-

Too near edge.

AB 1407

Var. S.S.

AB 1360

Var. S.S.

AB 190

Poor pl.

AB 196

Poor pl.

AB 161

Poor pl.

AB 160

Poor pl.

AB 139

Poor pl.

AB 103

Poor in reg.

AB 75

Poor pl.

Aug. 24, 1905.

69

New Algol cont.

AB 237

Purple

AB 277

Var. fl.

AB 289

a 40

AB 297 + 305

Purple

AB 306

a 40

AB 386

a 40

AB 813

Purple

AB 832

a 30

AB 878 1067

a 40

AB 1159

a 50

AB 1164 1241

a 50

AB 1248 1425

Purple

AB 1432

a 50

Aug. 24, 1905.

Kun-aldol var.

Ab ¹⁵⁴³~~1493~~

Purple

Ab 1564

Purple

Ab ⁷⁶~~1687~~ 1808

a 5m

Ab 1915

a 4m

Ab 1918

Purple

Ab 1939

a 4m

Ab 2690

a 5m

Ab 2654

a 5m

Ab 2649

a 6m

Ab 2626

a 5m

Ab 2513

a 5m

Ab 3103

a 6m

Ab 3085

a 6m

Ab 3081

a 6m

Ab 3067

a 5m

Aug. 24, 1905.

71

New-Algol var. cont.

AB 3059

a5r

AB 3022

a5r

AB 3013

a5r

AB 3010

a6r

AB 2991

a5r

AB 2970

a5r

AB 2956

a5r

AB 2950

a5r

AB 2937

a5r

AB 2917

a5r

72

Aug. 24, 1905.

New Algol cont.

AB 2914

a 50

AB 2873

a 50

AB 2829

a 40

AB 2757

a 60

~~AB 3744~~~~a 50~~~~AB 3679~~~~a 50~~~~AB 3654~~~~a 40~~

AB 4680

a 40

AB 1170

a 50

AB 3400

a 40

AB 3416

Poorly

Aug. 23, 1905

73

Near Algol cont.

AB 3436

Too near edge

AB 3434

Poor pl

AB 3438

Too near edge.

AB 344⁸~~4~~

Poor pl

AB 3454

Too poor

AB 3464

a 50

AB 34⁸¹~~74~~

a 50

AB 35¹⁴~~3486~~

a 40

AB 35²⁴~~3527~~

a 40

AB 3587

a 40

Aug. 25, 1905

Star Algol var. cont.

AB 3752

a4r

AB 4191

a4r

AB 4207

Poor pl

AB 4318

a4r

AB 4338

a5r

AB 4361

a6r

AB 4382⁹²

a6r

AB 4402

a6r

AB 4432⁴⁵

a6r

AB 4457⁴⁵⁰⁰

a3r

Aug. 25, 1905.

75

Near Algol cont.

AB 2035-

a 6^m
AB 2124a 6^m
AB 2313a 5^m
AB 2412

Var. Ft.

AB 2421

a 5^m
AB 2474a 5^m
AB 2484 2536a 4^m
AB 2563

Var. ft.?

AB 2570
Poorly

AB 2628

a 5^m
AB 2629 2870
a 4^m

AB 3051

a 4^m

AB 3123

a 6^m

76

Aug. 25, 1903.

New Algol var.

AB 3203

a6 α AB ³³⁰⁸~~3296~~a6 α

AB 3365

a6 α

AB 3390

a6 α

AB 4774

Ponfle

AB 4823

a4 α

AB 4848

a5 α AB ~~4863~~ 4883

Ponfle

AB 4900

a3 α

AB 4928

a3 α var. fl.?

AB 5023

Ponfle

Aug 25, 1905

77

Ab 3057

a5 or

Ab 3440

a6 or

Ab 4611

a6 or

Ab 4567

a5 or

Ab 4577

a6 or

Ab 4530

a6 or

Ab 4613

a6 or

Ab 4641

a5 or

Ab 4605

a4 or

Ab 4683

a5 or

Ab 4716

a6 or

Ab 3624

Poor in reg.

Ab 3890

Poor in reg.

Ab 4050

Poor fl.

Ab 4307

Poor fl.

78

Aug. 25, 1905.

Star Algol. Var.
AB 4658

a 5 r

3660
AB 4661

a 5 r

AB 3604

a 2 r

AB 4657
Poor in eq.

AB 6307

a 5 r

AB 6378

a 2 r

AB 6406

a 4 r

AB 6277

a 4 r

AB 6304

Poor in eq.

AB 5993

a 5 r

Aug. 25, 1905.

79

NeuAlgol Var.

AB 6056

a5r

AB 6083

a6r

AB 6147

a5r

AB 5359

a6r

AB 5577

a5r

AB 5629

a2r

AB 5758

a3r

AB 5826

a6r

AB 5886

a5r

AB 5930 4897

a3r

Aug. 23, 1905.

Kew Algal Jar.

AB 4919

a 20

AB 4974

Pom. in reg.

AB 4994

Pom. in reg.

Spec.

AB 5019

Fl.

AB 5070

Pom. in reg.

AB 6384

a 30

AB 6423

Poor file in reg.

AB 6463

Pom. in reg.

AB 6484

a 20

AB 5484

a 50

AB 5538

a 50

Aug. 25 1905.

81

Near Algol cont.

AB 5630

a 50

AB 5680

a 50

AB 5786

a 50

AB 5801

a 60

AB 5082

a 30

AB 5183

Ft.

AB 5214

Ft.

AB 5260

V.S.

AB 5265

a 42 Ft.

AB 5278

a 50

Aug. 25, 1905.

Near-Algol cont.

Ab 5382

a 3 α

Ab 5407

a 2 α Ft.?

Ab 1056

a 5 α

Ab 1155

a 6 α

Ab 1157

a 6 α

Ab 1368

a 4 α

Ab 1429

a 3 α

Ab 1703

a 3 α ?

Ab 1751

Polaris reg.

Ab 1777

a 4 α

Aug. 25, 1905.

83

near Algol var.

AB 1866

a 30

AB 1873

St. L.

AB 810

a 40

AB 811

a 30

AB 831

var. fl.?

AB 958

a 30

AB 966

var. fl.

AB 1045

a 50

AB 1055

a 40

AB 490

a 60

Aug. 25, 1905.

Near-Algol Cont.

Alc 365

a5r

Alc 410

a3r

Alc 725

a4r

Alc 789

a4r

Alc 76

a5r Fh?

Alc 50

a4r Fh?

Alc 56

a4r Fh?

Alc 57 Ponpl

Alc 56

a7r

Alc 116

a5r

Aug-25, 1905-

85

Star Algol

Ab 118

800 ft?

Ab 125

a 300

Ab 139

a 400

Ab 155

a 500

Ab 156

a 500

Ab 174

a 400

Ab 211

Flk.

Ab 223

a 500

Ab 393

Ab 3107

a 500

Aug. 25, 1905.

Run Algol cont.

Ab 3145-

a 5 r

Ab 3148

a 2 r

Ab 3157

a 4 r

Ab 3210

a 5 r

Ab 3227

a 5 r

Ab 3232

A. S.

Ab 3241

V. M. ?

Ab 3268

a 5 r

Ab 3287

a 4 r ?

Ab 2718

a 5 r

Aug. 25, 1905

87

Near Algol

Ab 2742

a6r

Spec. Ab 2810

H₂

Ab 2877

a5r

Ab 3007

a4r

Ab 3014

a5r

Ab 3062

a5r

Ab 3070

a6r

Ab 3080

a5r

Ab 3083

Pon fl

Ab 3088

a5r

Aug. 25, 1905

Sun Algol

AB 2244
a 4rAB 2272
A SAB 2293
a 3rAB 2310
a 5rAB 2327
a 4rAB 2365
a 4rAB 2371
a 5rAB 2376
Var. ft.AB 2487
a 3rAB 2595
a 5r

Aug. 25 1905

89

Star Algol

AB 1962
a 5m

AB 1978
var. ft.

AB 1986
a 4m

AB 2028
a 4m

AB 2046
a 5m

AB 2048
a 5m

AB 2087
a 5m

AB 2095-
a 5m

AB 2143
a 5m

AB 2165-
a 5m

Aug. 25, 1905.

Her Algol

AB 2175

a6r

AB 2187

a4r

AB 2222

a6r

AB 4162

a5r

AB 4181

a5r

AB 4197

a5r

AB 4231

a5r

AB 4261

a6r

AB 4275

a5r

AB 4288

a5r

Aug. 25, 1905:

91

near Algol cond.

Ab 4297

Pon fl.

Ab 4308

a3 r

Ab 4316

a5 r

Ab 4325

a5 r

Ab 4345

a6 r

Ab 4381

a5 r

Ab 4413

a5 r

Ab 4433

a5 r

Ab 4443

a5 r

Ab 4456

a5 r

Aug. 25, 1905

Star Algol

Ab 4477

Ponpl

Ab 4513

a5r

Ab 4538

a4r

Ab 4003

a5r

Ab 4005

a5r

Ab 4017

a5r

Ab 4023

a4r

Ab 4026

a4r

Ab 4054

a5r

Ab 4062

N.D.

Ab 4071

Trail

Aug. 25, '65

93

near Algol:

AB 4102

a 5 m

AB 4129

a 5 m

AB 3379

a 5 m

AB 3396

a 5 m

AB 3572

a 5 m

AB 3614

Flk?

AB 3820

a 5 m

AB 3891

a 2 m

AB 39⁴⁹₂₇

a 3 m

AB 39²³₅₃

a 5

Sept. 25, 1905.

- Sagittarii Var. 19 28.6 - 16 35

Computation on B17869

✓

B17869

8.31 c 20 8.51 8.51 = 8.51 00 00
 8.51 a 2 d 8.71

✓

B13937

8.71 d 20 8.91 9.06 = 8.98 07 08
 9.06 a 1 e 9.16

✓

B8366

9.16 e 20 9.36 9.36 = 9.36 00 00
 9.36 a 2 f 9.56

✓

B8234 Sh

9.16 e & $\frac{3}{2}$ 9.46

✓

Mearns B1418 Sh

8.31 c 1 f 8.41

✓

B23381

8.71 d 20 8.91 8.96 = 8.94 03 02
 8.96 a 2 e 9.16

✓

B18969

8.71 d 30 9.01 8.86 = 8.94 04 08
 8.86 a 3 e 9.16

✓

B21290

9.16 11 a 9.26 9.36 = 9.31 05 05
 9.36 a 2 f 9.56

Sept. 25, 1905

95

✓
Newcomb B23042 Sp. - Sagittarii cont.

9.16 *d2r* 9.36 9.36 = 9.36 00 00
 9.36 *d2f* 9.56

✓ B2873 Sp.
Poor in reg.

✓ B2880 Sp.
Poor in reg.

✓ B3077
 9.16 *d2r* 9.36 9.26 = 9.31 05 05
 9.26 *d3f* 9.56

✓ B3888
 8.71 *d2r* 8.91 8.96 = 8.94 03 02
 8.96 *d2e* 9.16

✓ B3683 Sp.
Poor in reg.

✓
Poor fl. B3104
 9.16 *d1r* 9.26 9.36 = 9.31 05 05
 9.36 *d2f* 9.56

✓ B4165
 8.71 *d3r* 9.01 8.96 = 8.98 03 03
 8.96 *d2e* 9.16

✓ B4278
Poor fl.

Sept. 25, 1905.

- Sagittarii cont.

✓ B5176 sp.
Poor in reg.

✓ B5378 sp.
Poor in reg.

✓
Near edge - B5946

8.31 $\sigma 2\sigma$ 8.51 8.51 = 8.51 $\sigma\sigma$ $\sigma\sigma$

8.51 $\sigma 2\sigma$ 8.71

✓ B5947

8.71 $\sigma 13\sigma$ 9.01 8.96 = 8.98 $\sigma 3$ $\sigma 2$

8.96 $\sigma 2\sigma$ 9.16

✓ B6159

9.16 $\sigma 2\sigma$ 9.36 9.36 = 9.36 $\sigma\sigma$ $\sigma\sigma$

9.36 $\sigma 2\sigma$ 9.56

✓ B6160

9.16 $\sigma 2\sigma$ 9.36 9.36 = 9.36 $\sigma\sigma$ $\sigma\sigma$

9.36 $\sigma 2\sigma$ 9.56

✓ B20614

9.16 $\sigma 2\sigma$ 9.36 9.26 = 9.31 $\sigma 5$ $\sigma 5$

9.26 $\sigma 3\sigma$ 9.56

✓ B22895

Too near edge of plate

Sept. 25, 1905

97

- Sagittarii cont.

✓ B22798

8.71 $d30$ 9.01 8.96 = 8.98 03 028.96 $\sigma 22$ 9.16

✓ B22094

8.71 $d30$ 9.01 8.96 = 8.98 03 028.96 $\sigma 22$ 9.16

✓ B22013

8.71 $d10$ 8.81 8.96 = 8.88 07 088.96 $\sigma 22$ 9.16

✓

New edge. B21998

9.56 $f10$ 9.66 R $g1$

✓ B21323

8.31 $d30$ 8.61 8.51 = 8.56 05 058.51 $\sigma 22$ 8.71

✓ B19693

8.71 $d30$ 9.01 8.86 = 8.94 07 088.86 $\sigma 32$ 9.16

✓ B19598

9.16 $d10$ 9.26 9.36 = 9.31 05 059.36 $\sigma 27$ 9.56

✓ B19528

9.16 $d20$ 9.36 9.36 = 9.36 00 009.36 $\sigma 27$ 9.56

Sept. 25, 1905-

- Sagittarii cont.

✓

B 20288

9.16 $\alpha 2 \alpha$ 9.36 9.26 = 9.31 05 05
 9.26 $\alpha 3 \gamma$ 9.56

✓

B 20207 Sp.

8.71 $\alpha 1 \alpha$ 8.81 8.96 = 8.88 07 08
 8.96 $\alpha 2 \alpha$ 9.16

✓

B 20061 Sp.

8.71 $\alpha 2 \alpha$ 8.91 9.06 = 8.98 07 08
 9.06 $\alpha 1 \alpha$ 9.16

✓

B 20615

8.31 $\alpha 2 \alpha$ 8.51 8.61 = 8.56 05 05
 8.61 $\alpha 1 \alpha$ 8.71

✓

B 19349

8.71 $\alpha 2 \alpha$ 8.91 8.96 = 8.94 03 02
 8.96 $\alpha 2 \alpha$ 9.16

✓

B 19148

9.16 $\alpha 1 \alpha$ 9.26 9.26 = 9.26 00 00
 9.26 $\alpha 3 \gamma$ 9.56

✓

B 18731

8.71 $\alpha 2 \alpha$ 8.91 8.96 = 8.94 03 02
 8.96 $\alpha 2 \alpha$ 9.16

✓

B 18614

8.71 $\alpha 3 \alpha$ 9.01 8.86 = 8.94 07 08
 8.86 $\alpha 3 \alpha$ 9.16

Sept. 26, 1905.

99

- Sagittarii contd

✓ B18025

8.71 d30 9.01 8.96 = 8.98 03 02

8.96 022 9.16

✓ B19974

8.71 d30 9.01 8.96 = 8.98 03 02

8.96 022 9.16

✓ B19847

8.71 d30 9.01 8.86 = 8.94 07 08

8.86 032 9.16

✓
Near edge B16807
$$\begin{array}{ccc} & \text{f} & \\ & \text{f} & \\ & \text{f} & \\ 9.38 & 039 & 9.68 \end{array} \quad \begin{array}{c} 9.38 \\ \text{R} \end{array}$$
✓ B16853th8.03 f20 8.23 8.11 = 8.17 06 06

8.11 020 8.31

✓ B16884

9.16 020 9.36 9.36 = 9.36 00 00

9.36 027 9.56

✓ B17080

8.71 d30 9.01 8.86 = 8.94 07 08

8.86 032 9.16

✓ B17260

8.71 d30 9.01 8.86 = 8.94 07 08

8.86 030 9.16

Sept. 26, 1905.

- Sagittarii cont

J B17369

9.16 $\alpha 2\alpha$ 9.36 9.26 = 9.31 05 05
 9.26 $\alpha 3\beta$ 9.56

J B17507

8.71 $d 3\alpha$ 9.01 8.96 = 8.98 03 03
 8.96 $\alpha 2\alpha$ 9.16

J B17689

9.16 $\alpha 1\alpha$ 9.26 9.36 = 9.31 05 05
 9.36 $\alpha 2\beta$ 9.56

J B17780

8.71 $d 3\alpha$ 9.01 8.86 = 8.94 07 08
 8.86 $\alpha 3\alpha$ 9.16

B19453

8.71 $d 2\alpha$ 8.91 8.86 = 8.88 = 03 03
 8.86 $\alpha 2\alpha$ 9.16

J B19453

8.71 $d 3\alpha$ 9.01 8.86 = 8.94 07 08
 8.86 $\alpha 3\alpha$ 9.16

J B27490

8.31 $\alpha 2\alpha$ 8.51 8.51 = 8.51 00 00
 8.51 $\alpha 2\alpha$ 8.71

B27517

8.71 $d 3\alpha$ 9.01 8.86 = 8.94 07 08
 8.86 $\alpha 3\alpha$ 9.16

Sept. 26, 1905

101

- Sagittarii cont.

✓ B14419 Sp.

8.71 d20 8.91 8.86-8.88 03 02
 8.86 r3e 9.16

✓ B14380 Sp.

8.71 d20 8.91 8.86-8.88 03 02
 8.86 r3e 9.16

✓ B14208 Sp.

8.31 r20 8.51 8.51-8.51 00 00
 8.51 r2d 8.71

✓ B15045

8.31 r20 8.51 8.51-8.51 00 00
 8.51 r2d 8.71

✓ B15742

8.71 d30 9.01 8.86-8.94 07 08
 8.86 r3e 9.16

✓ B16197

8.71 d30 9.01 8.86-8.94 07 08
 8.86 r3e 9.16

✓ B16295

9.16 e10 9.26 9.36-9.31 05 05
 9.36 r2f 9.56

✓ B16396

9.16 e20 9.36 9.36-9.36 00 00
 9.36 r2f 9.56

Sept. 26, 1905.

- Sagittarii cont.

✓ B25396

8.71

d3a 9.01 8.86 = 8.94 07 08

8.86

a3e 9.16

✓

Pease edge

B25437

d1a

8.86 P

8.86

a3e 9.16

✓

B26053

8.03

f2a 8.23 8.21 = 8.22 01 01

8.21

a1c 8.31

✓

B26144

8.71

d2a 8.91 8.96 = 8.94 03 02

8.96

a2e 9.16

✓

B26321

8.71

d3a 9.01 8.86 = 8.94 07 08

8.86

a3e 9.16

✓

B28660

8.71

d1a 8.81 8.96 = 8.88 07 08

8.96

a2e 9.16

✓

B28626

9.16

e1a 9.26 9.36 = 9.31 05 05

9.36

a2f 9.56

✓

B28536

Surface

Sept. 26, 1905.

103

- Sagittarii cont.

✓ B28159

9.16 $\sigma 2\sigma$ 9.26 9.36 = 9.31 05 05
 9.36 $\sigma 2f$ 9.56

✓ B27630

8.71 $\sigma 2\sigma$ 8.91 8.96 = 8.94 03 02
 8.96 $\sigma 2\sigma$ 9.16

✓ B13453 Sp.

9.16 $\sigma 2\sigma$ 9.36 9.36 = 9.36 00 00
 9.36 $\sigma 2f$ 9.56

✓ B12330

9.16 $\sigma 2\sigma$ 9.36 9.36 = 9.36 00 00
 9.36 $\sigma 2f$ 9.56

✓ B11393 Sp.

8.71 $\sigma 1\sigma$ 8.81 9.06 = 8.94 13 12
 9.06 $\sigma 1\sigma$ 9.16

✓ B10169 Sp.

Poor in reg.

✓ B23107

8.71 $\sigma 2\sigma$ 8.91 8.96 = 8.94 03 02
 8.96 $\sigma 2\sigma$ 9.16

✓ B23208

8.03 $\sigma 2\sigma$ 8.23 8.21 = 8.22 01 01
 8.21 $\sigma 1\sigma$ 8.31

Sept. 23⁶, 1905

- Sagittarii cont. -

✓

B23366

9.16 $\ell 2\alpha$ 9.36 9.36 = 9.36 00 00
 9.36 $\alpha 2 \gamma$ 9.56

✓

B23849

8.91 $\ell 2\alpha$ 8.91 8.96 = 8.94 03 02
 8.96 $\alpha 2 \ell$ 9.16

✓

B25280

8.71 $\ell 2\alpha$ 8.91 8.96 = 8.94 03 02
 8.96 $\alpha 2 \ell$ 9.16

✓

B6230 Sh.

9.16 $\ell 1 \gamma$ 9.26

✓

B6238 Sh.

Poor images

✓

B6581 Sh.

9.16 $\ell 1 \alpha$ 9.26 9.46 = 9.36 10 10
 9.46 $\alpha 1 \gamma$ 9.56

✓

B8474

9.16 $\ell 2 \alpha$ 9.36 9.36 = 9.31 05 05
 9.26 $\alpha 3 \gamma$ 9.56

✓

B8360 Sh.

Poor in reg.

Sept. 26, 1905.

105

- Sagittarii cont.

✓ B7837

8.31 $\alpha 1 \alpha$ 8.41 8.51 = 8.46 05 058.51 $\alpha 2 d$ 8.71

✓ B7836

8.31 $\alpha 2 \alpha$ 8.51 8.51 = 8.51 00 008.51 $\alpha 2 d$ 8.71✓ B7769 Sp.
Poor image

✓ B9238

9.16 $\alpha 1 \alpha$ 9.26 9.36 = 9.31 05 059.36 $\alpha 2 f$ 9.56

✓ B9239

8.71 $\alpha 2 \alpha$ 8.91 9.06 = 8.98 07 089.06 $\alpha 1 \alpha$ 9.16✓ B9552 Sp.
Too near edge

✓ B9807 Sp.

8.31 $\alpha 1 \alpha$ 8.41 8.51 = 8.46 05 058.51 $\alpha 2 d$ 8.71

✓ B9885

8.71 $\alpha 2 \alpha$ 8.91 9.06 = 8.98 07 089.06 $\alpha 1 d$ 9.16

Sept. 26, 1905.

- Sagittarii cont.

✓

B 9886

8.31 $\epsilon 2\alpha$ 8.51 8.51 = 8.51 00 00
 8.51 $\sigma 2d$ 8.71

✓

B 13664

8.71 $\epsilon 2\alpha$ 8.91 8.96 = 8.94 03 02
 8.96 $\sigma 2d$ 9.16

✓

B 13634

9.16 $\epsilon 2\alpha$ 9.36 9.36 = 9.36 00 00
 9.36 $\sigma 2f$ 9.56

✓

B 13591

9.16 $\epsilon 2\alpha$ 9.36 9.36 = 9.36 00 00
 9.36 $\sigma 2f$ 9.56

✓

l 11252 sp.

100 near edge

✓

l 20500

9.16 $\epsilon 1\alpha$ 9.26 9.36 = 9.31 05 05
 9.36 $\sigma 2f$ 9.56

✓

l 20738

9.16 $\epsilon 1\alpha$ 9.26 9.36 = 9.31 05 05
 9.36 $\sigma 2f$ 9.56

✓

l 18332

Pl. trailed

Oct. 17, 1905.

107

- Lag. cont.

✓ Q23141

8.71 $\alpha 2\alpha$ 8.91 9.06 - 8.98 07 089.06 $\alpha 1\alpha$ 9.16

✓ Q13507

8.71 $\alpha 2\alpha$ 8.91 9.06 - 8.98 07 089.06 $\alpha 1\alpha$ 9.16

✓ Q13484

8.71 $\alpha 2\alpha$ 8.91 8.96 - 8.94 03 028.96 $\alpha 2\alpha$ 9.16

✓ Q1811 Sp.

8.31 $\alpha 1\alpha$ 8.41 8.51 - 8.46 05 058.51 $\alpha 2\alpha$ 8.71

✓ Q1750

8.31 $\alpha 2\alpha$ 8.51 8.61 - 8.56 05 058.61 $\alpha 1\alpha$ 8.71

✓ Q1644 Sp.

7.81 $\alpha 1\alpha$ 7.91 7.93 - 7.94² 01 017.93 $\alpha 1\alpha$ 8.03

✓ Q1625

Poorly

✓ Q1622

Poor images

Oct. 17, 1905.

- Sag. cont.

✓

Q1581

8.31

c 20 8.51 8.51 = 8.51 00 00

8.51

c 20 8.71

✓

Q1512 Sp.

Poor in ug.

✓

Q1496 Sp.

7.81

a 10 7.91 7.93 = 7.92 01 01

7.93

c 12 8.03

✓

Q2090

8.31

c 20 8.51 8.61 = 8.56 05 05

8.61

c 10 8.71

✓

Q2196 Sp.

7.81

a 10 7.91 7.83 = 7.87 04 04

7.83

c 22 8.03

✓

Q11172

Poor images

✓

Q11228 Sp.

8.71

d 10 8.81 8.96 = 8.88 07 08

8.96

c 20 9.16

✓

Q12921 Sp.

8.31

c 10 8.41 8.51 = 8.46 05 05

8.51

c 20 8.71

Oct 17 1905.

109

- Sag cont.

✓ Q12952
Pompl

✓ Q12980

9.16	dir	9.26	9.36 = 9.31	05 05
9.36	sd	9.56		

✓ Q12982 Sp.

8.71	dir	8.81	8.96 = 8.88	07 08
8.96	sd	9.16		

✓ Q12987 Sp.
Pompl

✓ Q13000

9.16	dir	9.36	9.46 = 9.41	05 05
9.46	sd	9.56		

✓ Q13839
Pompl

✓ Q14989

8.31	dir	8.51	8.51 = 8.51	00 00
8.51	sd	8.71		

✓ Q18590

8.71	dir	9.01	8.96 = 8.98	03 02
8.96	sd	9.16		

Oct. 18, 1905.

— Sag. cont.

✓

Q 18490

8.71 d10 8.81 8.96 = 8.88 07 08
 8.96 022 9.16

✓

Q 18429

8.71 d20 8.91 8.96 = 8.94 03 02
 8.96 022 9.16

✓

Q 18352

9.16 220 9.36 9.36 = 9.36 00 00
 9.36 022 9.56

✓

Q 18297⁷⁷

8.71 d30 9.01 8.96 = 8.98 03 02
 8.96 022 9.16

✓

Q 18143

8.71 d20 8.91 8.86 = 8.88 03 02
 8.86 032 9.16

✓

Q 20612

8.71 d30 9.01 8.96 = 8.94⁸ 07 08 03 02
 8.96 022 9.16

✓

Q 25605^{Sp.}

Porph.

✓

Q 25586

8.31 c10 8.41 8.51 = 8.46 05 08
 8.51 022 8.71

Oct. 18, 1905

111

- Sag. cont.

✓ Q23038

8.71 d2r 8.91 8.96 = 8.94 03 02

8.96 r2e 9.16

✓ Q23279 sp.

8.03 f2r 8.23 8.11 = 8.17 06 06

8.11 r2v 8.31

✓ Q23263 sp.

8.03 f2r 8.23 8.11 = 8.17 06 06

8.11 r2v 8.31

✓ Q23060

8.31 r2r 8.51 8.51 = 8.51 00 00

8.51 r2d 8.71

✓ Q15491

8.71 d2r 8.91 8.86 = 8.88 03 02

8.86 r3e 9.16

✓ Q15083 sp.

8.71 d2r 8.91 8.96 = 8.94 03 02

8.96 r2e 9.16

✓ Q15116 sp.

8.03 f2r 8.23 8.21 = 8.22 01 01

8.21 r1v 8.31

✓ Q15187
Porph.

Oct. 18, 1905.

- Sag cont.

✓

Q 15-190

8.71

 $d2r \ 8.91 \ 8.96 = 8.94 \ \underline{03} \ 02$

8.96

 $\sigma 2e \ 9.16$

✓

Q 15-325

8.71

 $d2r \ 8.91 \ 8.83 = 8.87 \ 04 \ \underline{04}$

8.83

 $\sigma 3e \ 9.16$

✓

Q 3808 Sh.

Poor images

✓

Q 3924 Sh.

8.71

 $d2r \ 8.91 \ 8.96 = 8.94 \ \underline{03} \ 02$

8.96

 $\sigma 2e \ 9.16$

✓

Q 4092 Sh.

Poor flc

✓

Q 4593 Sh.

Too near edge

↓

Q 18729

9.16

 $d2r \ 9.36 \ 9.36 = 9.36 \ 00 \ 00$

9.36

 $\sigma 2f \ 9.56$

✓

Q 18618 Sh.

8.71

 $d2r \ 8.91 \ 8.96 = 8.94 \ \underline{03} \ 02$

8.96

 $\sigma 2e \ 9.16$

Oct. 18, 1905

113

- Sag. cont.

✓

Q18617

8.71 d2r 8.91 8.96 = 8.94 03 02
 8.96 o2e 9.16

✓

Q13208¹⁷⁹ Sh.
 Poor pl

✓

Q13141

9.16 d2r 9.36 9.36 = 9.36 00 00
 9.36 o2f 9.56

✓

Q13093

9.16 d2r 9.36 9.36 = 9.36 00 00
 9.36 o2f 9.56

✓

Q13081 Sh.
 Poor pl

✓

Q13069

8.71 d2r 8.91 8.96 = 8.94 03 02
 8.96 o2e 9.16

✓

Q13037 Sh.

8.71 d2r 8.91 8.96 = 8.94 03 02
 8.96 o2e 9.16

✓

Q14795

8.31 o2r 8.51 8.51 = 8.51 00 00
 8.51 o2d 8.71

Oct. 18, 1905.

- Sag cont.

✓

Q15723

Purple

✓

Q15811

8.71

 $d2r$ 8.91 8.96 = 8.94 03 02

8.96

 $\sigma 2e$ 9.16

✓

Q15998

8.71

 $d2r$ 8.91 8.96 = 8.94 03 02

8.96

 $\sigma 2e$ 9.16

✓

Q16189

8.71

 $d2r$ 8.91 9.06 = 8.98 07 08

9.06

 $\sigma 1e$ 9.16

✓

Q16511

8.71

 $d2r$ 8.91 8.96 = 8.94 03 02

8.96

 $\sigma 2e$ 9.16

✓

Q17511

9.16

 $e2r$ 9.36 9.36 = 9.36 00 00

9.36

 $\sigma 2e$ 9.56

✓

Q17669 - 17659

Two plates separate

✓

Q17711

Purple

Oct. 18, 1905

115

- Sag. cont.

✓ Q17862

8.71 d2r 9.01 8.96 = 8.98 03 02

8.96 r2d 9.16

✓ Q20428

9.16 d1r 9.26 R

f2r

✓ Q19553

9.16 d1r 9.26 9.36 = 9.31 05 05

9.36 r2f 9.56

✓ Humidge Q19194

9.16 d2r 9.36 9.36 = 9.36 00 00

9.36 r2f 9.56

✓ B29459

8.31 d2r 8.51 8.51 = 8.51 00 00

8.51 r2d 8.71

✓ B34253

8.31 d2r 8.51 8.41 = 9.46 05 05

8.41 r3d 8.71

✓ B34815

Surface

✓ B34886

Surface

Oct. 18, 1905

- Sag. cont.

✓

B 33962

Too near edge

✓

B 33501

8.71

d 2r 8.91 8.96 = 8.94 03 02

8.96

r 2v 9.16

✓

B 32517

8.31

c 2r 8.51 8.61 = 8.56 05 05

8.61

o 1d 8.71

✓

B 33360

8.71

d 2r 8.91 8.96 = 8.94 03 02

8.96

o 2v 9.16

✓

Near edge

B 32342

8.03

f 4g

8.43

R

c 1f

✓

Near edge

B 32324

8.03

f 2r

8.23

R

c 1f

✓

B 32159

Too near edge of flv

✓

B 31742

9.16

f 2r

9.36 9.36 = 9.36 00 00

9.36

o 2f

9.56

Oct. 18, 1905

117

- Sag. cont.

✓

B30827

9.56

f1r

9.66 9.48 = 9.57 09 09

9.48

b2g

9.68

✓

B29583

8.71

d2r 8.91 8.96 = 8.94 03 02

8.96

r2r 9.16

✓

B29615

Surface

✓

B29661

Too near edge of p

✓

B29880

8.71

d2r 8.91 8.86 = 8.88 03 02

8.86

r3r 9.16

✓

Near edge

B29885

8.03

f4r

8.43

P

r2r

✓

B30289

Too near edge

✓

B30434 Sp

7.81

7.91

8.81

a1r

8.44

7.93 = 7.92 01 01

7.93

a1r

8.03

Oct. 18, 1905.

- Sag. cont.

✓

B30435 ff.

8.31

d1 $\frac{1}{2}$ 8.41

✓

B30448 ff.

8.31

d1 $\frac{1}{2}$ 8.41

✓

B30495

9.16

d1 $\frac{1}{2}$ 9.26 9.36 = 9.31 05 05

9.36

d2 $\frac{1}{2}$

9.56

✓

B30528

9.16

d1 $\frac{1}{2}$ 9.26 9.36 = 9.31 06 06

9.36

d2 $\frac{1}{2}$

9.56

✓

AB 1527

8.71

d3 $\frac{1}{2}$ 9.01 9.06 = 9.04 03 02

9.06

d1 $\frac{1}{2}$

9.16

✓

AB 6699

8.71

d1 $\frac{1}{2}$ 8.81 8.96 = 8.88 07 08

8.96

d2 $\frac{1}{2}$

9.16

✓

AB 6707

8.71

d2 $\frac{1}{2}$ 8.91 Rd1 $\frac{1}{2}$

✓

AB 65-65-

8.71

d2 $\frac{1}{2}$ 8.91 8.86 = 8.88 03 02

8.86

d3 $\frac{1}{2}$

9.16

Oct. 23 1905.

119

Sag. cont.

✓ AB 6532

8.71 d2r 8.91 8.96 = 8.94 03 02

8.96 r2e 9.16

✓ AB 5068

8.31 r1r 8.41 8.51 = 8.46 05 05

8.51 r2d 8.71

✓ AB 5042

8.31 r1r 8.41 8.51 = 8.46 05 05

8.51 r2d 8.71

✓ AB 4980

8.71 d2r 8.91 8.96 = 8.94 03 02

8.96 r2e 9.16

✓ AB 4955

8.71 d3r 9.01 8.86 = 8.94 07 08

8.86 r3e 9.16

✓ AB 4914

9.16 e1f 9.26✓ ^{AM} AB 875-

9.16 e2r 9.36 9.36 = 9.36 00 00

✓ 9.36 r2f 9.56

AM 868

9.16 e2r 9.36 9.36 = 9.36 00 00

9.36 r2f 9.56

Oct. 23, 1905

Sag. cont.

✓ AM 835

8.71 d30 9.01 8.96 = 8.98 03 02
 8.96 022 9.16

✓ AM 1489

9.16 d30 9.46 9.36 = 9.41 05 05
 9.36 022 9.56

✓ AM 685

9.16 d10 9.26 9.36 = 9.31 05 05
 9.36 022 9.56

✓ AM 888

9.16 d20 9.36 9.36 = 9.36 00 00
 9.36 022 9.56

✓ AM 2142

8.71 d30 9.01 8.86 = 8.94 07 08
 8.86 032 9.16

✓ AM 2072

8.71 d10 8.81 8.96 = 8.88 07 08
 8.96 022 9.16

✓ AM 2052

8.71 d20 8.91 8.96 = 8.94 03 02
 8.96 022 9.16

✓ AM 1993

8.71 d20 8.91 8.86 = 8.88 03 02
 8.86 032 9.16

Oct. 23, 1903:

121

Sag. cont.

✓ AM 1887

9.68 d 30 9.98 9.76 = 9.87 11 11
 9.76 r 2 h 9.96

✓ AM 2856

8.31 d 20 8.51 8.51 = 8.51 00 00
 8.51 r 2 d 8.71

✓ AM 2725

8.71 d 30 9.01 8.86 = 8.94 07 08
 8.86 r 3 e 9.16

✓ AM 2702

8.71 d 30 9.01 8.96 = 8.98 03 02
 8.96 r 2 e 9.16

✓ AM 2653

8.71 d 30 9.01 8.86 = 8.94 07 08
 8.86 r 3 e 9.16

✓ AM 2533

8.71 d 30 9.01 9.06 = 9.04 03 02
 9.06 r 1 e 9.16

✓ AB 0643

8.71 d 20 8.91 8.86 = 8.88 03 02
 8.86 r 3 e 9.16

✓ AB 0835

8.71 d 30 9.01 8.96 = 8.98 03 02
 8.96 r 3 e 9.16

Oct. 23, 1905.

Sag. cont.

✓ Al 1542

8.71 $d2\sigma$ 8.91

✓ Al 1655

9.56 $f1\sigma$ 9.66

✓ Al 3935

9.16 $e1\sigma$ 9.26

✓ Al 5780

8.71 $d3\sigma$ 9.01 8.96 = 8.98 03 02
8.96 $\sigma2e$ 9.16

✓ Al 5211

8.71 $d3\sigma$ 9.01 8.86 = 8.88 03 02
8.86 $\sigma3e$ 9.16

✓ Al 1263

8.71 $d2\sigma$ 8.91 8.86 = 8.88 03 02
8.86 $\sigma3e$ 9.16

✓ Al 1022

9.16 $e1\sigma$ 9.26

✓ Al 946

9.16 $e2\sigma$ 9.36 9.36 = 9.36 00 00
9.36 $\sigma2f$ 9.56

✓ Al 811

9.16 $e2\sigma$ 9.36 9.36 = 9.36 00 00
9.36 $\sigma2f$ 9.56

Oct. 23, 1905

123

Say cont.

✓ AM 801

9.16 d 20 9.36 9.36 = 9.36 00 00
 9.36 02 f 9.56

✓ AM 486
Pb tailer

✓ AM 181

Too near edge

✓ AM 164

Too near edge

✓ AM 129

Too near edge.

✓ AM 30

Too near edge

✓ AM 16

9.16 d 20 9.36 9.36 = 9.36 00 00
 9.36 02 f 9.56

✓ AM 1288

8.71 d 20 8.91 8.96 = 8.94 03 02
 8.96 02 e 9.16

✓ AM 1416

8.71 d 20 8.91 9.06 = 8.98 07 08
 9.06 01 e 9.16

Oct 23, 1905.

Sag. cont.

✓

Am 1439

9.16

22 α 9.36 9.46 = 9.41 05 05

9.46

 α 17 9.56

✓

Am 1462

9.16

22 α 9.36 9.36 = 9.36 00 00

9.36

 α 27 9.56

✓

Am 1537

8.31

22 α 8.51 8.41 = 8.46 05 05

8.41

 α 3d 8.71

✓

Am 1540

9.56

first 9.66

✓

Am 1590

9.56

first 9.66

✓

Am 1690

9.16

22 α 9.36

✓

Am 1920

9.16

21 α 9.26

✓

Am 1933

9.16

22 α 9.36 9.36 = 9.36 00 00

9.36

 α 27 9.56

✓

Am 1968

8.71

22 α 8.91 8.96 = 8.94 03 02

8.96

 α 27 9.16

Oct. 23, 1905.

125

✓ AM 2094 Sag. cont.

8.71 $\alpha 3 \alpha$ 9.01 8.96 = 8.98 03 02
 8.96 $\alpha 2 \alpha$ 9.16

✓ AM 2120

8.71 $\alpha 3 \alpha$ 9.01 8.86 = 8.94 07 08
 8.86 $\alpha 3 \alpha$ 9.16

✓ AM 2133

8.71 $\alpha 3 \alpha$ 9.01 8.86 = 8.94 07 08
 8.86 $\alpha 3 \alpha$ 9.16

✓ AM 2161

8.71 $\alpha 3 \alpha$ 9.01 8.86 = 8.94 07 08
 8.86 $\alpha 3 \alpha$ 9.16

✓ AM 2270

9.16 $\alpha 3 \alpha$ 9.46 9.26 = 9.36 10 10
 9.26 $\alpha 3 \alpha$ 9.56

✓ AM 2274

9.16 $\alpha 2 \alpha$ 9.36 9.26 = 9.31 05 05
 9.26 $\alpha 3 \alpha$ 9.56

✓ AM 2289

9.16 $\alpha 2 \alpha$ 9.36 9.26 = 9.31 05 05
 9.26 $\alpha 3 \alpha$ 9.56

✓ AM 2591

9.16 $\alpha 2 \alpha$ 9.36 9.36 = 9.36 00 00
 9.36 $\alpha 2 \alpha$ 9.56

Oct. 23, 1905

Sag. cont

✓ AM 2716

8.71 d 2 r 8.91 8.96 = 8.94 03 02
 8.96 σ 2 e 9.16

✓ AM 2726

8.71 d 3 r 9.01 8.96 = 8.98 03 02
 8.96 σ 2 e 9.16

✓ AM 2808

8.71 d 3 r 9.01 8.86 = ~~8.88~~ ^{8.94 07 08} 03 02
 8.86 σ 3 e 9.16

✓ AM 2867

8.71 d 2 r 8.91 8.86 = 8.88 03 02
 8.86 σ 3 e 9.16

✓ AM 2925

8.71 d 2 r 8.91 8.96 = 8.94 03 02
 8.96 σ 2 e 9.16

✓ AM 2953

8.71 d 3 r 9.01 8.86 = 8.94 07 08
 8.86 σ 3 e 9.16

✓ AM 3004

8.71 d 1 r 8.81 8.96 = 8.88 07 08
 8.96 σ 2 e 9.16

✓ AM 3162

9.16 e 2 f 9.36

Oct. 23, 1905-

127

Sag. cont.

✓ AM 3171

9.16 $\frac{21}{2}$ 9.26

✓ AM 2997

8.03 $\frac{22}{2}$ 8.23 8.21 = 8.22 01 018.21 $\frac{21}{2}$ 8.31

✓ AM 2661

8.71 $\frac{22}{2}$ 8.91 9.06 = 8.98 07 089.06 $\frac{21}{2}$ 9.16

✓ AM 104

8.71 $\frac{22}{2}$ 8.91 8.96 = 8.94 03 028.96 $\frac{22}{2}$ 9.16

✓ AM 539

8.03 $\frac{22}{2}$ 8.23 8.21 = 8.22 01 018.21 $\frac{21}{2}$ 8.31

✓ AM 511

Elongated images

✓ AM 433

Pl. trailed

✓ AM 2391

9.56 $\frac{21}{2}$ 9.66 9.58 = 9.62 04 049.58 $\frac{21}{2}$ 9.68

Oct. 23, 1905.

Sag. cont.

✓ AM 204

9.16 e10 9.26 9.36 = 9.31 05 05
 9.36 σ2 9.56

✓ AM 116
Poor images✓ AM 46
Poor images✓ AM 68
Poor images

✓ AM 75
 9.16 e20 9.36 9.36 = 9.36 00 00
 9.36 σ2 9.56

✓ AM 87
 9.16 e30 9.46 9.36 = 9.41 05 05
 9.36 σ2 9.56

✓ AM 1066
 8.03 f20 8.23 8.11 = 8.17 06 06
 8.11 σ2 8.31

✓ AM 858
 8.31 c20 8.51 8.41 = 8.46 05 05
 8.41 σ30 8.71

Oct. 24 1905.

129

Sag. cont.

✓ AM 919
Class C✓ AM 959
Poor images

✓ AM 1010

9.56	2 σ	9.76	9.38-9.57	09	19
9.38	3 σ	9.68			

✓ AM 1191

8.71	3 σ	9.01	8.86 = 8.94	07	08
8.86	3 σ	9.16			

✓ AM 1203

8.71	3 σ	9.01	8.86 = 8.94	07	08
8.86	3 σ	9.16			

✓ AM 1297

8.71	2 σ	8.91	8.96 = 8.94	03	02
8.96	2 σ	9.16			

AM 1336

8.31	2 σ	8.51	8.51-8.51	00	00
8.51	2 σ	8.71			

✓ AM 2335

8.71	3 σ	9.01	9.06 = 9.04	03	02
9.06	1 σ	9.16			

Oct. 24, 1905.

Sag. cont.

✓

AM 2745

Class C

✓

AM 2827

8.03

f3σ 8.33 8.21 = 8.27 06 06

8.21

σ1σ 8.31

✓

AM 3081

9.16

e3σ 9.46 9.26 = 9.36 10 10

9.26

σ3f 9.56

✓

AM 3099

9.16

e3σ 9.46 9.46 = 9.46 00 00

9.46

σ1f 9.56

✓

AM 3128

9.16

e1σ 9.26 9.26 = 9.26 00 00

9.26

σ3f 9.56

✓

AM 1874

9.16

e3σ 9.46 9.36 = 9.41 05 05

9.36

σ2f 9.56

✓

AM 2143

Class C

✓

AB 2910

9.56

f2σ 9.76 9.48 = 9.62 14 14

9.48

σ2σ 9.68

Oct. 24, 1905-

131

Sag cont.

✓ AM 2989

8.71 d30 9.01 8.86 = 8.94 07 08

8.86 σ32 9.16

✓ AM 2184

8.71 d30 9.01 8.86 = 8.94 07 08

8.86 σ32 9.16

✓ AM 2200

8.71 d30 9.01 8.86 = 8.94 07 08

8.86 σ32 9.16

✓ AM 1353

8.71 d30 9.01 8.96 = 8.98 03 02

8.96 σ22 9.16

✓ AM 1384

8.71 d30 9.01 8.86 = 8.94 07 08

8.86 σ32 9.16

✓ AM 1433

Class C

✓ AM 1492

9.16 d30 9.46 9.36 = 9.41 05 05

9.36 σ22 9.56

✓ AM 1522

9.16 d20 9.36 9.36 = 9.36 00 00

9.36 σ22 9.56

Oct. 24, 1905.

Sag. cont.

✓ AM 1523

9.16 225 9.36 9.36 = 9.36 00 00
 9.36 227 9.36

✓ AM 1594

9.68 225 9.88 9.76 = 9.82 06 06
 9.76 227 9.96

✓ AM 1631

9.56 230 9.86 9.48 = 9.67 19 19
 9.48 229 9.68

✓ AB 1501

Poor fl.

✓

Good. AB 1475

7.81 215 7.91 7.83 = 7.87 04 04
 7.83 227 8.03

✓ AB 963

8.71 230 9.01 R
 227

✓ Good. AB 948

8.31 225 8.51 8.51 = 8.51 00 00
 8.51 227 8.71

✓ AB 936

Poor fl.

Oct. 24, 1905.

133

Sag cont.

✓ Al 869
Pl trailed

✓ Al 868
8.03 112 8.13 8.01 = 8.07 06 06
8.01 032 8.31

✓ Al 858
8.71 d20 8.91 8.86 = 8.88 03 02
8.86 032 9.16

✓ Al 471
8.31 022 8.51

✓ Al 6334
8.71 d22 8.91 8.96 = 8.94 03 02
8.96 022 9.16

✓ Al 5690
Poor in reg.

✓ Al 5604
9.16 212 9.26

✓ Al 5394
Poor

✓ Al 5344
9.56 f22 9.76 9.48 = 9.62 14 14
9.48 022 9.68

Oct. 24, 1905.

Sag. cont.

✓ AB 5302
9.56 $\frac{1}{2}$ 9.66

✓ AB 5258
8.31 d2r 8.51 8.51 = 8.51 00 00
8.51 r2d 8.71

✓ AB 5208
8.31 d2r 8.51 8.51 = 8.51 00 00
8.51 r2d 8.71

✓ AB 5150
8.71 d2r 8.91 8.96 = 8.94 03 02
8.96 r2e 9.16

✓ AB 5136
7.81 d2r 8.01 7.93 = 7.97 04 04
7.93 r1t 8.03

✓ Epoch AB 5130
Pinning.

✓ AB 5116
8.71 d2r 8.91 8.96 = 8.94 03 02
8.96 r2e 9.16

✓ AB 5083
8.71 d2r 8.91 8.96 = 8.94 03 02
8.96 r2e 9.16

Oct. 24, 1905

135

Sag. cont.

✓ Ab 2521

Poor ph

✓ Ab 2568

Poor ph

✓ Ab 2612

8.71 d 2 r 8.91 8.86 = 8.88 03 02

8.86 03 l 9.16

✓ Ab 2645

Poor ph

✓ Ab 6358

Poor ph

✓ Ab 6431

9.16 d 2 r 9.36 9.36 = 9.36 00 00

9.36 02 f 9.56

✓ Ab 1632

Poor ph

✓ Ab 1606

Class F

✓ Ab 1571

9.56

f 1 f

9.66

Oct 24, 1905

Sag. cont.

✓

AB 1546

8.31

r2m 8.51 8.41 = 8.46 05 05

8.41

σ3d 8.71

✓

AB 1840

9.16

r2m 9.36 9.36 = 9.36 00 00

9.36

σ2f 9.56

✓

AB 5220

8.71

d3m 9.01 8.96 = 8.98 03 02

8.96

σ2e 9.16

✓

AB 5335

9.16

r2m 9.36 9.26 = 9.31 05 05

9.26

σ3f 9.56

✓

AB 6614

8.71

d2m 8.91 8.86 = 8.88 03 02

8.86

σ3e 9.16

✓

AB 6804

8.71

d2m 8.91 8.96 = 8.94 03 02

8.96

σ2e 9.16

✓

AB 2789

8.03

r1m 8.13 8.11 = 8.12 01 01

8.11

r2m 8.31

✓

AB 1780

9.16

r1m 9.26

Oct. 24, 1905.

137

Sag. cont.

✓ AB1828

Purple

✓ AB3851

8.71 d2r 8.91 9.06 = 8.98 07 08
 9.06 r2l 9.16

✓ AB1699

Purple

✓ AB1722

9.56 f1r 9.66

✓ AB2847

9.16 e1r 9.26

✓ AB2961

9.16 d1r 9.26 9.36 = 9.31 05 05
 9.36 r2f 9.56

✓ AB3601

9.56 f1r 9.66

✓ AB3836

8.71 d2r 8.91 8.96 = 8.94 03 02
 8.96 r2l 9.16

✓ AB2655

9.16 d2r 9.36 9.36 = 9.36 00 00
 9.36 r2f 9.56

Oct. 24, 1905.

Sag cont

✓ AB 2691

9.16	d2 r	9.36	9.36 = 9.36	00	00
9.36	02 f	9.56			

✓ AB 2715

9.16	d2 r	9.36	9.36 = 9.36	00	00
9.36	02 f	9.56			

✓ AB 2837

9.16	d1 f	9.26			
------	------	------	--	--	--

✓ AB 416

Poor file

✓ AB 362

Class C

✓ AB 377

8.71	d2 r	8.91	8.96 = 8.94	03	02
8.96	02 e	9.16			

✓ AB 3741

Poor in reg.

✓ AB 3788

8.71	d2 r	8.91	8.96 = 8.94	03	02
8.96	02 e	9.16			

✓ AB 3796

8.71	d2 r	8.91	8.96 = 8.94	03	02
8.96	02 r	9.16			

Oct. 24, 1905.

139

Sag. cont.

- ✓ AB 6437
 8.71 d1 $\frac{1}{2}$ 8.81
- ✓ AB 6467
 8.71 d2 $\frac{1}{2}$ 8.91 R
- ✓ AB 6486
 8.71 d2 $\frac{1}{2}$ 8.91 R
- ✓ AB 6494
 8.31 p2 $\frac{1}{2}$ 8.51 8.51 = 8.51 00 00
 8.51 s2 d 8.71
- ✓ AB 6572
 8.71 d2 $\frac{1}{2}$ 8.91 8.96 = 8.94 03 02
 8.96 s2 e 9.16
- ✓ AB 2954
 9.16 e2 $\frac{1}{2}$ 9.36 9.36 = 9.36 00 00
 9.36 s2 $\frac{1}{2}$ 9.56
- ✓ AB 3008
 8.71 d2 $\frac{1}{2}$ 8.91
- ✓ AB 3612
 Poor irreg.

Oct. 24, 1905.

Sag. cont.

✓

Ab 3674

8.71

d 20 8.91 8.96 = 8.94 03 02

8.96

or 20 9.16

✓

Ab 4945

8.71

d 20 8.91 8.96 = 8.94 03 02

8.96

or 20 9.16

✓

Ab 4976

Poor in reg.

✓

Ab 5062

Poor in reg.

✓

Ab 1735

Poor fl.

✓

Ab 2800

Poor in reg.

✓

Ab 2817

8.71

d 1 8.81

✓

Ab 2905

8.71

d 20 8.91 8.96 = 8.94 03 02

8.96

or 20 9.16

✓

Ab 2911

Poor fl.

Oct. 24, 1905-

141

Sag. cont.

✓ AC 3941

Poor in reg.

✓ AC 3995-

9.16 $d 2 \alpha$ 9.36 9.46 = 9.41 $\underline{05} \ 05$
 9.46 $d 1 \beta$ 9.56

✓ AC 4935-

8.71 $d 2 \alpha$ 8.91 9.06 = 8.98 $\underline{07} \ 08$
 9.06 $d 1 \beta$ 9.16

✓ AC 4165-

8.71 $d 1 \beta$ $\underline{8.81}$

✓ AC 1638

9.16 $d 1 \beta$ $\underline{9.26}$

✓ AC 1694

Poor in reg.

✓ AC 1750

8.71 $d 1 \beta$ $\underline{8.81}$

✓ AC 1745-

Poor in reg.

✓ AC 1842

Poor in reg.

✓ AC 1879

Poor in reg.

Oct. 24, 1905

- Sag. cont.

✓

Ab 3861

8.71

d 2 $\frac{1}{2}$ 8.91

✓

Ab 3929

Poor in reg.

✓

Ab 1533

Poor in reg.

✓

Ab 1538

Poor in reg.

✓

Ab 1547

8.71

d 3 $\frac{1}{2}$ 9.01 9.06 9.04 03 02

9.06

or 1 $\frac{1}{2}$ 9.16

✓

Ab 1608

Class F

✓

Ab 1609

Poor in reg.

✓

Ab 848

8.71

d 1 $\frac{1}{2}$ 8.81

✓

Ab 849

8.71

d 1 $\frac{1}{2}$ 8.81

Ab 916

✓

8.31

d 2 $\frac{1}{2}$ 8.51 8.61 = 8.56 05 05

8.61

or 1 $\frac{1}{2}$ 8.71

Oct. 24, 1905-

143

✓ Ab 965- Sag. cont.

8.03 $\frac{41}{2} = 8.13$

✓ Epoch Ab 1522

8.03 $\frac{43}{2} 8.33 \quad 8.11 = 8.22 \quad 11 \quad 11$

8.11 $\frac{22}{2} 8.31$

✓ Ab 2594

8.71 $\frac{43}{2} 9.01 \quad 8.96 = 8.98 \quad 03 \quad 02$

8.96 $\frac{22}{2} 9.16$

✓ Ab 2623

8.71 $\frac{42}{2} 8.91 \quad 8.96 = 8.94 \quad 03 \quad 02$

8.96 $\frac{22}{2} 9.16$

✓ Ab 2674

8.71 $\frac{43}{2} 9.01 \quad 9.06 = 9.04 \quad 03 \quad 02$

9.06 $\frac{21}{2} 9.16$

✓ Ab 2714

Pon in reg.

✓ Ab 2737

9.16 $\frac{42}{2} 9.36 \quad 9.46 = 9.41 \quad 05 \quad 05$

9.46 $\frac{21}{2} 9.56$

✓ Ab 6632

8.71 $\frac{43}{2} 9.01 \quad 8.96 = 8.98 \quad 03 \quad 02$

8.96 $\frac{22}{2} 9.16$

Oct. 24, 1905

Sag. cont.

✓ AB 6493

9.16

d 20 9.36 9.36 = 9.36 00 00

9.36

02 9.56

✓ AB 459.

Poor in eq.

✓ AB 52

9.16

d 10 9.26 R

f 1

✓ AB 339

8.71

d 10 8.81 8.96 = 8.88 07 08

8.96

02 e 9.16

✓ AB 363

Class C

✓ AB 417

Poor in eq.

✓ AB 1921

8.71

d 30 9.01 R

e 1

✓ AB 1931

8.71

d 10 8.81 R

✓ AB 1947

8.71

d 30 9.01 8.96 = 8.98 03 02

8.96

02 e 9.16

Oct. 24, 1905

145

Sag. cont.

✓

AC 2021

8.71

d3σ 9.01 8.96 = 8.98 03 02

8.96

σ2σ 9.16

✓

AM 2807

8.71

d2σ 8.91 8.96 = 8.94 03 02

8.96

σ2σ 9.16

✓

AM 2782

8.71

d3σ 9.01 8.76 = 8.88 13 12

8.76

σ4σ 9.16

✓

AM 2750

8.71

d2σ 8.91 8.96 = 8.94 03 02

8.96

σ2σ 9.16

✓

AM 2646

9.16

e1σ 9.26 9.36 = 9.31 05 05

9.36

σ2σ 9.56

✓

AM 2381

8.71

d3σ 9.01 8.96 = 8.98 03 02

8.96

σ2σ 9.16

✓

AM 2295

9.16

e2σ 9.36 9.36 = 9.36 00 00

9.36

σ2σ 9.56

✓

AM 2275

8.71

d3σ 9.01 8.96 = 8.98 03 02

8.96

σ2σ 9.16

Oct. 24, 1905

Sag. cont.

✓ AM 2271

8.71 d3r 9.01 8.76 = 8.88 13 12
 8.76 r4e 9.16

✓ AM 2160

8.71 d3r 9.01 8.96 = 8.98 03 02
 8.96 r2e 9.16

✓ AM 2122

8.71 d3r 9.01 8.86 = 8.94 07 08
 8.86 r3e 9.16

✓ AM 2111

8.71 d3r 9.01 8.86 = 8.94 07 08
 8.86 r3e 9.16

✓ AM 2095

8.71 d2r 8.91 8.86 = 8.88 03 03
 8.86 r3e 9.16

✓ AM 2083

Clare

✓ AM 1967

Poor images

✓ AM 1954

9.16 e1r 9.26 9.36 = 9.31 05 05
 9.36 r2f 9.56

Oct. 24, 1905-

147

Sag. cont.

✓ AM 1919

9.16 $\ell 2\alpha$ 9.36 9.36 = 9.36 00 00
 9.36 $\sigma 2\gamma$ 9.56

✓ AM 1415-

8.71 $d 3\alpha$ 9.01 8.96 = 8.98 03 02
 8.96 $\sigma 2\ell$ 9.16

✓ AM 1438

8.71 $d 4\alpha$ 9.11 8.96 = 9.04 07 08
 8.96 $\sigma 2\ell$ 9.16

✓ AM 1463

8.71 $d 3\alpha$ 9.01 8.96 = 8.98 03 02
 8.96 $\sigma 2\ell$ 9.16

✓ AM 1529

People

✓ AM 1536

9.16 $\ell 2\alpha$ 9.36 \underline{R}
 $f A$

✓ AM 1541

9.16 $\ell 1\alpha$ 9.26 \underline{R}
 $f A$

✓ AM 1075

9.16 $\ell 2\alpha$ 9.36 9.36 = 9.36 00 00
 9.36 $\sigma 2\gamma$ 9.56

Oct. 24, 1905.

Sag. cont.

✓ Am 1708

9.16 e 1 r 9.26 9.36 = 9.31 05 05
 9.36 o 2 f 9.56

✓ Am 2866

8.03 f 2 r 8.23 8.21 = 8.22 01 01
 8.21 o 1 r 8.31

✓ Am 2924

8.71 d 2 r 8.91 8.96 = 8.94 03 02
 8.96 o 2 e 9.16

✓ Am 2941

8.71 d 3 r 9.01 8.86 = 8.94 07 08
 8.86 o 3 e 9.16

✓ Am 2996

8.71 d 3 r 9.01 8.86 = 8.94 07 08
 8.86 o 3 e 9.16

✓ Am 3067

9.16 e 1 r 9.26 9.36 = 9.31 05 05
 9.36 o 2 f 9.56

✓ Am 3120

9.16 e 3 r 9.46 9.36 = 9.41 05 05
 9.36 o 2 f 9.56

✓ Am 3156

9.56 f 2 r 9.76 9.48 = 9.62 14 14
 9.48 o 2 r 9.68

Oct. 24 1905

149

Sag. cont.

✓

AM 3176

9.56

9.48

f10
029

9.66 9.48 = 9.57 09 09

9.68

✓

AM 1470

9.16

9.36

e10
027

9.26 9.36 = 9.31 05 05

9.56

✓

AM 154

Pl trailed

✓

AM 33

Poor images

✓

AM 23

9.16

9.26

e30
037

9.46 9.26 = 9.36 10 10

9.56

✓

AM 34

9.16

9.36

e10
027

9.26 9.36 = 9.31 05 05

9.56

✓

AM 138

9.16

9.26

e20
037

9.36 9.26 = 9.31 05 05

9.56

✓

AM 174

9.16

9.36

e20
027

9.36 9.36 = 9.36 00 00

9.56

Oct. 24, 1905.

Sag. cont.

✓ AM 298

8.71

d2 $\frac{1}{2}$ 8.91

✓ AM 463

9.16

e1 $\frac{1}{2}$ 9.26 9.36 = 9.31 05 05

9.36

o2 $\frac{1}{2}$ 9.56

✓ AM 482

9.16

e2 $\frac{1}{2}$ 9.36 9.36 = 9.36 00 00

9.36

o2 $\frac{1}{2}$ 9.56

✓ AM 493

Clare

✓ AM 534

9.16

e2 $\frac{1}{2}$ 9.36 9.36 = 9.36 00 00

9.36

o2 $\frac{1}{2}$ 9.56

✓ Iso AM 537

Pl. trailed

✓ Iso AM 578

8.03

f2 $\frac{1}{2}$ 8.23 8.21 = 8.22 01 01

8.21

o1 $\frac{1}{2}$ 8.31

✓ AM 615

8.71

d3 $\frac{1}{2}$ 9.01 8.96 = 8.98 03 02

8.96

o2 $\frac{1}{2}$ 9.16

Oct. 24, 1905.

151

Sag. cont.

✓

Am 669

8.71 d 30 9.01 9.06 = 9.04 03 02
 9.06 21 2 9.16

✓

Am 796

8.71 d 30 9.01 8.86 = 8.94 07 08
 8.86 23 2 9.16

✓

Am 819

8.71 d 30 9.01 8.96 - 8.98 03 02
 8.96 22 2 9.16

✓

Am 994

Class C

✓

Am 1029

9.16 d 30 9.46 9.36 = 9.41 05 05
 9.36 22 2 9.56

✓

Am 1044

9.16 d 20 9.36 9.36 = 9.36 00 00
 9.36 22 2 9.56

✓

Am 1244

8.71 d 30 9.01 8.86 = 8.94 07 08
 8.86 23 2 9.16

✓

Am 1256

8.71 d 30 9.01 8.86 = 8.94 07 08
 8.86 23 2 9.16

Oct. 24, 1905.

La g. cont.

✓

AM 1262

8.71
8.86 $d3\alpha - 9.01 \quad 8.86 = 8.94 \quad 07 \quad \underline{08}$
 $\sigma 3\epsilon - 9.16$

✓

AM 1272

8.71
8.86 $d3\alpha - 9.01 \quad 8.86 = 8.94 \quad 07 \quad \underline{08}$
 $\sigma 3\epsilon - 9.16$

✓

AM 922

Class C

✓

AM 1037

9.56

 $f1\alpha - 9.66$

✓

AB 1789

Poor in reg.

✓

AM 12

8.71
8.86 $d3\alpha - 9.01 \quad 8.86 = 8.94 \quad 07 \quad \underline{08}$
 $\sigma 3\epsilon - 9.16$

✓

AM 810

8.71
8.86 $d3\alpha - 9.01 \quad 8.86 = 8.94 \quad 07 \quad \underline{08}$
 $\sigma 3\epsilon - 9.16$

✓

AM 898

9.16
9.36 $e1\alpha - 9.26 \quad 9.36 = 9.31 \quad \underline{03} \quad 05$
 $\sigma 2\gamma - 9.56$

✓

AM 1271

9.16
9.36 $e1\alpha - 9.26 \quad 9.36 = 9.31 \quad \underline{03} \quad 05$
 $\sigma 2\gamma - 9.56$

Oct. 24, 1905.

153

Sag. cont.

✓ AM 2034

8.71 d30 9.01 8.96 = 8.98 03 02
 8.96 022 9.16

✓ A 4046

8.71 d20 8.91 8.96 = 8.94 03 02
 8.96 022 9.16

✓ A 2770

9.16 e20 9.36 9.46 = 9.41 05 05
 9.46 01 9.56

✓ ²⁰⁵¹
~~A 2765~~

8.31 020 8.51 8.51 = 8.51 00 00
 8.51 020 8.71

✓ A 727 AM 1554

9.16 e30 9.46 9.26 = 9.36 10 10
 9.26 03 9.56

✓ A 1462

8.71 d30 9.01 8.86 = 8.94 07 08
 8.86 032 9.16

✓ AM 1226

8.31 020 8.51 8.61 = 8.56 05 05
 8.61 010 8.71

November³ 1905.

Meas. of R T Cygni

19 40.8 + 48 32 (1900)

Comp. plate on 15328

✓ 15328

8.22 110 8.32 8.27 = 8.30 02 03

8.27 022 8.47

✓ 18901

9.57 130 9.87 9.49 = 9.68 19 19

9.49 039 9.79

✓ 15-155

9.79 930 10.09 9.91 = 10.00 09 09

9.91 032 10.21

✓ 26003

9.79 910 9.89 10.01 = 9.95 06 06

10.01 022 10.21

✓ 21344

9.57 120 9.77 9.59 = 9.68 09 09

9.59 029 9.79

✓ 14981
18942

10.71 110 10.81 R

✓ 7754

8.85 110 8.95 8.97 = 8.96 01 01

8.97 022 9.17

Nov. 3, 1905

155

RT Cygni cont.

✓ Q19200

10.43 $\alpha 3 \alpha$ 10.73 10.41 = 10.57 16 16
 10.41 $\alpha 3 \alpha$ 10.71

✓ Q13366

9.79 $\alpha 3 \alpha$ 10.09 9.91 = 10.00 09 09
 9.91 $\alpha 3 \alpha$ 10.21

✓ Q11367 Ph.

9.17 $\alpha 1 \alpha$ 9.27 9.37 = 9.32 05 05
 9.37 $\alpha 2 \alpha$ 9.57

✓ Q13578

10.71 $\alpha 2 \alpha$ 10.91 10.69 = 10.80 11 11
 10.69 $\alpha 3 \alpha$ 10.99

✓ Q2065

7.74 $\alpha 2 \alpha$ 7.94 8.02 = 7.98 04 04
 8.02 $\alpha 2 \alpha$ 8.22

✓ Q2306 Ph.

8.22 $\alpha 1 \alpha$ 8.32 8.27 = 8.30 02 03
 8.27 $\alpha 2 \alpha$ 8.47

✓ Q6981

Purple

✓ Q6937

Purple

Nov. 3, '00,

RT Cygni cont.

✓

Q22766

9.79
10.11930 10.09 10.11 = 10.10 01 01
81h 10.21

✓

Q30891

9.57
9.49f30 9.87 9.49 = 9.68 19 19
039 9.79

Q20785

10.43
10.61k30 10.73 10.61 = 10.67 06 06
01h 10.71

✓

Q20965

9.57
9.59f10 9.67 9.59 = 9.63 04 04
029 9.79

✓

Q20896

Purple

✓

Q23412 Sp.

7.74
8.02a20 7.94 8.02 = 7.98 04 04
020 8.22

✓

Q29105

10.43
10.41k30 10.73 10.41 = 10.57 16 16
030 10.71

✓

Q29099

Surface

Nov. 3, 1905.

157

R. T. Cygni cont.

✓ Q28922

Too near edge.

✓ Q27325

Too near edge.

✓ Q30677

10.43

10.61

Q30 10.73 10.61 = 10.67 do do

Q1 10.71

✓ Q¹³⁴²¹
~~Q29332~~

9.79

9.91

Q30 10.09 9.91 = 10.00 Q1 Q1

Q3 10.21

✓ Q28859

9.79

10.11

Q30 10.09 10.11 = 10.10 Q1 Q1

Q1 10.21

✓ Q²⁷³⁶⁸
~~Q29329~~

8.85

8.87

Q30 9.15 8.87 = 9.01 Q1 Q1

Q3 9.17

✓ Q3655

Poor fl.

✓ Q3325 fl.

Poor fl.

✓ Q30505

7.74

8.02

Q30 8.04 8.02 = 8.03 Q1 Q1

Q2 8.22

Nov. 3, 1905.

RT Cygni cont.

✓ Q30606

9.17 $\begin{matrix} 22 \\ 22 \end{matrix}$ 9.37 9.37 = 9.37 00 00
 9.37 $\begin{matrix} 22 \\ 22 \end{matrix}$ 9.57

✓ Q30608

9.17 $\begin{matrix} 23 \\ 23 \end{matrix}$ 9.47 9.27 = 9.37 10 10
 9.27 $\begin{matrix} 23 \\ 23 \end{matrix}$ 9.57

✓ Q30743

10.43

$\begin{matrix} 23 \\ 23 \end{matrix}$ 10.83 R
 $\begin{matrix} 23 \\ 23 \end{matrix}$

✓ Q23461

8.22

8.17

$\begin{matrix} 22 \\ 22 \end{matrix}$ 8.42 8.17 = 8.30 12 13
 $\begin{matrix} 23 \\ 23 \end{matrix}$ 8.47

✓ Q30896

9.79

10.01

$\begin{matrix} 22 \\ 22 \end{matrix}$ 9.99 10.01 = 10.00 01 01
 $\begin{matrix} 22 \\ 22 \end{matrix}$ 10.21

✓ Q29186

9.79

9.91

$\begin{matrix} 23 \\ 23 \end{matrix}$ 10.09 9.91 = 10.00 09 09
 $\begin{matrix} 23 \\ 23 \end{matrix}$ 10.21

✓ Q29290

PB trailed

✓ Q6847

10.99

$\begin{matrix} 23 \\ 23 \end{matrix}$ 11.29 R
 $\begin{matrix} 23 \\ 23 \end{matrix}$

Nov. 3, 1905.

159

RT Cygni cont.

✓ Q5303

9.17 230 9.47 9.27 = 9.37 10 10
 9.27 237 9.57

✓ Q30302

7.44 232 7.74 7.44 R

✓ Q30163

9.17 230 9.47 9.27 = 9.37 10 10
 9.27 237 9.57

✓ Q30096

9.79 230 10.09 9.91 = 10.00 09 09
 9.91 237 10.21

✓ Q30448

7.74 210 7.84 8.02 ~ 7.93 09 09
 8.02 227 8.22

✓ Q29324
Surface✓ Q29323
Surface✓ Q29322
Poor images✓ Q29321
Poor

Nov. 3, 1905

RT Cygni cont.

✓ Q30559

8.47
8.53a3a 8.77 8.53 = 8.66 11 11
a3d 8.85

✓ Q30407

8.22
8.37a2a 8.42 8.37 = 8.40 02 03
a1a 8.47

✓ Q30388

7.74
8.12a2a 7.94 8.12 = 8.03 09 09
a1a 8.22

✓ Q30360

7.74
8.02a2a 7.94 8.02 = 7.98 04 04
a2a 8.22

✓ Q30304

7.44

a3a 7.74 7.44 R

✓ Q30224

7.44

a3a 7.74 7.44 R

✓ Q6717

Too near corner

✓ Q6535

Poor file

✓ Q6514

Poor file

Nov. 3, 1905.

161

RT Cygni

✓ Q4431

Toomal comm.

✓ Q4938

8.22 for 8.42 8.37 = 8.40 02 03
8.37 8.47

✓ Q7814

8.85 d20 9.05 - 8.87 = 8.96 09 09
8.87 8.17

✓ Q30768

10.43 d30 10.73 10.61 = 10.67 06 06
10.61 8.17 10.71

✓ Q1947

10.21 h30 10.51 10.23 = 10.37 14 14
10.23 8.22 10.43

✓ Q27565

7.74 a30 8.04 7.92 = 7.98 06 06
7.92 8.22

✓ Q18557

8.85 d20 9.05 9.07 = 9.06 01 01
9.07 8.17

✓ Q19876

8.85 d30 9.15 - 8.87 = 9.01 14 14
8.87 8.17

Nov. 3, 1905.

RT Cygni

✓ Q26079

10.43

R2R

10.73

10.41 = 10.57 ¹26 16

10.41

R3L

10.71

✓ Q21320

9.17

R3R

9.47

9.37 = 9.42 05 05

9.37

R2L

9.57

✓ Q27826

8.85

R2R

9.05

9.07 = 9.06 ¹08 ¹08

9.07

R1L

9.17

✓ Q6786

10.99

m2R

11.19

R

✓ Q29327

Poor images

Near edge

8.47

Q29825

R2R

8.67

R

d.f.

✓ Q6779

Too near edge of fl.

✓ Q67639

Too near edge of fl.

Nov. 4, 1905-

163

RT Cygni cont.

✓ Q29288

8.85 d 30 9.15 8.87 = 9.01 14 14
 8.87 σ 32 9.17

✓ Q29936

10.43 d 30 10.73 10.61 = 10.67 06 06
 10.61 σ 12 10.71

✓ New edge Q30167

d 30 8.87 R
 8.87 σ 32 9.17

✓ New edge Q30187

d 30 8.77 R
 8.77 σ 42 9.17

✓ Q30221

8.22 f 10 8.32 8.27 = 8.30 02 03
 8.27 σ 22 8.47

v 2 a 7.54 .. a

✓ Q30260

7.44 σ 3 a 7.74 7.44 R

✓ Q11488 Sp.

8.85 d 30 9.15 8.97 = 9.06 09 09
 8.97 σ 22 9.17

✓ Q11504 Sp.

7.74 Q 17 7.84 8.02 = 7.93 09 09
 8.02 σ 22 8.22

Nov. 4, 1905

RT Cygni

✓ L 11585

10.99	m_{R}^3	11.29	$\frac{1}{\text{R}}$
	$=$		$=$

✓ L 11963

9.17	a_{10}	9.27	9.37 = 9.32	<u>05</u> <u>05</u>
9.37	a_{27}	9.57		

✓ L 11325

9.17	a_{27}	9.37	9.37 = 9.37	<u>00</u> <u>00</u>
9.37	a_{27}	9.57		

✓ L 11317 Sh.

Pooninago

✓ L 11294 Sh.

Poonpl

✓ L 11242 Sh.

7.74	a_{10}	7.84	7.92 = 7.88	<u>04</u> <u>04</u>
7.92	a_{27}	8.22		

✓ R 1719 Sh.

7.74	a_{10}	7.84	8.12 = 7.98	<u>14</u> <u>14</u>
8.12	a_{17}	8.22		

B

✓ L 1971

10.43	k_{30}	10.73	10.51 = 10.62	<u>11</u> <u>11</u>
10.57	a_{27}	10.71		

Nov. 4/1905

165

RT Cygni

✓ Q7006
Ponipf

✓ Q12780
 10.43 $\beta 30$ 10.73 10.41 = 10.57 16 16
 10.41 $\alpha 31$ 10.71

✓ Q12615-
 10.43 $\beta 20$ 10.63

✓ Q12431
 9.79 $\gamma 40$ 10.19 10.01 = 10.10 09 09
 10.01 $\alpha 20$ 10.21

✓ Q17934
 10.99 $m 2$ or 11.19 R
 R

✓ Q21119
 9.79 $\gamma 30$ 10.09 9.91 = 10.00 09 09
 9.91 $\alpha 30$ 10.21

✓ Q23086
 Poor in reg.

✓ Q23043
 Poor. Class M

✓ Q21242
 9.17 $\gamma 20$ 9.37 9.27 = 9.32 05 05
 9.27 $\alpha 30$ 8.22 9.57

Nov. 4, 1905

R. T. Bygum

J L25180

9.57

9.69

f2
sig.

9.77 9.69 = 9.73 04 04

9.79

✓

Kearney L25800th

7.74

7.92

a3r

σ3r

8.04 7.92 = 7.98 06 06

8.22

J L1649

10.99

m2 = 11.19

J L1343

10.43

10.31

p3r

σ4r

10.73 10.31 = 10.52 = 21 21

10.71

J L1050

7.74

8.02

a1r

σ2r

7.84 8.02 = 7.93 09 09

8.22

J L11472

10.43

10.41

p3r

σ3r

10.73 10.41 = 10.57 16 16

10.71

J L5381 13301

9.79

10.01

g2r

σ2r

9.99 10.01 = 10.00 01 01

10.21

11.11 10.01

Kearney L7168

10.21

h3r

h4r

10.51

R

Nov. 4, 1905.

167

RT Cygni

✓ Q6552

Poor pl-

Q7326 Sh.

✓ Q7270 Sh
Poor pl-✓
New edge Q6809
10.21 h i f = 10.31✓ Q13844 Sh
Poor wing-✓
New edge Q15461
7.54 r 2 a 7.74 R
7.54 R

✓ Q13302

9.79 930 10.09 9.91 = 10.00 09 09
9.91 630 10.21✓ Q13365
Poor pl-

✓ Q19694

10.43 R 30 10.73 10.51 = 10.62 11 11
10.51 02 L 10.71

Nov. 4, 1905-

RT Cygni

✓ Q30893
 9.57 $\frac{f}{20}$ 9.77 9.69 = 9.73 04 04
 9.69 $\frac{g}{19}$ 9.79

✓ Q30709
 10.71 $\frac{h}{10}$ 10.81 $\frac{R}{1}$
 $\frac{m}{1}$

✓ Q30746
 10.99 $\frac{m}{1}$ 11.09

✓ Q30895
 9.57 $\frac{f}{20}$ 9.77 9.69 = 9.73 04 04
 9.69 $\frac{g}{19}$ 9.79

✓ Q30897
 9.79 $\frac{g}{10}$ 9.89

✓ Q30100
 9.79 $\frac{g}{10}$ 9.89 10.01 = 9.95 06 06
 10.01 $\frac{g}{20}$ 10.21

✓ Q30098
 9.79 $\frac{g}{20}$ 9.99 10.01 = 10.00 01 01
 10.01 $\frac{g}{20}$ 10.21

✓ Q29938
 10.99 $\frac{m}{20}$ 11.19

Nov. 4, 1905.

169

RT Cygni

✓ Q11180

~~7.84~~

2a 7.74

~~7.84~~

✓ Q9416

10.99

m3a

11.29

R

R

✓ Q9708

Poor in neg.

✓ Q9744

10.21

neg

10.51

10.33 =

10.42

09 09

10.33

21R

10.43

✓ Q9890, Sp.

9.57

2a

9.77

9.49 =

9.63

14 14

9.49

23g

9.79

✓ Q8963

Too near edge of film

✓ Q9034

Poor in neg

✓ Q9035

Too near edge of film

✓ Q22963

10.71

13a

11.01

10.79 =

10.90

11 11

10.79

22m 10.99

Nov. 4, 1905-

RT Cygni

✓ Q29108
 10.43 $\ell 2\alpha$ 10.63 10.41 = 10.52 11 11
 10.41 $\alpha 3 \ell$ 10.71

✓ Q30706
 10.71 $\ell 2\alpha$ 10.91 10.79 = 10.85 06 06
 10.79 $\alpha 2m$ 10.99

✓ Q307719
 10.43 $\ell 3\alpha$ 10.73 10.41 = 10.57 16 16
 10.41 $\alpha 3 \ell$ 10.71

✓ Q31923 Sh
 10.43 $\ell 1 \ell$ 10.53

✓ Q30657
 10.99 $m 2 \ell$ 11.19

✓ Q30644
 10.43 $\ell 3\alpha$ 10.73 ⁵¹ 10.23 = 10.62 11 11
 10.23 ⁸⁷ $\alpha 2 \ell$ 10.43 ⁷¹

✓ Q30738
 10.71 $\ell 2\alpha$ 10.91 10.89 = 10.90 01 01
 10.89 $\alpha 1m$ 10.99

✓ Q30740
 10.71 $\ell 1\alpha$ 10.81 10.69 = 10.75 06 06
 10.69 $\alpha 3m$ 10.99

Nov. 4, 1905.

171

✓ Q15694 Sh. RT Cygni

8.22 ~~10~~ 8.32 8.37 = 8.34 02 03

8.37 ~~10~~ 8.47

✓ Q15830 Sh.

9.57 ~~20~~ 9.77 9.59 = 9.68 09 09

9.59 ~~20~~ 9.79

✓ Q18428

8.85 ~~10~~ 8.95 8.97 = 8.96 01 01

8.97 ~~20~~ 9.17

✓ Q18331

8.85 ~~10~~ 8.95 8.97 = 8.96 01 01

8.97 ~~20~~ 9.17

✓ Q18212

10.43 ~~20~~ 10.63 10.41 = 10.52 11 11

10.41 ~~30~~ 10.71

✓ Q17853

10.71 ~~10~~ 10.81 10.79 = 10.80 01 01

10.79 ~~20~~ 10.99

✓ Q17905

10.99 ~~10~~ 11.09

R

✓ Q13736 Sh.

9.17 ~~10~~ 9.27 9.37 = 9.32 05 05

9.37 ~~20~~ 9.57

Nov. 4, 1905.

RT Cygni

✓ Q 877.3
~~70925~~
 Purple

✓ Q 6697
 9.57 1st 9.67 R

✓ Q 3903 sh
 Purple

✓ Q 3890
 10.71 2d 10.91

✓ Stearidge. Q 3760
 9.17 3rd 9.47 9.47 = 9.47 oo oo
 9.47 1st 9.57

✓ Q 13326
 Poorly reg.

✓ Q 13352
 9.79 93rd 10.09 10.01 = 10.05 04 04
 10.01 102nd 10.21

✓ Q 14711
 10.43 2nd 10.63 10.41 = 10.52 11 11
 10.41 3rd 10.71

✓ Q 13361
 Purple

Nov. 4, 1905

173

RT Cygni

✓ Q20032

7.74 a 30 8.04 7.92 = 7.98 06 06
 7.92 r 31 8.22

✓ Q13780

10.43 R 30 10.73 10.41 = 10.57 16 16
 10.41 r 31 10.71

✓ Q14350

8.85 d 20 9.05 9.07 = 9.06 01 01
 9.07 r 12 9.17

✓ Q14520

9.57 f 20 9.77 9.59 = 9.68 09 09
 9.59 r 29 9.79

✓ Q23144

9.79 g 20 9.99 10.01 = 10.00 01 01
 10.01 r 22 10.21

✓ Q11198

7.74 a 20 7.94 8.12 = 8.03 09 09
 8.12 r 12 8.22

R 1a 7.64 .. a 18

✓ Q13161

Poorly

✓ Q13008

7.74 a 20 7.94 8.12 = 8.03 09 09
 8.12 r 12 8.22

Nov. 4, 1905-

RT Cygni

✓ B 2715 Sh.
Poor line req.

✓ B 2713 Sh.
Poor line req.

✓ Q 13722 Sh.
9.17 ~~elr~~ 9.27 9.47 = 9.37 10 10
9.47 ~~elr~~ 9.57

✓ Q 29182
9.79 ~~g 30~~ 10.09 9.91 = 10.00 09 09
9.91 ~~g 30~~ 10.21

✓ Q 30675
10.99 m 2 11.19

✓ Q 30673
10.99 m 2 11.19 R

✓ Q 30672
10.99 m 3 11.29 R

✓ Q 30707
10.99 m 4 11.39 R

Star. 41905

175

RT Cygni cont.

✓ Q30708

10.99 m_{22} 11.19 R
 R

✓ Q29960

10.99 m_1 $\frac{1}{2}$ 11.09

✓ Q30647

10.71 h_{10} 10.81 10.89 = 10.85 04 04
10.89 σ_{1m} 10.99

✓ Q30782

10.43 h_{30} 10.73 10.51 = 10.62 11 11
10.51 σ_{2L} 10.71

✓ Q29064

10.43 h_{20} 10.63 10.51 = 10.57 06 06
10.51 σ_{2L} 10.71

✓ Q29068

10.43 h_{30} 10.73 10.51 = 10.62 11 11
10.51 σ_{2L} 10.71

✓ Q29106

10.21 h_{20} 10.41 10.33 = 10.37 04 04
10.33 σ_{1k} 10.43

✓ Q29334

Poor image

Nov. 4, 1905.

RT Cygni.

✓ Q 29333
Class M

✓ Q 25594
Class H

✓ Q 25782

9.57 $\frac{f}{20}$ 9.77 9.59 = 9.68 09 09
9.59 $\frac{r}{29}$ 9.79

✓ Q 25158

9.59 $\frac{f}{20}$ 9.79 9.59 = 9.67 ⁸ 09 09
9.59 $\frac{r}{29}$ 9.79

✓ Q 25022

9.57 $\frac{f}{20}$ 9.77 9.49 = 9.63 14 14
9.49 $\frac{r}{39}$ 9.79

✓ Q 24755

8.22 $\frac{f}{10}$ 8.32 8.27 = 8.30 02 03
8.27 $\frac{r}{20}$ 8.47

✓ Keck $\frac{f}{20}$ Q 25882

7.44 $\frac{r}{30}$ 7.74

✓ Q 25952

8.85 $\frac{f}{20}$ 9.05-8.97 = 9.01 04 04
8.97 $\frac{r}{20}$ 9.17

Nov. 4, 1905.

177

RT Cygni

Q26003

9.79 93⁰⁰ 10.09 10.01 = 10.05 04 04
 10.01 82^h 10.21

Q21344

9.17 23⁰⁰ 9.47 9.27 = 9.37 10 10
 9.27 83^h 9.57

✓ Q26005

9.79 93⁰⁰ 10.09 9.91 = 10.00 09 09
 9.91 83^h 10.21

✓ Q20792

10.71 22⁰⁰ 10.91 10.89 = 10.90 01 01
 10.89 81^h 10.99

✓ Q20740

9.79 93⁰⁰ 10.09 10.01 = 10.05 04 04
 10.01 82^h 10.21

✓ Q26024

10.21 22⁰⁰ 10.41 10.23 = 10.32 09 09
 10.23 82^h 10.43

✓ Q21495

9.79 92⁰⁰ 9.99 10.01 = 10.00 01 01
 10.01 82^h 10.21

✓ Q22767

9.79 93⁰⁰ 10.09 10.11 = 10.10 01 01
 10.11 82^h 10.21

Nov. 4, 1905-

RT Cygni.

✓ I22825
 10.43 $\alpha 2\sigma$ 10.73 10.51 = 10.62 4 11
 10.51 $\sigma 3\ell$ 10.71

✓ I20389
 8.85 $\alpha 2\sigma$ 9.05 - 8.87 = 8.96 09 09
 8.87 $\sigma 3\ell$ 9.17

✓ I22981
 10.43 $\alpha 2\sigma$ 10.63 R
 $\ell 1/2$

✓ I23044
 Poor images

✓ I23050
 Too narrow edge

✓ I23961
 10.43 $\alpha 3\sigma$ 10.73 10.41 = 10.57 16 16
 10.41 $\sigma 3\ell$ 10.71

✓ I1263
 Poor pl

✓ I1261
 9.57 $\alpha 2\sigma$ 9.77 9.59 - 9.68 09 09
 9.59 $\sigma 2\sigma$ 9.79

Nov. 4, 1905.

179

RT Cygni.

✓ L1174
Purple✓ L3981
10.99 m1 $\frac{1}{2}$ 11.09✓ L4157
10.43 $\frac{1}{2}$ 3 $\frac{1}{2}$ 10.73✓ L4198
Poor in reg.✓ L4334
9.79 $\frac{1}{2}$ 3 $\frac{1}{2}$ 10.09 9.91 = 10.00 09 09
9.91 $\frac{1}{2}$ 3 $\frac{1}{2}$ 10.21✓ L4449
9.17 $\frac{1}{2}$ 3 $\frac{1}{2}$ 9.47 9.27 = 9.37 10 10
9.27 $\frac{1}{2}$ 3 $\frac{1}{2}$ 9.57✓ B2956 Sp.
Poor in reg.✓ L11197
Pl. trailed✓ L1756
10.43 $\frac{1}{2}$ 4 $\frac{1}{2}$ 10.83 10.51 = 10.67 16 16
10.57 $\frac{1}{2}$ 2 $\frac{1}{2}$ 10.71

Nov. 4, 1905-

RT Bygini

✓ L1760
 10.43 $\sigma 4\sigma$ 10.83 10.51 = 10.67 16 16
 10.51 $\sigma 2\sigma$ 10.71

✓ L1761
 10.43 $\sigma 4\sigma$ 10.83 10.41 = 10.62 21 21
 10.41 $\sigma 3\sigma$ 10.71

✓ L1968
 8.22 $\sigma 1\sigma$ 8.32 8.37 = 8.34 02 03
 8.37 $\sigma 1\sigma$ 8.47

✓ L998 7.54
 7.54 $\sigma 2\sigma$ 7.74

✓ L983 7.64
 7.64 $\sigma 1\sigma$ 7.74 7.64

✓ L15957 Sp.
 9.17 $\sigma 2\sigma$ 9.37 9.47 = 9.42 05 05
 9.47 $\sigma 1\sigma$ 9.57

✓ L18137 Sp.
 Pot in reg.

✓ L18124
 10.71 $\sigma 2\sigma$ 10.91 10.79 = 10.85 06 06
 10.79 $\sigma 2m$ 10.99

Nov. 4, 1905.

181

RT Cygni

✓ Q16171
 10.43 $\alpha 3\alpha$ 10.73 10.51 = 10.62 11 11
 10.51 $\alpha 2L$ 10.71

✓ Q16191
 10.43 $\alpha 3\alpha$ 10.73 10.51 = 10.62 11 11
 10.51 $\alpha 2L$ 10.71

✓ Q16387
 10.99 $m1\frac{1}{2}$ 11.09 R
 R

✓ Q16731
 9.17 $\alpha 3\alpha$ 9.47 9.27 = 9.37 10 10
 9.27 $\alpha 3L$ 9.57

✓ Q17048
 7.74 $\alpha 1\alpha$ 7.84 8.12 = 7.98 14 14
 8.12 $\alpha 1L$ 8.22

✓ Q17375
 Poor fl.

✓ Q17642
 Poor in ug.

✓ Q12139 Sp.
 7.74 $\alpha 1\alpha$ 7.84 8.12 = 7.98 14 14
 8.12 $\alpha 1L$ 8.22

Nov. 4, 1905.

RT Cygni

✓ Q19445

10.99

m42

11.39 R

R

✓ Isach. Q18939

9.57

f22

9.77

9.69 =

9.73

04

04

9.69

219

9.79

✓ Q18711

8.85

d22

9.05

9.07 =

9.06

01

01

9.07

212

9.17

✓ Q15529

Porph

✓ AB5522

7.54

v2a

7.74

7.54 R

✓ AB6315

9.17

232

9.47

9.37 =

9.42

05

05

9.37

227

9.57

✓ AB6373

8.85

d22

9.05

8.87 =

8.96

09

09

8.87

232

9.17

✓ AB6430

8.85

d22

9.05

8.87 =

8.96

09

09

8.87

232

9.17

Nov. 10, 1905.

183

RT Cygni

✓ AB 6448

Poorly

✓ AB 6606

10.43

list

10.53

✓ AB 6698

10.43

list

10.53

✓ AB 6714

10.71

list

10.81

3.2 l 10.62 " "

✓ AB 6722

Poorly

✓ AB 6762

Poorly

✓ AB 6822

9.17

230

9.47

9.37

= 9.42

05

05

9.37

027

9.57

✓ AB 6033

9.17

230

9.47

✓ AB 6180

10.71

list

10.81

✓ AB 6227

Poorly

Nov. 10, 1905

RT Cygni

✓

AB 6253

10.43

d3a

10.73

10.41 = 10.57 16 16

10.41

d3b

10.71

✓

AB 5551

7.54

d2a 7.74

✓

AB 5978

9.57

f2f

9.77

✓

AB 4852

7.74

d1a

7.84

8.12 =

7.98

1414

8.12

d1f

8.22

AB 4810

7.64

d1a

7.74

7.64

✓

AB 4877

7.74

d1a

7.84

8.02 =

7.93

0909

8.02

d2f

8.22

✓

AB 5121

9.17

d1f

9.27

✓

AB 5236

10.21

d1f

10.31

✓

AB 5329

8.85

d3a

9.15

9.07 =

9.11

0404

9.07

d1e

9.17

Nov. 19, 1905.

185

RT Cygni

✓ AB 5365

7.64 σ 1 a 7.74 7.64 R_z

✓ AB 1453

9.79 g 3 σ 10.09 10.01 = 10.05 04 04
10.01 h 2 h 10.21

✓ AB 5397

7.64 σ 1 a 7.74

✓ AB 3789

10.99 m 1 f 11.09

✓ AB 3048

9.79 g 3 σ 10.09 10.01 = 10.05 04 04
10.01 h 2 h 10.21

✓ AB 3873

σ 1 a f

✓ AB 280

9.17 g 3 σ 9.47 9.27 = 9.37 10 10
9.27 h 2 h 9.57

✓ AB 4797

8.85 g 3 σ 9.15 8.87 = 9.01 14 14
8.87 h 2 h 9.17

✓ AB 3813

10.43 h 2 h 10.63

Nov. 19, 1905-

RT Cygni

✓ AB 4052

7.64

r1a 7.74

7.64

Var & L^u run

AB 4719

logarith

9.79

93a

¹⁰
8.09 R

h R

✓ AB 3335

10.21

h1f

10.31

✓ AB 3384

9.57

f3a

9.87 9.69 = 9.78 09 09

9.69

21g

9.79

✓ AB 3495

7.54

r2a 7.74

7.54

✓ AB 3550

7.54

r2a 7.74

7.54

h + var. run together

✓ AB 2599

9.79

93a

10.09

R

h R

✓ AB 3613

7.74

a1r

7.84 8.02 = 7.93 09 09

8.02

r2f

8.22

✓ AB 3631

7.74

a3a

8.04 7.92 = 7.98 06 06

7.92

r3f

8.22

Nov. 10, 1905.

187

RT Cygni

✓ AB 3646
 8.22 $\frac{f}{2} r$ 8.42 8.27 = 8.34 08 07
 8.27 $\frac{r}{2} c$ 8.47

✓ AB 3689
 8.86 $\frac{d}{2} r$ 9.05 8.97 = 9.01 04 04
 8.97 $\frac{r}{2} c$ 9.17

✓ AB 1701
 8.22 $\frac{f}{2} r$ 8.42 8.27 = 8.34 08 07
 8.27 $\frac{r}{2} c$ 8.47

✓ AB 2567
 9.57 $\frac{f}{3} r$ 9.87 9.59 = 9.73 14 14
 9.59 $\frac{r}{2} g$ 9.79

✓ AB 2691
 10.43 $\frac{h}{2} r$ 10.53

✓ AB 2659
 10.43 $\frac{h}{2} r$ 10.53

✓ AB 2733
 10.21 $\frac{h}{2} r$ 10.31

✓ AB 2736
 10.43 $\frac{h}{2} r$ 10.53

✓ AB 2848
 8.47 $\frac{c}{3} r$ 8.77 8.65 = 8.71 06 06
 8.65 $\frac{r}{2} d$ 8.85

Nov. 19, 1905

RT Cygni

✓ AB 3026
 9.57 $\frac{f}{30}$ 9.87 9.59 = 9.73 14 14
 9.59 $\frac{r}{29}$ 9.79
 ✓ AB 3739
 10.43 $\frac{r}{15}$ 10.53

✓ AB 344
 10.43 $\frac{r}{15}$ 10.53

✓ AB 466
 Purple

AB 727
 ✓ 8.22 $\frac{f}{30}$ 8.52 8.27 = 8.40 12 13
 8.27 $\frac{r}{20}$ 8.47

✓ AB 821
 10.21 $\frac{f}{25}$ 10.41 10.23 = 10.32 09 09
 10.23 $\frac{r}{20}$ 10.43

✓ AB 879
 10.43 $\frac{f}{15}$ 10.53

✓ AB 890
 9.79 $\frac{f}{10}$ 9.89

✓ AB 943
 8.85 $\frac{f}{40}$ 9.25 8.97 = 9.11 14 14
 8.97 $\frac{r}{20}$ 9.17

Nov. 10, 1905.

189

RT Bygni

✓ AB 1496

10.43

R12

10.53

10.61 = 10.57 04 04

10.61

R12

10.71

✓ AB 1645

10.43

R22

10.63

✓ AB 5241

Tormar edge

✓ AB 5246

Tormar edge

✓ AB 4918

Tormar edge

✓ AB 3629

Tormar edge

✓ AB 4184

Tormar edge.

✓ AB 4111

7.74

R12

7.84 8.12 = 7.98 14 14

8.12

R12

8.22

✓ AB 4090

8.22

R22

8.42 8.17 - 8.30 12 13

8.17

R32 8.47

Nov. 11, 1905

RT Cygni

✓	AB 4077		
7.64	$\alpha 1a$	7.74	7.64
✓	AB 4060		
7.74	$\alpha 1a$	7.84	8.12 = 7.98 <u>14</u> 14
8.12	$\alpha 1a$	8.22	
✓	AB 4040		
8.22	$\alpha 1a$	8.32	8.27 = 8.30 <u>02</u> <u>03</u>
8.27	$\alpha 2a$	8.47	
✓	AB 5488		
7.54	$\alpha 2a$	7.74	7.54
✓	AB 5475		
7.54	$\alpha 2a$	7.74	7.54
✓	AB 5443		
7.34	$\alpha 4a$	7.74	7.34
✓	AB 5420		
7.44	$\alpha 3a$	7.74	7.44
✓	AB 5400		
7.34	$\alpha 4a$	7.74	7.34
✓	AB 5385		
7.44	$\alpha 3a$	7.74	7.44
✓	AB 5346		
8.47	$\alpha 1a$	8.57	8.65 = 8.61 <u>04</u> 04
8.65	$\alpha 2a$	8.85	
✓	AB 5294		
9.17	$\alpha 3a$	9.47	9.37 = 9.42 <u>05</u> <u>06</u>
9.37	$\alpha 2a$	9.57	

Nov. 11, 1905.

191

RT Cygni

✓ AC 3270

9.57

f20

9.77 9.69 = 9.73 04 04

9.69

019

9.79

✓ AC 2920

Ponpl

✓ AC 2919

Ponpl

✓ AC 2883

8.47

R12

8.57

8.65 =

8.61

04 04

8.65

02d

8.85

✓ AC 3838

10.21

h1A

10.31

✓ AC 3815

10.21

h1A

10.31

✓ AC 3762

Ponpl

✓ AC 3694

Ponpl

✓ AC 3584

7.74

a10

7.84

8.02 =

7.93

09 09

8.02

027

8.22

✓ AC 3100

10.43

Buz

10.83

10.57 =

10.67

16 16

10.51

022

10.71

✓ AC 3058

9.57

f20

9.87

9.59 =

9.73

14 14

9.59

029

9.79

Nov. 11, 1905.

RT Byggn

✓ AC3018

9.57 f30 9.87 9.49 = 9.68 19 19
 9.49 039 9.79

✓ AC2974

8.85 d30 9.15 9.07 = 9.11 04 04
 9.07 012 9.17

✓ AC2946

8.47 c20 8.67 8.65 = 8.66 01 01
 8.65 020 8.85

✓ AC2928

Pooring

✓ AC2865

8.85 d30 9.15 8.87 = 9.01 14 14
 8.87 032 9.17

✓ AC2852

8.85 d30 9.15 8.87 = 9.01 14 14
 8.87 032 9.17

✓ AC2794

Peraph

✓ AC2740

9.79 92 9.99

Nov. 11, 1905

193

RT Cygni

✓ AB 2664
9.79 $g 1 \frac{1}{2} = \underline{9.89}$

✓ AB 2640
10.43 $g 1 \frac{1}{2} = \underline{10.53}$

✓ AB 2378
9.79 $g 1 \frac{1}{2} = \underline{9.89}$

✓ AB 2109
Pomp

✓ AB 2082
Class C

✓ AB 2038
Class C

✓ AB 5242
9.79 $g 1 \frac{1}{2} = \underline{9.89}$

✓ AB 4032
8.85 $g 2 = 9.05$ 8.87 = 8.96 09 09
8.87 $g 3 = 9.17$

✓ AB 3980
9.17 $g 3 = 9.47$ 9.27 = 9.37 10 10
9.27 $g 3 = 9.57$

Nov. 11, 1905.

RT Cygni

✓ AB 3942
 9.57 $\frac{f}{14}$ 9.67

✓ AB 3909
 10.43 $\frac{h}{21}$ 10.53

g31h 10.10 01, 01

✓ AB 4888
 7.74 $\frac{a}{10}$ 7.84 8.12 = 7.98 14 14
 8.12 $\frac{o}{14}$ 8.22

✓ AB 4354
 10.21 $\frac{h}{20}$ 10.41 10.23 = 10.32 09 09
 10.23 $\frac{o}{20}$ 10.43

✓ AB 4329
 10.21 $\frac{h}{20}$ 10.41 10.23 = 10.32 09 09
 10.23 $\frac{o}{20}$ 10.43

✓ AB 4257
 9.17 $\frac{e}{30}$ 9.47 9.27 = 9.37 10 10
 9.27 $\frac{o}{30}$ 9.57

✓ AB 4186
 8.22 $\frac{h}{20}$ 8.42 8.27 = 8.34 08 07
 8.27 $\frac{o}{20}$ 8.47

✓ AB 4155
 8.22 $\frac{h}{20}$ 8.42 8.27 = 8.34 08 07
 8.27 $\frac{o}{20}$ 8.47

Nov. 11, 1905

195

RT Cygni

✓ AC 4126

8.22

f 2 r 8.42 8.17 = 8.30 12 13

8.17

r 3 c 8.47

✓ AC 5179

Boorple

✓ AC 5173

10.21

h 1 r

10.31

Doo. ✓

AC 5146

9.79

f 1 r

9.89

✓ AC 5077

9.57

f 1 r

9.67

✓ AC 5059

10.21

h 1 r

10.31

✓ AC 5057

9.57

f 1 r

9.77

✓ AC 5043

10.43

h 1 r

10.53

✓ AC 5025

10.21

h 1 r

10.31

R

h 1 r

✓ AC 5014

9.79

f 1 r

9.89

R

h 1 r

Nov. 11, 1905

RT Cygni

✓ AC 4951

9.57 122 9.77 9.59 = 9.68 09 09
 9.59 229 9.79

✓ AC 3539

7.64 212 7.74 7.64

✓ AC 3519

7.44 232 7.74 7.44

✓ AC 3368

9.79 222 9.99 10.11 = 10.05 06 06
 10.11 212 10.21

✓ AC 3159

Ponfle

✓ AC 2030

10.43 232 10.73 10.61 = 10.67 06 06
 10.61 212 10.71

✓ AC 3554

10.21 212 10.31 10.33 = 10.32 01 01
 10.33 212 10.43

✓ AC 316

10.43 212 10.53

AC 302

✓ 10.43 212 10.53

✓ AC 1684

8.85 232 9.15 8.97 = 9.06 09 09
 8.97 222 9.17

AC 1641

Clean H

Nov. 11, 1905.

197

RT Cygni

✓	at 1635				
9.79	g 1 1/2	9.89	10.11 = 10.00	11	11
10.11	h 1 1/2	10.21			
✓	at 1619				
9.79	g 1 1/2	9.89			
✓	at 1583				
9.79	g 1 1/2	9.89			
✓	at 1577				
9.79	g 1 1/2	9.89			
✓	at 1064				
10.43	h 1 1/2	10.53			
✓	at 6620				
9.79	g 1 1/2	9.89			
✓	at 6600				
10.21	h 1 1/2	10.31			
✓	at 6509				
10.21	h 1 1/2	10.31			
✓	at 6499				
9.17	g 2 1/2	9.37			
✓	at 6477				
9.17	g 3 1/2	9.47	9.37 = 9.42	05	05
9.37	g 2 1/2	9.57			
✓	at 6440				
8.85	g 3 1/2	9.15	8.97 = 9.06	09	09
8.97	g 2 1/2	9.17			
✓	at 0417				
8.85	g 3 1/2	9.15	8.87 = 9.01	14	14
8.87	g 3 1/2	9.17			

Nov. 16, 1905.

RT Cygni

✓ AB 6385

8.47 210 8.57 8.75 = 8.66 09 09
 8.75 210 8.85

✓ AB 6282

10.21 210 10.31

✓ AB 6200

Poor fl

✓ AB 5733

9.17 220 9.37 9.17 - 9.27 10 10
 9.17 240 9.57

✓ AB 5650

8.22 230 8.52 8.27 = 8.40 12 13
 8.27 220 8.47

✓ AB 5623

7.74 220 7.94 8.12 = 8.03 09 09
 8.12 210 8.22

✓ AB 5546

7.54 220 7.74 7.54

✓ AB 5494

7.44 230 7.74 7.44

✓ AB 6806

9.57 210 9.67 9.59 = 9.63 04 04
 9.59 220 9.79

✓ AB 6798

9.17 230 9.47 9.37 = 9.42 05 05
 9.37 220 9.57

Nov. 16, 1905

199

RT Cygni

✓ AC 1984

10.21

α 20 10.41 10.33 = 10.37 04 04

10.33

α 10 10.43

✓ AC 1966

9.79

α 20 9.99 10.01 = 10.00 01 01

10.01

α 20 10.21

✓ AC 1906

Purple

✓ AC 1905

Class C

✓ AC 1904

Class C

AC 1875

Class C

✓ AC 1864

8.85

α 30 9.15 8.87 = 9.01 14 14

8.87

α 30 9.17

✓ AC 1830

8.85

α 20 9.05 8.87 = 8.96 09 09

8.87

α 30 9.17

✓ AC 1783

7.54

α 20 7.74 7.54

✓ AC 1753

Pominoago

✓ AC 1732

7.74

α 10 7.84 8.12 = 7.98 14 14

8.12

α 10 8.22

Nov. 11, 1905.

RT Cygni

✓ AB 6738
10.21 h1f 10.31

✓ AB 6667
10.21 h1r 10.31 R
h1f

✓ AB 886
Pl. trailed

✓ AB 880
9.79 g1f 9.89
✓ AB 885- =

9.79 g3g 10.09 10.11 = 10.10 01.01
10.11 h1r 10.21

✓ AB 5770
10.43 h1r 10.53 R
h1f

✓ AB 474
9.57 f3g 9.87 9.49 = 9.68 19 19
9.49 r3g 9.79

AB 459
Class C

✓ AB 391 7.64
7.64 r1a 7.74

✓ AB 2463
Poorly

✓ AB 2498
7.74 a3r 8.04 7.92 = 7.98 06 06
7.92 r3f 8.22

Nov. 11, 1905.

201

RT Cygni

✓	AB 2554				
9.17	e 4 g	9.57	9.37 = 9.47	10	<u>10</u>
9.37	o 2 f	9.57			
✓	AB 2592				
10.21	h 2 g	10.41	10.23 = 10.32	09	<u>09</u>
10.23	o 2 k	10.43			
✓	AB 2639				
10.43	h 1 f	<u>10.53</u>			
✓	AB 2696				
10.71	h 1 f	<u>10.81</u>			
✓	AB 2745				
10.71	h 1 f	<u>10.81</u>			
✓	AB 2835				
9.17	e 2 g	9.37	9.37 = 9.37	00	<u>00</u>
9.37	o 2 f	9.57			
✓	AB 2855				
8.85	d 3 o	9.15	8.87 = 9.01	14	<u>14</u>
8.87	o 3 e	9.17			
✓	AB 2882				
8.47	p 1 o	8.57	8.75 = 8.66	09	<u>09</u>
8.75	o 1 d	8.85			
✓	AB 2918				
8.22	h 2 o	8.42	8.39 = 8.40	02	<u>03</u>
8.37	o 1 o	8.47			
✓	AB 2955				
8.85	d 2 o	9.05	8.97 = 9.01	04	<u>04</u>
8.97	o 2 e	9.17			
✓	AB 2976				
8.85	d 3 o	9.15	8.87 = 9.01	14	<u>14</u>
8.87	o 3 e	9.17			

Nov. 11, 1905.

R T Cygni

✓ AB 1891

8.85 d3r 9.15 9.07 = 9.11 04 04

9.07 r1e 9.17

✓ AB 1899

8.85 d3r 9.15 9.07 = 9.11 04 04

9.07 r1e 9.17

✓ AB 2977

9.17 e1r 9.27 9.27 - 9.27 00 00

9.27 r3f 9.57

✓ AB 6388

8.85 d3r 9.15 8.87 = 9.01 14 14

8.87 r3e 9.17

✓ AB 6419

8.85 d3r 9.15 8.87 = 9.01 14 14

8.87 r3e 9.17

✓ AB 6447

Poor in reg.

✓ AB 6496

9.57 f1f 9.67

AB 6546

✓ 9.79 g2r 9.99 10.11 = 10.05 06 06

10.11 r1h 10.21

✓ AB 6535

Too near edge

✓ AB 6562

10.21 h1f 10.31

✓ AB 6583

9.57 f1f 9.67

AB 6595

✓ 10.21 h1f 10.31

Nov. 11, 1905.

203

RT Cygni

✓	AB 6652		
9.57	f 1 St	9.67	
✓	AB 6693		
10.21	h 1 St	10.31	
✓	AB 6715		
10.21	h 1 St	10.31	10.33 = 10.32 01 01
10.33	o 1 St	10.43	
✓	AB 6759		
	For near edge of flc		
✓	AB 1949		
9.57	f 2 St	9.77	9.69 = 9.73 04 04
9.69	o 1 St	9.79	
✓	AB 2007		
10.43	h 2 St	10.63	10.51 = 10.57 06 06
10.57	o 2 St	10.71	
✓	AB 2051		
10.21	h 1 St	10.31	
✓	AB 2071		
10.71	h 1 St	10.81	
✓	AB 2358		
9.79	g 2 St	9.99	10.01 = 10.00 01 01
10.01	o 2 St	10.21	
✓	AB 1170		
	Poor flc		
✓	AB 1572		
	For near edge of flc		
✓	AB 1613		
	For near edge of flc		
✓	AB 926		
9.57	f 1 St	9.67	

Nov. 11, 1905-

RT Cygni

✓ AB 1016

7.74 a 20 7.94 8.12 = 8.03 09 09
 8.12 a 10 8.22

✓ AB 988

Too near corner

✓ AB 918

9.79 g 10 9.89

✓ AB 861

Poor in ug.

✓ AB 837

Poor

✓ AB 502

10.21 h 10 10.31

✓ AB 423

7.74 a 30 8.04 8.02 = 8.03 01 01
 8.02 a 20 8.22

✓ AB 418

Poor in ug.

AB 366

Class C

✓ AB 4031

8.85 d 30 9.15 8.87 = 9.01 14 14

8.87 a 30 9.17

✓ AB 4009

8.85 d 30 9.15 8.87 = 9.01 14 14

8.87 a 30 9.17

✓ AB 3946

Poor in ug.

Nov. 11, 1905.

205

R T Cygni

- ✓ AC 3879 (assumed)
 9.57 $\frac{714}{2}$ 9.67
 ✓ AC 3844
 Poor pl
 ✓ AC 3804
 9.79 $\frac{927}{2}$ 9.99
 ✓ AC 3767
 Poor in reg.
 ✓ AC 3730
 Poor in reg.
 ✓ AC 3675
 Poor in reg.
 AC 253
 Poor in reg.
 ✓ AC 1768
 Poor pl
 ✓ AC 1834
 Formal count
 ✓ AC 1954
 9.17 $\frac{130}{2}$ 9.47 9.37 = 9.42 05 05
 9.37 $\frac{027}{2}$ 9.57
 ✓ AC 1957
 Formal count
 ✓ AC 2895
 8.85 $\frac{d30}{2}$ 9.15 8.87 = 9.01 14 14
 8.87 $\frac{r32}{2}$ 9.17
 ✓ AC 2888
 8.85 $\frac{d20}{2}$ 9.05 8.87 = 8.96 09 09
 8.87 $\frac{r30}{2}$ 9.17

Nov. 11, 1905-

RT Cygni

✓ AC 3594

Poor

AC 6764

10.43

h 1st = 10.53

✓ AC 6760

Poor images

✓ AC 6685

9.79

g 1st = 9.89

✓

AC 2492

Poor

✓ AC 2000

Too near corner

✓ AC 3404

8.85

d 3rd 9.15 8.87 = 9.01 14 14

8.87

r 3rd 9.17

✓

AC 3353

10.21

h 1st = 10.31

✓

AC 3253

Poor

✓ AC 2978

8.85

d 2nd 9.05 8.97 = 9.01 04 04

8.97

r 2nd 9.17

✓

AC 2968

Too near corner

✓

AC 2924

8.85

d 3rd 9.15 8.87 = 9.01 14 14

8.87

r 3rd 9.17

✓

AC 3622

AC 3696

Class FF

Nov. 11, 1905

207

R T Cygni

✓ AB 1973

9.79 9.27 9.99 10.11 = 10.05 06 06
 10.11 21h 10.21

✓ AB 1870

Too near corner.

✓ AB 1860

Poor in reg.

✓ AB 1815

7.74 7.84 8.02 = 7.93 09 09
 8.02 8.22

✓ AB 1774

7.74 8.04 7.92 = 7.98 06 06
 7.92 8.22

✓ AB 1769

Poor fit

✓ AB 1707

Too near edge

✓ AB 1649

Too near edge

✓ AB 1602

Too near edge.

✓ AB 1586

10.43 10.53

✓ AB 2572

9.79 9.14 9.89

✓ AB 1835

7.74 7.94 8.02 = 7.98 04 04
 8.02 8.22

✓ AB 2721

9.79 9.14 9.89

Nov. 13, 1905.

RT Cygni

✓ AB 4394
 10.43 $\ell 2\alpha$ 10.63 10.41 = 10.52 11 11
 10.41 $\ell 3\ell$ 10.71

✓ AB 4473.
 10.71 $\ell 2\frac{1}{2}$ $\frac{8}{10.81}$

✓ AB 4483
 10.71 $\ell 1\frac{1}{2}$ $\frac{10.81}{}$

✓ AB 4696
 Pl. trailed

✓ AB 4925
 8.85 $\ell 2\alpha$ 9.05 8.87 = 8.96 09 09
 8.87 $\ell 3\ell$ 9.17

✓ AB 4969
 9.57 $\ell 2\alpha$ 9.77 9.49 = 9.63 14 14
 9.49 $\ell 3\ell$ 9.79

✓ AB 4975
 9.79 $\ell 1\frac{1}{2}$ $\frac{9.89}{}$

✓ AB 5000
 Pl. trailed

✓ AB 5029
 9.79 $\ell 1\alpha$ 9.89 10.01 = 9.95 06 06
 10.01 $\ell 2\alpha$ 10.21

Nov. 13, 1905

209

RT Cygni.

✓ AB 5073

9.57

f 1st

9.67

✓ AB 3726

9.17

e 1st

9.27

✓ AB 3642

8.85

d 3rd

9.15

8.87

= 9.01

14

14

8.87

d 3rd

9.17

✓ AB 3630

8.47

d 2nd

8.67

8.65

= 8.66

01

01

8.65

d 2nd

8.85

✓ AB 3618

8.22

f 2nd

8.42

8.27

= 8.34

08

07

8.27

d 2nd

8.47

✓ AB 3770

Booyle

✓ AB 3807

9.79

f 1st

9.89

✓ AB 3899

9.57

f 1st

9.67

✓ AB 3818

10.71

d 2nd

10.91

✓

AB 3880

9.57

f 1st

9.67

✓

AB 3918

9.57

f 2nd

9.77

Nov. 13, 1905-

RT Cygni

✓ AC 4029

8.22 $\frac{1}{2}$ 3 α 8.52 8.27 = 8.40 12 138.27 α 2 α 8.47

✓ AC 4067

7.74 α 2 γ 7.94 8.02 = 7.98 04 048.02 α 2 γ 8.22

✓ AC 4091

7.74 α 2 γ 7.94 8.02 = 7.98 04 048.02 α 2 γ 8.22

✓ AC 4095

7.74 α 1 α 7.84 8.02 = 7.93 09 098.02 α 2 γ 8.22

✓ AC 4146

8.22 $\frac{1}{2}$ 3 α 8.52 8.27 = 8.40 12 138.27 α 2 α 8.47

✓ AC 4150

PB trailed

✓ AC 4203

8.47 α 2 α 8.67 8.65 = 8.66 01 018.65 α 2 α 8.85

✓ AC 4208

PB sample

✓ AC 4258

9.17 α 2 γ 9.37 9.27 = 9.32 05 059.27 α 3 γ 9.57

Nov. 13, 1905.

211

RT Cygni

✓	at 4341		
10.21	h 1 g	10.31	10.23 = 10.27 04 04
10.23	r 2 h	10.43	
✓	at 4353		
9.79	g 2 g	9.99	9.91 = 9.95 04 04
9.91	r 3 h	10.21	
✓	at 5375		
⁺ 7.54	r 2 a	7.74	⁺ 7.54
✓	at 5401		
7.44	r 3 a	7.74	7.44
✓	at 5429		
7.34	r 4 a	7.74	7.34
✓	at 5489		
7.34	r 4 a	7.74	7.34
✓	at 5533		
7.54	r 2 a	7.74	7.54
	at 6640		
9.57	f 1 f	9.67	
✓	at 5384		
7.54	r 2 a	7.74	7.54
✓	at 5330		
8.85	d 3 r	9.15	8.97 = 9.06 09 09
8.97	r 2 e	9.17	
✓	at 6294		
9.79	g 1 f	9.89	
✓	at 6341		
9.17	e 2 r	9.37	9.37 = 9.37 00 00
9.37	r 2 f	9.57	
✓	at 6423		
8.85	d 3 r	9.15	8.87 = 9.01 14 14
8.87	r 3 e	9.17	

Nov. 13, 1905.

RT Cygni

✓ AC 6430

Poor in reg.

✓ AC 6550

10.21 h 1 A 10.31
✓ AC 6586

8.47 c 1 A 8.57

✓ AC 6615

9.79 g 1 A 9.89
✓ AC 6667

9.57 f 2 r 9.77 9.59 = 9.68 09 09

9.59 r 2 g 9.79

✓ AC 3410

8.85 d 3 r 9.15 8.97 = 9.06 09 09

8.97 r 2 e 9.17

✓ AC 3248

Defective in reg.

✓ AC 3066

10.21 h 2 r 10.41 10.23 = 10.32 09 09

10.23 r 2 r 10.43

✓ AC 3607

7.74 a 2 r 7.94 8.02 = 7.98 04 04

8.02 r 2 f 8.22

AC 3600

7.74 a 2 r 7.94 8.02 = 7.98 04 04

8.02 r 2 f 8.22

✓ AC 3484

7.44

7.44 r 3 a 7.74

✓ AC 3768

Poor in reg.

Nov. 13, 1905

213

RT Cygni

✓	AB 3763			
9.79	g 2 $\frac{1}{2}$	<u>9.99</u>		
✓	AB 5989			
10.21	h 1 $\frac{1}{2}$	<u>10.81</u>		
✓	AB 5765			
10.21	h 1 $\frac{1}{2}$	<u>10.31</u>		
✓	AB 5172			
9.79	g 1 $\frac{1}{2}$	<u>9.89</u>		
✓	AB 5243			
	Poorly			
✓	AB 5284			
9.57	g 1 $\frac{1}{2}$	<u>9.67</u>		
✓	AB 5010			
	Poor image			
✓	AB 4973			
9.17	e 1 $\frac{1}{2}$	<u>9.27</u>		
✓	AB 4964			
9.17	e 1 $\frac{1}{2}$	<u>9.27</u>		
✓	AB 4913			
7.74	AB 4756	8.04	8.02 = 8.03	01 01
8.02	027	8.22		
	AB 4756 - 58			
9.79	g 1 $\frac{1}{2}$	9.89		R
✓	AB 4789			
9.79	g 2 $\frac{1}{2}$	9.99		R
✓	AB 4293			
	Poor image			

Nov. 13, 1905.

RT Cygni

✓ AB 4256

Poor in eq.

✓ AB 4149

8.22

h 2 m 8.42 8.27 = 8.34 08 07

8.27

8.22 8.47

✓ AB 5303

9.17

h 2 m 9.37 9.27 = 9.32 05 05

9.27

8.37 9.57

✓ AB 5235

9.57

f 1 st 9.67

✓ AB 5182

10.21

h 2 m 10.41 10.33 = 10.37 04 04

10.33

8.12 10.43

✓ AB 5163

9.57

f 1 st 9.67

✓ AB 5117

9.57

f 1 st 9.67

✓ AB 5112

9.57

f 2 m 9.77 9.59 = 9.68 09 09

9.59

8.29 9.79

✓ AB 5104

Poor pl.

✓ AB 5072

10.43

h 1 st 10.53

✓ AB 5033

10.21

h 1 m 10.31 10.23 = 10.32 01 01

10.33

8.12 10.43

✓ AB 6190

Poor pl.

Nov. 13, 1905-

215

RT Cygni

✓	Ab 5649			
8.22	r 2c	8.32	8.27 = 8.30	02 <u>03</u>
8.27	r 2c	8.47		
✓	Ab 5532			
7.54	r 2a	7.74		7.54
✓	Ab 5523			
7.54	r 2a	7.74		7.54
✓	Ab 5502			
7.44	r 3a	7.74		7.44
✓	Ab 5495			
7.34	r 4a	7.74		7.34
✓	Ab 5396			
7.54	r 2a	7.74		7.54
✓	Ab 1761			
7.44	r 3a	7.74		7.44
✓	Ab 1798			
7.74	a 3a	8.04	7.92 = 7.98	⁶ 04 <u>06</u>
7.92	r 3a	8.22		
✓	Ab 5805			
9.79	g 1st	9.89		
✓	Ab 3675			
8.22	r 2a	8.42	8.27 = 8.34	08 <u>07</u>
8.27	r 2c	8.47		
✓	Ab 2866			
8.85	a 3a	9.15	8.87 = 9.01	14 <u>14</u>
8.87	r 3a	9.17		
✓	Ab 2844			
8.85	a 3a	9.15	8.87 = 9.01	14 <u>14</u>
8.87	r 3a	9.17		

Nov. 13, 1905

RT Cygni

J ab 2838
 8.85 d4r 9.25 8.97 = 9.11 14 14
 8.97 r2e 9.17
 J ab 2791
 9.17 l2st 9.37
 J ab 2772
 9.17 e1st 9.27
 J ab 2738
 9.57 f1st 9.67
 J ab 2678
 10.43 k1st 10.53
 J ab 2635
 9.57 f1st 9.67
 J ab 6763
 Poor images
 J ab 5545
 7.44 r3a 7.74 7.44
 J ab 806
 9.79 g2st 9.79
 J ab 841
 9.79 g2st 9.99 10.11 = 10.05 06 06
 10.11 b1st 10.21
 J ab 334
 10.21 k2r 10.41 10.33 = 10.37 04 04
 10.33 r1k 10.43
 J ab 352
 Poor images
 J ab 426
 8.22 f2r 8.42 8.27 = 8.34 08 07
 8.27 r2r 8.47

Nov. 13, 1905.

217

RT Cygni

✓ ac 776

8.83

ac 776

9.25

8.97

9.11

14 14

8.97

ac 776

9.17

✓ ac 1695

Poor pl

✓ ac 1667

Too near corner

✓ ac 1644

Pl. trailed

✓ ac 1639

Poor pl

✓ ac 6807

9.17

ac 6807

9.37

9.37

9.37

00 00

9.37

ac 6807

9.57

✓ ac 6797

9.79

ac 6797

9.99

10.01

10.00

01 01

10.01

ac 6797

10.21

✓ ac 6797

Too near edge

ac 328 355

Too near corner class C

✓ ac 1396

Pl. trailed

✓ ac 1437

7.74

ac 1437

8.14

R

✓ ac 95-0

8.47

ac 95-0

8.57

Estimates of faint comp. stars for Var in Cygnus

l 4015 19

l 2 m

m 4 n

l 3707

l 3 m

m 3 n

l 30725

l 3 m

m 4 n

l 30650

l 3 m

m 4 n

RT Cygni cont.

✓ al 133

9.17 l 30 9.47 9.37 = 9.42 05 05

9.37 02 9.57

✓ al 326

Poor in ug.

✓ al 1575

10.21 h 2 A 10.41

✓ al 1614

10.43 h 1 A 10.53

✓ al 1552

10.43 h 2 A 10.63

✓ al 1506

Poor in

Nov. 13, 1905

219

RT Cygni

✓ aC 1300

Poor

✓ aC 1140

Pl. tailed

✓ aC 1017

7.74 a 27 7.94 8.12 = 8.03 09 09

8.12 8.17 8.22

✓ aC 987

Poor images

✓ aC 1816

7.74 a 17 7.84 8.02 - 7.93 09 09

8.02 8.27 8.22

✓ aC 3571

Poor in reg.

✓ aC 4704

Poor images

✓ aC 6088

9.57 f 1 9.67

✓ aC 6210

Poor

✓ aC 6285

9.57 f 1 9.67

✓ aC 1671

9.17 230 9.47 9.27 = 9.37 10 10

9.27 837 9.57

✓ aC 1744

Pl. tailed

✓ aC 1804

7.74 a 27 7.94 8.02 = 7.98 04 04

8.02 8.27 8.22

Nov. 13, 1905-

RT Cygni

✓ Ab 1983
Too near edge

✓ Ab 1399
Pl. trailed

✓ Ab 1512
9.57 $\frac{f1}{2} = 9.67$

✓ Ab 814
9.57 $\frac{24}{2} = 9.77$ 9.59 = 9.68 09 09
9.59 $\frac{22}{2} = 9.79$

✓ Ab 582
9.79 $\frac{91}{2} = 9.89$ 10.01 = 9.95 06 06
10.01 $\frac{82}{2} = 10.21$

✓ Ab 1669
10.43 $\frac{23}{2} = 10.73$ 10.51 = 10.62 11 11
10.51 $\frac{22}{2} = 10.71$

✓ Ab 1663
10.43 $\frac{23}{2} = 10.73$ 10.41 = 10.57 16 16
10.41 $\frac{23}{2} = 10.71$

✓ Ab 5297
10.71 $\frac{23}{2} = 11.01$ 10.79 = 10.90 11 11
10.79 $\frac{22}{2} = 10.99$

✓ Ab 5264
10.43 $\frac{23}{2} = 10.73$ 10.51 = 10.62 11 11
10.51 $\frac{22}{2} = 10.71$

Poor image

✓ Q 162
~~285~~10.43 $\alpha 3 \sim$ 10.73 10.41 = 10.57 16 16
10.41 $\alpha 3 \sim$ 10.71

✓ Q 8850

9.79 $\alpha 1 \sim$ 9.89 10.01 = 9.95 06 06
10.01 $\alpha 2 \sim$ 10.21

✓ Q 8824

9.17 $\alpha 2 \sim$ 9.37 9.37 = 9.37 00 00
9.37 $\alpha 2 \sim$ 9.57

✓ Q 8735

8.47 $\alpha 2 \sim$ 8.67 8.65 = 8.66 01 01
8.65 $\alpha 2 \sim$ 8.85

✓ Q 7278

9.57 $\alpha 2 \sim$ 9.77 9.59 = 9.68 09 09
9.59 $\alpha 2 \sim$ 9.79

✓ Q 4708

7.74 $\alpha 1 \sim$ 7.84 8.12 = 7.98 14 14
8.12 $\alpha 1 \sim$ 8.22

✓ Q 2287

8.47 $\alpha 2 \sim$ 8.67 8.75 = 8.71 04 04
8.75 $\alpha 1 \sim$ 8.85

✓ Q 13045

7.74 $\alpha 2 \sim$ 7.94 8.12 = 8.03 09 09
8.12 $\alpha 1 \sim$ 8.22

✓ Q 15182

9.17 $\alpha 2 \sim$ 9.37 9.37 = 9.37 00 00
9.37 $\alpha 2 \sim$ 9.57

✓ Q 15424

7.64 $\alpha 2 \sim$ 7.74 7.54

✓ Q 15492

7.64 $\alpha 1 \sim$ 7.74 7.64

222.

✓ Q15728
 8.85 α 2 α 9.05 9.07 = 9.06 01 01
 9.07 α 1 α 9.17

✓ Q15937 Sh
 9.57 β 2 α 9.77 9.69 = 9.73 04 04
 9.69 α 1 β 9.79

✓ Q16385-
 10.71 β 1 α 10.81 β
 on β

✓ Q16569
 10.43 β 2 α 10.63 10.41 = 10.52 11 11
 10.41 α 3 β 10.71

✓ Q18554
 Not covered.

✓ Q22940
 Too near edge

✓ Q29146
 9.79 β 2 α 9.99 10.11 = 10.05 06 06
 10.11 α 1 β 10.21

✓ Q30785-
 10.43 β 2 α 10.63 10.41 = 10.52 11 11
 10.41 α 3 β 10.71

✓ Q33048 Sh
 8.85 α 2 α 9.05 8.97 = 9.01 04 04
 8.97 α 2 β 9.17

1905phae.proj..727B