

THE *HEAO* A-1 X-RAY SOURCE CATALOG

K. S. WOOD, J. F. MEEKINS, D. J. YENTIS, H. W. SMATHERS, D. P. MCNUTT,
 R. D. BLEACH, E. T. BYRAM,¹ T. A. CHUBB,¹ AND H. FRIEDMAN
 E. O. Hulburt Center for Space Research, Naval Research Laboratory

AND

M. MEIDAV
 Tel Aviv University

Received 1983 September 6; accepted 1984 June 21

ABSTRACT

We present a catalog of X-ray sources detected with the NRL Large Area Sky Survey Experiment on the *HEAO 1* satellite. The catalog is derived from the first 6 months of data from *HEAO 1*, during which time one scan of the entire sky was completed. The text describes the instrument and data analysis techniques used for the survey.

Positions and intensities for 842 sources are cataloged, with a limiting flux of 250 nJy at 5 keV, or ~ 0.25 UFU. The catalog is more than 90% complete at a flux level equivalent to $1.5 \mu\text{Jy}$ at 5 keV, for a Crab-like spectrum.

This catalog, more so than earlier ones done in X-rays, approximates a representative, instantaneous image of the sky in X-ray wavelengths, in that all sources are observed within a single 6-month interval, and epochs of observation for individual entries can be specified to within a few days. The intensity shown for a source is a mean value over the observing interval rather than an extreme value.

The catalog has been cross-referenced with published literature. Identifications based on coincidence in position are proposed for some of the sources for which previous work has established no firm identification. About one-half of the sources remain unidentified.

Subject heading: X-rays: sources

I. INTRODUCTION

The NRL Large Area Sky Survey Experiment (LASS) on the *HEAO 1* satellite, also referred to as the *HEAO* A-1 Experiment, had as its primary objective the generation of an all-sky catalog of the brightest X-ray sources in the energy range from 0.25 to 25 keV. The instrumentation consisted of an array of large aperture proportional counter modules with collimators of varying fields of view. This array had sufficient sensitivity to detect sources as faint as $0.25 \mu\text{Jy}$ at 5 keV, assuming a Crab-like spectrum ($1.1 \mu\text{Jy}$ at 5 keV = 1 UFU, for a Crab-like spectrum). The modules with the finest collimators ($1^\circ \times 0.5^\circ$) were not confusion-limited at the low end of this range.

Full sky coverage was achieved in the first 6 months of operation by continuously scanning great circles perpendicular to the Earth-Sun line. The present catalog is derived from those 6 months and thus covers the full sky. The uniformity of the catalog depends upon the exposure, defined as collecting aperture multiplied by accumulated integration time, achieved in various sky regions. Instrumental sensitivity improves as exposure increases, until the confusion limit set by the instrumental field of view is reached. The ideal sky coverage for the instrumental design and satellite scanning geometry would be to accumulate a sufficient minimum exposure everywhere such

that all sky regions would be uniformly limited by source confusion, and any remaining variations in exposure would not affect limiting sensitivity. Because some detector modules failed during the first 6 months, the flux limit for the present catalog in some sky regions is limited by exposure rather than confusion. The continued life of four of the original seven modules for an additional 11 months past their design goal meant that the ideal coverage was eventually achieved during the balance of the mission. Future addenda to the present catalog will be able to utilize the superior uniformity of the full mission sky exposure. The source list given here is at least 90% complete at a flux level equivalent to $\sim 1.5 \mu\text{Jy}$ at 5 keV for a Crab-like spectrum judging from the number versus flux curve and from known sources that do not appear in the list. The main causes for omission of sources brighter than $1.5 \mu\text{Jy}$ are local imperfections in sky coverage or source confusion in the $1^\circ \times 4^\circ$ FOV scan modules, which serve as the principal source finders for the catalog. Thus a $5 \mu\text{Jy}$ source might be missed if it were too close to another source brighter than $50 \mu\text{Jy}$. A later publication will utilize the $1^\circ \times 0.5^\circ$ modules to improve completeness in this respect. Allowing for these limitations, the all-sky catalog presented in this paper is the most uniform and comprehensive produced to date from a single instrument.

Section II provides a technical description of the *HEAO* A-1 instrument. It is a more comprehensive description than

¹Also Bendix Field Engineering Corp.




FIG. 1.—Schematic of the A-1 instrument as placed in the *HEAO 1* spacecraft

any that has appeared in previous publications and emphasizes aspects of the instrument which are important for understanding how the catalog was produced. Section III describes data analysis procedures used to extract source characteristics. Section IV introduces and describes the catalog tables. Section V is a brief discussion of source classes appearing in the catalog.

II. INSTRUMENT DESCRIPTION

a) Overview of the *HEAO 1* Instrument: Principal Subassemblies

The *HEAO 1* instrument was a modular assembly of seven thin-window proportional counters sensitive from 0.25 to 25 keV. Additional principal subassemblies of the instrument were a central electronics module, two ultraviolet stellar aspect sensors, and a central gas reservoir module.

The configuration of the A-1 instrument as mounted in the *HEAO 1* spacecraft is shown in Figure 1. Six of the seven X-ray sensor modules were placed on the $-Y$ side of the spacecraft, and the seventh on the $+Y$ side. The Z -axis of the spacecraft pointed toward the Sun; hence, the view directions of the seven A-1 sensor modules were roughly perpendicular to the solar direction. The exact alignment of sensor view directions is specified in Table 1; the effective collecting areas of the modules are also given there.

Data were formatted within the central electronics module of the A-1 instrument prior to storage on the *HEAO 1*

TABLE 1
X-RAY SENSOR VIEW DIRECTIONS AND OPEN AREAS

Sensor Module	View Direction ^a	Open Area (cm ²)
1, 2, 3, 4	$-Y$	1650
5	$-Y + 1/3^\circ Z$	1350
6	$-Y - 1/3^\circ Z$	1350
7	$+Y$	1900

^a Relative to spacecraft.

spacecraft tape recorder for later transmission. Two commandable standard formats were used, one having timing resolution of 320 ms and the other having 5 ms resolution. Essentially full-sky coverage was obtained in both formats; data taken in either mode are combined in summations used to produce the catalog.

b) X-Ray Sensor Modules

Each X-ray sensor module consisted of three main parts: (a) the grid collimator assembly, with heat shield; (b) the proportional counter; and (c) electronics and gas system assemblies mounted on the back of the counter. A cross-sectional view of the counter is shown in Figure 2. The proportional counter contained three layers of anode wires spaced 2 inches apart. Each layer of wires was read out independently. Over most of the energy range, the A layer (front layer) served




FIG. 2.—Cross sectional view of the sensor module, showing heat shield, front strongback, proportional counter, control counter, and gas tank.

as the X-ray sensor, and the B and C layers (middle and back layers, respectively) provided anticoincidence protection against charged particle events. For photon energies ≥ 10 keV (high gain) or ≥ 45 keV (low gain), added sensitivity was provided by the B layer, with the other two layers in anticoincidence. Anticoincidence protection was also provided on the ends and the sides of the A layer by additional background-counting anodes within the counter. (Protection against low to intermediate energy electrons was provided by magnets placed within the grid collimators.) The counter gas was a mixture of 22% methane and 78% xenon, at a nominal pressure of 2 psia (pounds inch⁻² absolute). Incoming X-rays reached the active gas volume by passing through a window of 2.5 μm Mylar film; electrical conductivity of the inward surface was provided by a film of Nichrome, ~ 45 Å thick. The window was held in place by a stainless steel mesh which, in turn, was supported against the gas pressure within the counter by a rectangular cell stainless steel honeycomb strongback (window support structure). This honeycomb provided part of the X-ray collimation as shown in Table 2.

TABLE 2

COLLIMATION ANGLES

Sensor Module	Honeycomb Collimation Angles ^a	Grid Collimation Angles ^a	Resultant Collimation Angles ^a
1,2,3,4	$8^\circ \times 4^\circ$	$1^\circ \times 45^\circ$	$1^\circ \times 4^\circ$
5,6	$8^\circ \times 4^\circ$	$1^\circ \times 0.5^\circ$	$1^\circ \times 0.5^\circ$
7	$8^\circ \times 8^\circ$	$45^\circ \times 2^\circ$	$8^\circ \times 2^\circ$

NOTE.—The first dimension is measured in the scan plane; the second, perpendicular to the scan plane.

^aOne-half full width.

c) Collimators

Above the honeycomb strongback, each counter had an additional multigrad collimator, which completed its field of view (FOV) as shown in Table 2. The grid collimators each consisted of a stack of etched molybdenum sheets interleaved with spacer frames. In order to prevent excessive heat loss or gain of the sensor modules while in orbit, a heat shield fabricated from 2 μm Kimfol polycarbonate film and coated on its inner surface with 800 Å of aluminum was placed in front of each collimator. Incoming X-rays passed through this heat shield as well as the Mylar film, and the net transmission of the two layers determined the response to soft X-rays.

Prior to launch, the angular response of the collimators (grid and honeycomb in series) was estimated for each detector type by performing Monte Carlo simulations. From these simulations the net transmission at normal incidence and the relative angular response of each collimator assembly were determined. The simulations verified that the collimator response function could be factored into two components, $R_p(\theta)$ and $R_s(\phi)$, each a function of only one of the orthogonal angles measured from the two planes of symmetry of the collimators. Factorization was valid at the energies of interest, ≤ 25 keV. The symbols R_s and R_p refer to the response of the collimator in the scan direction and the direction perpendicular to the scan, respectively.

Figures 3, 4, and 5 give the responses R_s and R_p of the $1^\circ \times 4^\circ$ collimators, $8^\circ \times 2^\circ$ collimator, and $1^\circ \times 0.5^\circ$ collimators, respectively. The curves are least squares fits of a cubic polynomial to the values determined by the Monte Carlo simulations.

After launch, data obtained from scans through the Crab Nebula were used to determine the angular response of the four scan sensor modules taken together (sensor modules 1, 2, 3, and 4). These four sensor modules were coaligned (see Table 1). Most of their data were added together by the spacecraft electronics prior to transmission to ground. The resultant angular response is shown in Figure 6. This experimental response agrees, essentially, with that shown in Figure 3, although there are small differences arising from slight misalignments of the four scan sensor modules with respect to one another.

d) Detection Efficiency

The X-ray detection efficiency for a module is shown in Figure 7. The two portions of the figure refer to two gain modes described below. Calculation of the efficiency takes into




FIG. 8.—Sky exposure for first 6 months. The gray scale plot shows exposure ($= \text{area} \times \text{time}$) accumulated on each sky bin. The display is an Aitoff projection in celestial coordinates. The two ecliptic poles appear as regions of very high exposure.

electronic component in a feedback loop, adjusting the operating voltage on the detector wires continuously so as to provide a constant gas gain despite density or composition changes in the counter gas.

Two commandable high-voltage modes were used for the bulk of the data collected. One of these (designated the "AGCL" mode) utilized the gain control feedback loop so as to set the ^{55}Fe 5.9 keV X-ray peak at 30% of full scale. The second mode ("AGCP") kept the voltage fixed at 1500 V and was equivalent to a comparatively low gain with the 5.9 keV peak at $\sim 6\%$ of full scale. A third controlled mode (with gain higher than the AGCL mode) was available but was used only rarely, and never for data contributing to the catalog.

After processing by anticoincidence logic and discriminators, data pulses were passed to a 256 channel linear analog to digital converter (20 mV per channel, 5.1 V full scale) which digitized the height of the pulses. These signals were sent to the central electronics module for further processing, described below.

In-flight calibrations were of two types, ramp calibration, which checked analog-to-digital conversion and amplifier linearity, and active calibration with ^{55}Fe sources, which checked the system response to 5.9 keV photons.

f) Central Electronics and Telemetry

The central electronics (CE) module provided the electrical interfaces between the A-1 instrument and the spacecraft. This module received, processed, and formatted data from the sensor modules in preparation for storage by the spacecraft.

The X-ray pulses from each sensor module underwent pulse-height analysis (PHA) into 256 linear channels and then were presented to the CE. There the 256 channels were compressed to 16, using nonlinear sorters as shown by the energy threshold breakpoints in Table 3. One of the 16 channel sorters accumulated the data from sensor modules 1, 2, 3, and 4 taken together, these being the modules with co-aligned $1^\circ \times 4^\circ$ fields of view. In contrast, each of the sensor modules 5, 6, and 7 had its own 16 channel sorter. In addition, the telemetry format allowed for one further spectrum to be transmitted. This spectrum used a 40 channel nonlinear sorter analogous to the 16 channel sorters just described, and it could accept inputs from any of the modules, singly or in combination. Count accumulations from all sorters, as well as the total count from each sensor module, were processed by quasi-logarithmic scalars. The data, together with housekeeping information, were stored in an onboard tape recorder in one of two standard formats and subsequently were transmitted to the ground.

Data used in preparation of the catalog consisted either of 320 ms count accumulations from the scan module 16 channel sorter or 640 ms count accumulations from the 40 channel sorter. The latter was used when the instrument was in the 5 ms telemetry format. PHA bins from the 40 channel sorter were, for these purposes, added together so as to be identical to bins from the 16 channel sorter, so that Table 3 applies to both cases. Further details on the instrument may be found in Friedman (1979). An additional capability for timing of X-ray events with resolution as fine as a few microseconds is de-

TABLE 3
16 CHANNEL SORTER LOWER LEVEL BREAK POINTS

Sorter Channel	Linear Channel	Low Gain ^a (keV)	High Gain ^b (keV)
0	0	0 ^c	0 ^c
1	2	0.79	0.15
2	3	1.18	0.23
3	4	1.57	0.31
4	6	2.36	0.46
5	8	3.14	0.61
6	12	4.71	0.92
7	16	6.29	1.22
8	24	9.43	1.84
9	32	12.57	2.45
10	48	18.86	3.67
11	64	25.14	4.90
12	96	37.72	7.35
13	128	50.29	9.80
14	192	75.43	14.69
15	255	100.18	19.52

^a"AGCP" gain mode, 5.9 keV in 15th linear channel

^b"AGCL" gain mode, 5.9 keV in 77th linear channel.

^cLower limit depends upon commanded discriminator level.

scribed in Meekins *et al.* (1984); this feature is not relevant to the catalog.

g) Performance History and Cumulative Sky Exposure

During the mission, it was discovered that a reset problem existed in the module electronics which limited the determination of X-ray source spectra. When an X-ray event was recorded in layer A or B, it was found that the pulse height reported was not necessarily the pulse height produced by absorption of the X-ray photon. The pulse amplitude analyzed was the larger of the current X-ray event or the pulse height (charge) held in the electronics circuitry. If the preceding event had been an X-ray event, proper reset occurred and the charge held was zero; but if the preceding event had been a coincidence event, reset failed to occur and the charge held was the charge from the coincidence event. The number of pulses reported was a true count of the number of X-ray events, but the pulse height distributions were contaminated by the charged particle spectrum to a degree dependent upon both the X-ray rate and particle event rate. Contamination was more serious for faint sources than for bright ones.

On 1977 September 22, repetitive, short-duration noise bursts were found in data from sensor module 2 resembling continuous discharge. On the following day, the same condition appeared in the data from sensor module 1. All sensor modules were immediately turned off and vented. On 1977 September 26, sensor modules 3, 4, and 5 were turned back on at the lowest possible operating voltage, i.e., the AGCP gain mode. It was anticipated that this reduced high voltage would extend the life of the modules if high-voltage breakdown had been the cause of the noise bursts. On 1978 January 26, sensor module 4 failed in a manner similar to that of the failures of sensor modules 1 and 2 above.




FIG. 8.—Sky exposure for first 6 months. The gray scale plot shows exposure ($= \text{area} \times \text{time}$) accumulated on each sky bin. The display is an Aitoff projection in celestial coordinates. The two ecliptic poles appear as regions of very high exposure.

The malfunctions on 1977 September 22 and 1977 September 26 resulted in decreased sky exposure in the regions being scanned on those dates, an effect largely compensated by the coverage available on the dates immediately preceding and following. In addition, the detectors were shut down for most of the time on 1978 February 10–11 and again on 1978 February 14, in order to minimize risks to the hardware associated with intense solar activity that was then occurring. The correlation of these dates of reduced coverage with regions on the sky may be made by a procedure described in § III.

Because of the extension of the *HEAO 1* mission beyond its planned 6 months, the X-ray sky survey eventually exceeded the original goals both in terms of total exposure (area \times time) and in terms of the total time span for which each sky element was monitored. Sky exposure achieved in the first six months is mapped in Figure 8, in celestial coordinates.

III. DETERMINATION OF X-RAY SOURCE CHARACTERISTICS

a) Overview of the Catalog Processing

In order to determine source positions and intensities for the catalog, the detector readouts (in which count accumulations are given as a function of time) must first be combined with the aspect solution (provided by NASA and accurate to $\pm 0^{\circ}01$) in a data summation scheme. Data are summed in bins according to where they fall in the roll of the spacecraft. These summations then are fitted using nonlinear least squares fitting routines. *HEAO 1* spacecraft motion was controlled to make this technique comparatively simple: the satellite spin axis was kept pointed toward the Sun and held at one position for 12 hr, after which it was advanced $\sim 0^{\circ}5$. This means that scan planes are all normal to the ecliptic plane (i.e., follow meridians of constant ecliptic longitude), intersecting at the ecliptic poles (see Fig. 9 for this geometry). It also means that, over most of the sky, a particular source appears at almost exactly the same phase angle in the scan on each day that it is seen. Lines of position determined on successive days are

therefore nearly parallel. The method of reducing source error regions by means of intersecting lines of positions (used, e.g., in the *Uhuru* catalogs) is ineffective, and other techniques must be used to locate a source. Two such techniques are used, one based on the $1^{\circ} \times 4^{\circ}$ modules alone and the other utilizing the $1^{\circ} \times 0^{\circ}5$ modules in conjunction with the $1^{\circ} \times 4^{\circ}$ modules. The stages of source localization will now be described in detail.

b) Data Summations

The first phase of data reduction is a program that unpacks data and moves them to disk storage, simultaneously accumulating a time-averaged value for the direction of the *Z*-axis (spin axis) for the 12 hr interval. The coordinate system used for data summation is defined as having its pole in the direction of this same spin axis and its zero of longitude at the northward crossing of the ecliptic plane. This is designated the “scan” coordinate system, with coordinates scan longitude and scan latitude. The angular distance along the scan (i.e., the phase of the spacecraft roll) is scan longitude. The system is redefined for each advance of the spin axis. Deviations of actual spacecraft motion to either side of the nominal scan plane defined by the time-averaged *Z*-axis (in the scan latitude direction) are controlled so as not to exceed $0^{\circ}5$.

The second phase is a program that reads data back from the disk and bins them according to scan longitude. Two separate arrays of bins are maintained: one for counts as a function of scan longitude, and the other for exposure (equal to detector collecting aperture multiplied by dwell time in the angular range covered by the bin), also as a function of scan longitude. Both quantities are binned to $0^{\circ}1$, i.e., there are 3600 bins in the complete roll. Observed counts, which are read out every 320 ms (during which time the scan nominally advances $0^{\circ}06$), are fractionally rebinned according to the portion of time spent in each $0^{\circ}1$ scan longitude bin. Data are combined into five PHA bins, initially, but for source-fitting purposes, several of these PHA bins are summed together. The final product resulting from the second phase is a number of




FIG. 9.— *HEAO 1* scan geometry. All scans run normal to the ecliptic (because the spin axis follows the Sun) and intersect at the ecliptic poles. Arrows indicate how the scan plane advances daily. The plot is in galactic coordinates.




FIG. 10.—Scan summation. This shows enhancement of signal-to-noise ratio in a selected group of PHA channels as scans are summed. (The vertical scale is *fixed* in counts $\text{cm}^{-2} \text{s}^{-1}$; hence sources stay at fixed height while noise level decreases.)




FIG. 11.—1 day scan summations. Each day represents an independent summation. These sums and the 4 day sums are used for first stage fitting, as described in § II.




FIG. 12.—4 day sum segment, with superposition of first-stage fits is shown at the bottom. The upper portion of the figure shows predicted source positions and intensities based on literature published prior to *HEAO 1*.

sets of scans suitable for summation, each set covering ~ 12 hr, the interval over which the spacecraft spin axis is fixed. Scans are then added in register with one another to enhance the signal-to-noise ratio; the counts and exposure arrays are added separately. (The enhancement obtained in this way is illustrated in Fig. 10, which displays fluxes, or counts divided by exposure). Scans are summed first over 12 hr intervals, and the 12 hr summations are further summed so as to achieve greater sensitivity. Sets of 1, 2, and 4 day summations are produced for the full sky (see Fig. 11). Further summation is possible, but proves useful only at very high ecliptic latitudes. Fine collimator module data as well as those from the scan modules are summed in this manner.

c) Source Localization

These data summations are now suitable for source fitting. First, one fits each of the 4 day summations with a “source search” routine that makes no presumptions as to where it will encounter significant excess flux. The first pass establishes a library of potential source locations in the scan longitude direction using all available 4 day summations. Figure 12 shows an example. (The 4 day summations are redundant, i.e., the first one contains days 1–4, the second one contains days 2–5, and so on, but fits to them are used only for source discovery, not for error box determination.) A second pass using a similar routine is now made on the 1 day sums, which are independent of one another. On this pass, the routine has access to the library of potential locations established on the

first pass; if no excess flux is found at a location, a fit is nevertheless forced and an upper limit is obtained. The redundant fitting of 4 day summations means that the library of potential locations is highly complete. A source may occasionally be missed on 1 day, but it is rare for it not to be in the library of potential locations.

The fitting routine allows two free parameters for each source, intensity and position. It is assumed that the count in the i th bin of the data summation can be represented as

$$C_i = B_i + I_j R_s(\rho_i - \phi_j), \quad (1)$$

where C_i is the count in the i th bin, I_j is the intensity of the j th source and ϕ_j is its position, and R_s is collimator response in the scan direction (see § II) and is a symmetrical function of the difference between ϕ_j and the bin position, ρ_i . The quantity B_i is the quadratic fit to background, valid locally over 20° of scan longitude.

A nonlinear least-squares fit of the polynomial collimator response function (R_s) to the data provides source intensities and positions as error ellipses in the two-dimensional parameter space. These may be conceptualized as those ellipses that best approximate the 1σ confidence contour in χ^2 . Because errors are characterized in this way, it is possible to propagate them formally through further fitting in order to determine error boxes. This is done in two ways. One method uses only the fits to the scan module data, while the other also employs fits to the fine collimator modules. In the routines just de-

scribed, fits to fine collimator summations are forced at all scan module fit positions.

In the fitting scheme based on the scan modules alone, a second-stage least-squares fit is used to establish the source position in the direction perpendicular to the scan, i.e., scan latitude. The second fit takes as inputs only the fits obtained in the first stage; data summations are not presented directly to the second-stage fitting routine. (Hereafter, first-stage fits are called "sightings.") The second-stage fit routine first seeks regions where there are several sightings that may correspond to a single source. Since the collimator extends 8° in scan latitude (full width zero response), and since the scan plane advances 1° each day, a source on the ecliptic plane remains visible for ~ 8 days, yielding up to eight sightings. Sources at higher ecliptic latitudes remain visible for longer periods and yield more sightings.

The second-stage fit determines three parameters characterizing the source, two for position and one for intensity. The position error box is a rectangle that contains the 95% confidence contour interval obtained when the error ellipsoid is projected onto the two-dimensional position subspace of the parameter space. The method assumes that the source maintains constant brightness over the interval of observation. An error box of this kind is referred to as a "constant intensity error box," and it is obtained by fitting the daily intensities to the collimator response function, R_p , in the direction perpendicular to the scan. This is done by a least squares fit in which the source intensity and position are varied, intensity and scan longitude for each sighting are calculated, and χ^2 is minimized (see Fig. 13).

The other second-stage fitting technique utilizes both the scan ($1^\circ \times 4^\circ$) and fine mapping ($1^\circ \times 0.5^\circ$) modules, and yields a type of error box, henceforth referred to as a "fine collimator error box," that is in many ways superior to the constant intensity error box. Each scan module detection of a source by the first-stage fit routine establishes a line of position on the sky whose width (in the scan longitude direction) is defined by 95% confidence contours of the fit and whose length (in the scan latitude direction) is the 8° full width at zero response of the collimator. The simultaneous fits to the fine collimator module summations (forced in the first-stage fitting) are now used to truncate one of these lines of position so as to decrease its length. Since the fine collimator FOV lies entirely within the central portion of the larger FOV of the scan modules (see Tables 1 and 2), a detection in the former is made only when the source is near peak response in the latter. On adjacent days, the source may be detected in the scan modules but not in the fine collimator modules, since it lies outside their FOV. The strongest positive detection in the fine collimator from a group of sightings can thus be used to constrain the source position to that part of the scan module line of position falling within the fine field of view. Allowance of an additional $\pm 0.5^\circ$ in scan latitude is made, which is the tolerance in the spacecraft attitude control for perturbations of the spin axis. To summarize, the error region reported in the catalog for a fine collimator error box is the scan module 95% confidence line of position truncated at points $\pm 1^\circ$ from the center of the fine collimator FOV. The strongest detection in the fine collimator is used for this purpose. The intensity of the source reported




FIG. 13.—Visualization of constant intensity second-stage fit technique. *Top*: Representation of variation of source intensity over successive days (compare actual data in Fig. 10.) *Bottom*: By fitting $R_p(\theta)$ to first-stage fits and scan latitudes, source localization in the r -direction is obtained.

in this type of error box is that detected by the scan modules on the day when the source is also seen in the fine collimator modules.

Fine collimator error boxes require no assumptions about source constancy and thus are used in preference to constant intensity boxes whenever source variability is suspected. The fine collimator module detection is a second, statistically independent, detection of the source. Use of it minimizes the risk that the position is affected by source confusion, since the fine collimator modules are confusion free well below the catalog limit. Fine collimator error boxes are not available in every case because some sources are too faint to be seen with high statistical significance by the fine collimator modules or because fine mapping module coverage is incomplete near the date when the source transits in the FOV.

A third type of fit is used in the catalog for certain very bright sources with well-determined positions. These sources are bright enough that positions obtained for them are sensitive to small systematic effects, which can be thought of as misalignments of the modules with respect to the spacecraft coordinate system. The fit shown in the catalog in these cases is performed by fixing the source at its known position and varying only its intensity to minimize χ^2 . Thus, the source is shown in the catalog at its known position with an error of 0.0 deg^2 , and with an intensity which is its best fit value during the time when it was in view.

The known positions of these same sources were, however, first used as standards with which to determine and correct for

the collimator misalignments. The best-fit misalignment corrections were then retroactively applied to *all* fits used in the catalog, including those for the standard sources. The misalignments detected can be represented as a rotation about the spacecraft spin (Z) axis (which exhibits itself as a slight offset of the measured source position in the scan longitude direction in all detections) and another, smaller, rotation about the module look direction ($-Y$ axis) (which manifests itself as an additional scan longitude offset that varies in a regular manner from day to day, depending on the scan latitude of the source). Any misalignment with respect to the remaining axis proved undetectable. The misalignments could be measured with any single strong source such as Sco X-1 or the Crab Nebula, but the use of a larger ensemble (~ 30) of standard sources permitted a search for long-term variations in the corrections and other systematic effects. No such variations were identified in this search. Correction for misalignments is accomplished by modifying the scan longitude of the sighting when it is used by second-stage fitting routines. The increase in the error box width in the scan longitude direction as source brightness decreases means that these corrections become of diminishing importance for faint sources, i.e., statistical errors become more important than systematic ones.

In all of the second-stage fitting routines, provision is made for elimination of sightings which are judged to be affected by the confusion with nearby sources. In the great majority of cases there is no difficulty obtaining enough unconfused sightings to permit determination of the catalog entry, but it sometimes happens that two sources are so confused that one or both of them fail to appear. We estimate that, over most of the sky, this effect accounts for less than 5% incompleteness in the catalog down to a level of 6×10^{-3} counts $\text{cm}^{-2} \text{s}^{-1}$. More severe incompleteness is likely in the galactic bulge, but it is difficult to quantify. Over most of the sky, greater incompleteness results from imperfections in sky exposure than from confusion. In future refinements to the catalog, greater use will be made of the data from the fine collimator modules and from the later parts of the mission in order to reduce both sources of incompleteness.

Because of the regular *HEAO 1* scan pattern, there is a simple correspondence between the ecliptic longitude of the source and the date when it is in view, with transit occurring when the ecliptic longitude of the Sun differs from that of the source by 90° . Therefore, each catalog entry has an epoch good to about ± 4 days except at the highest ecliptic latitudes, and the full range of these epochs is 6 months, from 1977 August 15 to 1978 February 15. The epoch is calculable as just described from the data in Table 4. The display of the catalog (Fig. 14 [Pl. 20]) is thus a representative near-instantaneous sample of the X-ray sky. Since all intensities are best fits for their epochs rather than extreme values, some bright sources from our Galaxy stand out somewhat less strongly than in the corresponding fourth *Uhuru* catalog display (Fig. 4 of Forman *et al.* 1978), where maximum values were used instead. A noteworthy instance of this effect is the entry for Hercules X-1, which made a transition from its "off" to its "on" state while in the field of view, although it was detectable in both states. It thus appears as a substantially lower flux in the *HEAO A-1* catalog than in the *Uhuru* catalog.

d) Acceptance Criteria

Acceptance criteria for the catalog have been adopted to ensure not only the statistical significance of the excess flux in a region but also to exclude as fully as possible the effects of source confusion and transient effects of either instrumental or celestial origin. Accordingly, the basic requirement is that a source must have at least three independent detections at 3σ significance in either the scan modules or the modules with fine collimators. Furthermore, it is required that the flux measurements in the fine collimator modules be consistent with the cataloged flux, i.e., either a direct confirmation or a lack of coverage at the required date. For sources fainter than ~ 0.002 counts $\text{cm}^{-2} \text{s}^{-1}$ only marginal detections are expected in the fine collimator modules, and this condition does not apply. The requirement for three independent detections in 1-day summations necessarily excludes transient sources whose duration is less than a day.

IV. THE CATALOG

a) Positions and Intensities

The positions and intensities for 842 sources, as derived by methods outlined in the preceding section, are given in Table 4. Table 4 further provides cross references to other X-ray catalogs and to non-X-ray counterparts. These have either been established or suggested by earlier work or are proposed here on the basis of coincidence with the *HEAO A-1* position. The latter identifications have been found by searching other comprehensive catalogs, those shown in Table 5. For many of the entries in Table 4, substantial additional information concerning the source exists in the published literature. Table 6 complements Table 4 with brief summaries of current understanding in these cases. The remainder of this section is a detailed description of Tables 4 and 6.

In Table 4 the first column "CATALOG ENTRY," gives the 1H catalog designation. The name is "1H" followed by right ascension in hours and minutes, then followed by declination in degrees and tenths of a degree. The second column, "POSITION RA, DEC" denotes the (1950.0) right ascension and declination for the center of the error box. The upper two entries are right ascension and declination in degrees and decimal fractions of a degree. The lower two are the same values expressed in hours, minutes, and seconds for right ascension and degrees, minutes, and seconds for declination. The third column, "GAL, ECL," gives the center of the error box in galactic longitude and latitude (upper pair) and ecliptic longitude and latitude (lower pair), for 1950.0. The next four columns, "ERROR BOX, RA, DEC," specify the four corners of the 95% confidence error box in right ascension and declination. The notation is the same as that used to specify the center (as in the second column). The eighth column, "AREA," is the solid angle enclosed by the error box in square degrees. The ninth column, "FLUX, ERROR," gives the apparent intensity of the source in counts $\text{cm}^{-2} \text{s}^{-1}$ for 0.5–25 keV and its error as determined by the methods of § III. The final columns, "IDENTIFICATION," give identification of the source with other cataloged objects.




FIG. 14.—Display, in galactic coordinates, of sources listed in § III. The dot radius represents source intensity, with radius of the dot proportional to the logarithm of the intensity shown in the catalog (§ III).

WOOD *et al.* (see page 517)

TABLE 5
 CATALOGS USED IN SEARCHING ERROR BOXES

Catalog	Source
X-Ray Catalogs	
Fourth <i>Uhuru</i> catalog	Forman <i>et al.</i> 1978
First <i>Ariel 5</i> X-ray catalog	Seward <i>et al.</i> 1976
Second <i>Ariel 5</i> X-ray catalog	Cooke <i>et al.</i> 1978
<i>HEAO A-2</i> hard X-ray catalog	Marshall <i>et al.</i> 1979
CGS catalog	Bradt, Doxsey, and Jernigan 1979
1M catalog	Markert <i>et al.</i> 1979
2S catalogs	Bradt 1978; Dower <i>et al.</i> 1978; Apparao <i>et al.</i> 1978; Jernigan <i>et al.</i> 1978; Doxsey <i>et al.</i> 1977a, b; Bradt <i>et al.</i> 1977; Jernigan <i>et al.</i> 1977
Radio, Infrared, and Gamma-Ray Catalogs	
3C radio catalog	Bennett 1962
Radio sources with optical identifications	Veron and Veron 1974
IR sources (2 μm)	Neugebauer and Leighton 1969
AFGL IR survey	Price and Walker 1976
<i>COS B</i> γ -ray sources	Masnou <i>et al.</i> 1977
Galactic/Stellar Catalogs	
Supernova search	Kowal <i>et al.</i> 1974
Supernova remnants	Ilovaisky and Lequeux 1972
Supernova remnants	Clark and Caswell 1976
Globular clusters	Arp 1965
Early-type stars with emission lines	Wackerling 1970
Variable stars	Kukarkin <i>et al.</i> 1970
White dwarfs	Luyten 1970
Stars at distances under 22 pc	Gliese 1969
Flare stars	Pettersen 1976
Catalogs of nebulae	Dreyer 1895, 1908
Extragalactic Catalogs	
Bright galaxies	de Vaucouleurs 1964
Compact and bright nucleus galaxies	Fairall 1970
Atlas of peculiar galaxies	Arp 1966
Markarian galaxies	Markarian 1974
Distant rich clusters	Abell 1958
Southern clusters of galaxies	Klemola <i>et al.</i> 1969; Duus and Newell 1977
Revised NGC catalog	Sulentic and Tiffi 1973
BL Lac objects	Stein, O'Dell, and Strittmatter 1976
BL Lac objects	Weiler and Johnston 1980
Quasars	Burbidge, Crowne, and Smith 1977

An intensity of 10^{-3} counts cm^{-2} s^{-1} in the ninth column, which is the limiting flux in the catalog, corresponds to 3.3×10^{-12} ergs cm^{-2} s^{-1} in 2–6 keV or, 4.78×10^{-12} ergs cm^{-2} s^{-1} in 2–10 keV, both for a Crab-like spectrum. This means that 10^{-3} counts cm^{-2} s^{-1} in *HEAO A-1* is equivalent to 0.20 UFU or to 0.22 μJy at 5.2 keV, again for a Crab-like spectrum. These calibration factors have been established by fitting the Crab Nebula at various elevations in the collimator, correcting the measured fluxes for instrumental dead time and collimator response, and comparing the mean flux so derived with the known spectrum of the Crab Nebula folded through instrumental responses. The conversion has also been checked on a sample of bright clusters of galaxies comparing the flux shown in the table in the ninth column with that given in the fourth *Uhuru* catalog (Forman *et al.* 1978).

The cross reference and identifications shown in Table 4 have been selected according to certain criteria. For X-ray catalogs (such as the 4U, 2A, and 1M catalogs) where error boxes up to several square degrees are sometimes reported, the cross reference is given whenever the other error box intersects the *HEAO A-1* error box. It will also be shown in certain cases where boxes do not strictly intersect but are sufficiently close to suggest a possible relationship. The criterion used here is that the separation between box centers must be less than the sum of the two largest dimensions. Few of the X-ray cross references are of this nonintersecting type. This procedure is conservative in that it reports the other catalog entry if it is remotely plausible. The designation “XRS” from the catalog of Amnuel Guseinov, and Rakhimov (1979), which summarizes much of the older X-ray literature, also appears in some cases.

TABLE 4
X-RAY SOURCE POSITIONS AND INTENSITIES

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0003+200	.80 20.01 00 03 12 20 00 43	108.63 -41.31 8.97 17.98	359.78 19.71 23 59 07 19 42 31	1.72 20.55 00 06 51 20 32 45	1.83 20.31 00 07 19 20 18 33	359.90 19.47 23 59 35 19 28 23	.520	4U 0005+20	XRS00058+200	.0028 .0006	Mkn 335 (R)	
1H0007+731	1.91 73.17 00 07 37 73 10 11	119.97 10.81 53.40 60.96	359.79 72.39 23 59 10 72 23 08	3.75 74.03 00 15 00 74 01 39	4.22 73.93 00 16 52 73 55 49	.24 72.30 00 00 57 72 17 49	.324	4U 0000+72	XRS00000+726	.0054 .0007	CTA 1 (R)	
1H0008-745	2.21 -74.59 00 08 51 -74 35 22	306.60 -42.53 305.36 -62.69	.11 -75.28 00 00 27 -75 16 42	3.25 -73.76 00 13 01 -73 45 27	4.14 -73.88 00 16 32 -73 52 57	1.06 -75.42 00 04 14 -75 24 58	.479	STR0000-751?		.0049 .0010		
1H0010-515	2.62 -51.53 00 10 29 -51 31 45	317.15 -64.80 335.33 -46.85	1.20 -52.02 00 04 47 -52 00 56	3.81 -50.86 00 15 15 -50 51 20	4.01 -51.03 00 16 03 -51 01 33	1.39 -52.19 00 05 34 -52 11 25	.424	STR0012-515?		.0036 .0007	(R)	
1H0011-239	2.90 -23.93 00 11 35 -23 55 46	53.30 -80.89 352.57 -46.85	1.68 -24.30 00 06 43 -24 17 52	3.97 -23.30 00 15 53 -23 18 12	4.11 -23.55 00 16 25 -23 33 06	1.81 -24.55 00 07 14 -24 32 53	.640	A14?		.0049 .0009	A14? (R)	
1H0014-668	3.74 -66.81 00 14 58 -66 48 35	308.23 -50.24 318.95 -58.60	1.79 -67.47 00 07 09 -67 28 26	5.09 -65.96 00 20 20 -65 57 21	5.59 -66.12 00 22 22 -66 07 22	2.31 -67.65 00 09 13 -67 39 06	.532			.0019 .0004		
1H0014+111	3.73 11.17 00 14 54 11 10 15	109.77 -50.55 7.88 8.76	2.73 10.93 00 10 55 10 55 44	4.58 11.73 00 18 19 11 43 30	4.72 11.41 00 18 53 11 24 34	2.87 10.61 00 11 28 10 36 52	.682	III Zw 2		.0062 .0015	(R) A15	
1H0016-257	4.16 -25.79 00 16 38 -25 47 30	43.70 -82.59 352.82 -25.16	2.92 -26.18 00 11 39 -26 10 43	5.24 -25.12 00 20 58 -25 07 21	5.40 -25.39 00 21 35 -25 23 40	3.07 -26.45 00 12 15 -26 27 11	.718			.0045 .0009	A15 (R)	
1H0017+073	4.37 7.36 00 17 28 07 21 52	109.48 -54.41 6.93 5.02	3.39 7.08 00 13 33 07 04 57	5.24 7.88 00 20 57 07 52 45	5.34 7.64 00 21 22 07 38 39	3.49 6.85 00 13 58 06 50 52	.512			.0034 .0007		
1H0018+280	4.54 28.05 00 18 08 28 02 49	114.78 -34.06 15.93 23.80	3.43 27.78 00 13 42 27 46 32	5.47 28.64 00 21 53 28 38 38	5.65 28.31 00 22 36 28 18 33	3.61 27.44 00 14 26 27 26 37	.740	A21		.0041 .0013	A21 (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0018+833	4.65 83.31 00 18 35 83 18 46	122.06 20.77 73.97 65.15	7.14 83.84 00 28 33 83 50 25	3.89 82.72 00 15 33 82 43 23	2.52 82.77 00 10 04 82 46 27	5.55 83.90 00 22 12 83 54 03			.212			
1H0022+638	5.51 63.86 00 22 02 63 51 45	120.04 1.42 42.09 53.78	5.38 63.83 00 21 31 63 49 33	5.61 63.92 00 22 26 63 55 01	5.65 63.90 00 22 34 63 53 57	5.42 63.81 00 21 39 63 48 29		.003	4U 0022+63 XRS00224+638	Tycho SNR		
1H0024-296	6.17 -29.67 00 24 41 -29 40 11	8.54 -84.20 352.66 -29.43	5.08 -30.01 00 20 18 -30 00 29	7.13 -29.10 00 28 30 -29 06 03	7.26 -29.32 00 29 02 -29 19 21	5.21 -30.23 00 20 49 -30 13 54		.500	4U 0026-29 XRS00268-291	A33?		
1H0025+588	6.35 58.88 00 25 23 58 52 35	119.95 -3.58 37.42 49.70	4.75 58.32 00 19 00 58 19 00	7.82 59.54 00 31 15 59 32 28	8.00 59.42 00 31 59 59 24 56	4.94 58.20 00 19 45 58 11 44		.312	A 0026+59 XRS00262+593			
1H0031-197	7.78 -19.74 00 31 07 -19 44 14	93.94 -81.31 358.93 -21.13	6.75 -20.03 00 27 00 -20 01 36	8.67 -19.18 00 34 41 -19 10 55	8.81 -19.44 00 35 13 -19 26 32	6.88 -20.29 00 27 30 -20 17 18		.576				
1H0039+408	9.96 40.89 00 39 51 40 53 21	121.14 -21.68 27.07 33.26	8.78 40.45 00 35 06 40 27 06	11.12 41.39 00 44 27 41 23 22	11.17 41.31 00 44 39 41 18 53	8.83 40.38 00 35 19 40 22 40		.168	2A 0039+411 4U 0037+39	M31		
1H0042-093	10.50 -9.34 00 42 00 -09 20 36	117.45 -71.87 5.91 -12.74	9.56 -9.70 00 38 13 -09 42 04	11.41 -8.90 00 45 38 -08 53 56	11.45 -8.98 00 45 47 -08 58 59	9.59 -9.79 00 38 22 -09 47 07		.184	2A 0039-096 4U 0037-10	A85		
1H0043+294	10.82 29.41 00 43 17 29 24 34	121.51 -33.17 21.98 22.67	9.39 29.02 00 37 32 29 01 17	12.10 30.11 00 48 24 30 06 25	12.27 29.78 00 49 04 29 46 55	9.56 28.70 00 38 14 28 41 59		.926				
1H0048+250	12.24 25.02 00 48 58 25 01 28	122.99 -37.58 21.26 18.16	11.50 24.84 00 45 59 24 50 18	12.89 25.40 00 51 34 25 24 11	12.99 25.21 00 51 57 25 12 26	11.59 24.64 00 46 22 24 38 36		.296		PG 0052+251?		
1H0052-015	13.22 -1.60 00 52 51 -01 35 54	125.22 -64.18 11.53 -6.69	12.70 -1.73 00 50 48 -01 43 52	13.67 -1.32 00 54 40 -01 19 18	13.73 -1.47 00 54 55 -01 27 55	12.76 -1.87 00 51 02 -01 52 29		.164	2A 0054-015 XRS00549-015	A119		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS		
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY							
1H0053+604	13.25 60.49 00 53 00 60 29 34	123.49 -2.10 43.18 48.90	11.59 59.93 00 46 22 59 55 31	14.88 61.10 00 59 30 61 06 16	14.97 61.04 00 59 52 61 02 19	11.69 59.86 00 46 45 59 51 43	14.82 -71.99 00 59 16 -71 59 21	14.98 -72.01 00 59 55 -72 00 39	12.10 -73.82 00 48 23 -73 49 25	.160	.0173 .0012	2S 0053+604 1M 0053+60	4U 0054+60 XRS00537+604	Gamma Cas (R)
1H0054-729	13.53 -72.91 00 54 07 -72 54 39	302.47 -44.48 312.01 -64.73	11.93 -73.80 00 47 42 -73 47 58	14.82 -71.99 00 59 16 -71 59 21	14.98 -72.01 00 59 55 -72 00 39	12.10 -73.82 00 48 23 -73 49 25	14.82 -71.99 00 59 16 -71 59 21	14.98 -72.01 00 59 55 -72 00 39	12.10 -73.82 00 48 23 -73 49 25	.108	.0144 .0006	2S 0050-727 CGS0050-727	SMC X-3 XRS00503-727	(R)
1H0055+753	13.84 75.32 00 55 21 75 19 29	123.41 12.73 60.82 59.70	17.05 76.01 01 08 12 76 00 37	11.75 74.43 00 46 59 74 25 41	10.92 74.60 00 43 40 74 35 56	16.19 76.20 01 04 46 76 12 00	11.75 74.43 00 46 59 74 25 41	10.92 74.60 00 43 40 74 35 56	16.19 76.20 01 04 46 76 12 00	.582	.0030 .0006			
1H0056-150	14.14 -15.01 00 56 33 -15 00 19	131.44 -77.48 6.91 -19.35	13.14 -15.30 00 52 33 -15 17 50	15.03 -14.48 01 00 06 -14 28 47	15.13 -14.71 01 00 32 -14 42 33	13.24 -15.53 00 52 58 -15 31 39	15.03 -14.48 01 00 06 -14 28 47	15.13 -14.71 01 00 32 -14 42 33	13.24 -15.53 00 52 58 -15 31 39	.504	.0029 .0006			A131?
1H0057-670	14.47 -67.06 00 57 53 -67 03 41	301.64 -50.32 323.71 -62.08	12.81 -67.74 00 51 13 -67 44 23	15.53 -66.23 01 02 06 -66 13 42	16.04 -66.37 01 04 10 -66 22 00	13.34 -67.89 00 53 21 -67 53 14	15.53 -66.23 01 02 06 -66 13 42	16.04 -66.37 01 04 10 -66 22 00	13.34 -67.89 00 53 21 -67 53 14	.462	.0036 .0007	4U 0052-68	XRS00520-687	STR0056-670 (R)
1H0101-439	15.35 -43.99 01 01 23 -43 59 19	295.26 -73.22 351.67 -45.47	13.78 -44.48 00 55 06 -44 28 52	16.63 -43.19 01 06 32 -43 11 19	16.89 -43.48 01 07 34 -43 28 30	14.03 -44.77 00 56 06 -44 46 25	16.63 -43.19 01 06 32 -43 11 19	16.89 -43.48 01 07 34 -43 28 30	14.03 -44.77 00 56 06 -44 46 25	.832	.0036 .0009			
1H0101-241	15.43 -24.19 01 01 43 -24 11 24	165.43 -85.70 3.88 -28.20	14.38 -24.51 00 57 31 -24 30 32	16.35 -23.64 01 05 24 -23 38 22	16.47 -23.86 01 05 53 -23 51 50	14.50 -24.73 00 57 59 -24 44 05	16.35 -23.64 01 05 24 -23 38 22	16.47 -23.86 01 05 53 -23 51 50	14.50 -24.73 00 57 59 -24 44 05	.500	.0021 .0004	2A 0102-242		A140 (R)
1H0101-221	15.36 -22.15 01 01 25 -22 08 53	151.92 -84.04 4.80 -26.33	14.33 -22.48 00 57 20 -22 29 01	16.28 -21.63 01 05 08 -21 37 41	16.38 -21.81 01 05 30 -21 48 23	14.42 -22.66 00 57 41 -22 39 47	16.28 -21.63 01 05 08 -21 37 41	16.38 -21.81 01 05 30 -21 48 23	14.42 -22.66 00 57 41 -22 39 47	.396	.0037 .0006	2A 0102-222	4U 0103-21	A133 (R)
1H0102-469	15.53 -46.91 01 02 06 -46 54 32	296.34 -70.32 349.43 -47.97	14.18 -47.40 00 56 42 -47 24 00	16.65 -46.21 01 06 35 -46 12 30	16.85 -46.40 01 07 24 -46 24 07	14.38 -47.60 00 57 31 -47 35 54	16.65 -46.21 01 06 35 -46 12 30	16.85 -46.40 01 07 24 -46 24 07	14.38 -47.60 00 57 31 -47 35 54	.496	.0050 .0008			STR0103-473? (R)
1H0102-400	15.66 -40.07 01 02 37 -40 03 55	291.32 -77.02 354.83 -42.27	14.47 -40.50 00 57 51 -40 29 42	16.70 -39.46 01 06 47 -39 27 39	16.83 -39.62 01 07 19 -39 37 26	14.59 -40.66 00 58 22 -40 39 38	16.70 -39.46 01 06 47 -39 27 39	16.83 -39.62 01 07 19 -39 37 26	14.59 -40.66 00 58 22 -40 39 38	.384	.0038 .0006			

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0102+017	15.66 1.78 01 02 37 01 46 49	129.95 -60.64 15.11 -4.52	14.68 1.52 00 58 43 01 31 10	16.53 2.29 01 06 06 02 17 17	16.63 2.04 01 06 31 02 02 26	14.78 1.27 00 59 07 01 16 19			.536		A147? IC1613? (R)	
1H0103-762	15.76 -76.29 01 03 02 -76 17 31	301.90 -41.08 304.85 -66.48	14.89 -76.69 00 59 32 -76 41 40	15.95 -75.84 01 03 48 -75 50 36	16.58 -75.89 01 06 20 -75 53 13	15.55 -76.74 01 02 12 -76 44 26			.142			
1H0106+324	16.71 32.42 01 06 51 32 25 28	127.35 -30.03 28.34 23.29	15.60 32.07 01 02 25 32 04 06	17.76 32.90 01 11 02 32 53 55	17.83 32.77 01 11 19 32 46 14	15.67 31.94 01 02 41 31 56 29			.280	2A 0122+338	3C31 A156? (R)	
1H0107-113	16.87 -11.37 01 07 28 -11 22 12	139.04 -73.39 11.01 -17.10	15.88 -11.66 01 03 32 -11 39 20	17.75 -10.86 01 11 00 -10 51 33	17.85 -11.08 01 11 24 -11 52 41	15.98 -11.88 01 03 55 -11 52 41			.484		A146	
1H0110-131	17.66 -13.16 01 10 39 -13 09 42	143.64 -74.89 11.01 -19.05	16.69 -13.49 01 06 45 -13 29 06	18.57 -12.68 01 14 16 -12 40 59	18.64 -12.84 01 14 32 -12 50 06	16.76 -13.64 01 07 01 -13 38 14			.332	4U 0134-11		
1H0112+141	18.19 14.10 01 12 44 14 06 01	131.64 -48.10 22.13 5.92	17.17 13.86 01 08 41 13 51 48	19.08 14.62 01 16 19 14 37 26	19.20 14.33 01 16 48 14 19 59	17.30 13.57 01 09 11 13 34 25			.628		A175?	
1H0113-148	18.45 -14.88 01 13 47 -14 52 42	148.97 -76.22 11.01 -20.93	17.47 -15.21 01 09 52 -15 12 49	19.36 -14.41 01 17 26 -14 24 20	19.42 -14.54 01 17 41 -14 32 20	17.53 -15.35 01 10 06 -15 20 50			.292	H 0111-149	A159? (R)	
1H0115-508	18.83 -50.80 01 15 18 -50 48 05	292.72 -66.07 348.54 -52.38	15.42 -52.17 01 01 41 -52 10 07	21.64 -49.05 01 26 33 -49 02 46	22.03 -49.34 01 28 06 -49 20 27	15.80 -52.48 01 03 11 -52 29 01			1.961			
1H0115+635	18.99 63.56 01 15 58 63 33 25	126.00 1.11 49.28 49.80	17.17 62.99 01 08 40 62 59 06	20.82 64.15 01 23 16 64 09 05	20.89 64.11 01 23 33 64 06 18	17.24 62.94 01 08 57 62 56 26			.112	4U 0115+63 XRS01152+634	CGS0115+634 (R)	
1H0120-308	20.12 -30.83 01 20 29 -30 49 41	241.38 -82.32 4.76 -35.99	19.03 -31.20 01 16 08 -31 12 10	21.10 -30.28 01 24 23 -30 16 48	21.20 -30.44 01 24 47 -30 26 39	19.13 -31.37 01 16 31 -31 22 07			.372		.0036 .0005	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS			
	RA DEC	GAL ECL	RA DEC		X-RAY	NON X-RAY								
IH0121-353	20.26 -35.39 01 21 03 -35 23 16	264.45 -79.49 2.14 -40.06	19.47 -35.64 01 17 52 -35 38 14	20.95 -34.98 01 23 47 -34 58 45	21.05 -35.13 01 24 12 -35 07 59	19.57 -35.79 01 18 16 -35 47 33	21.32 -35.46 01 25 17 -35 37 38	21.57 -35.58 01 26 15 -35 37 38	21.74 -35.66 01 26 58 -35 37 38	.242	.0072 .0010	2A 0120-353 XRS01209-353	4U 0115-36 NGC526A	(R)
IH0122-590	20.50 -59.05 01 22 01 -59 02 54	295.03 -57.84 339.94 -59.15	19.41 -59.51 01 17 39 -59 30 27	21.32 -58.46 01 25 17 -58 27 51	21.57 -58.58 01 26 15 -58 34 48	19.66 -59.63 01 18 37 -59 37 38	21.74 -59.76 01 18 37 -59 37 38	21.92 -59.86 01 18 51 -59 37 38	.304	.0048 .0006	.0071 .0008	2A 0120-591	Fairall 9	(R)
IH0122-281	20.70 -28.14 01 22 46 -28 08 35	220.64 -82.49 6.79 -33.83	19.64 -28.52 01 18 33 -28 31 09	21.67 -27.62 01 26 39 -27 37 25	21.74 -27.76 01 26 58 -27 45 32	19.72 -28.66 01 18 51 -28 39 20	19.72 -28.66 01 18 51 -28 39 20	19.72 -28.66 01 18 51 -28 39 20	.304	.0048 .0006	.0127 .0006	H0123+075	HD8357	(R)
IH0123+075	20.81 7.56 01 23 15 07 33 32	137.57 -54.07 22.06 -1.12	19.87 7.22 01 19 27 07 12 56	21.74 7.96 01 26 57 07 57 35	21.76 7.90 01 27 03 07 54 01	19.89 7.16 01 19 33 07 09 22	19.89 7.16 01 19 33 07 09 22	19.89 7.16 01 19 33 07 09 22	.128	.0127 .0006	.0035 .0007	H0123+075	A209	(R)
IH0128-139	22.15 -13.98 01 28 35 -13 58 43	159.50 -73.71 14.92 -21.54	21.15 -14.27 01 24 37 -14 15 55	23.05 -13.47 01 32 11 -13 28 24	23.14 -13.69 01 32 34 -13 41 16	21.25 -14.48 01 24 59 -14 28 50	21.25 -14.48 01 24 59 -14 28 50	21.25 -14.48 01 24 59 -14 28 50	.468	.0035 .0007	.0032 .0006		M33	(R)
IH0129+303	22.49 30.40 01 29 57 30 23 54	133.35 -31.38 32.31 19.45	21.37 30.12 01 25 28 30 07 04	23.51 30.90 01 34 01 30 53 54	23.62 30.67 01 34 27 30 40 09	21.48 29.89 01 25 55 29 53 25	21.48 29.89 01 25 55 29 53 25	21.48 29.89 01 25 55 29 53 25	.496	.0032 .0006	.0061 .0009			(R)
IH0130+473	22.73 47.34 01 30 54 47 20 14	130.32 -14.67 40.44 34.78	21.36 46.96 01 25 26 46 57 43	24.00 47.86 01 36 00 47 51 24	24.12 47.70 01 36 27 47 41 46	21.48 46.80 01 25 54 46 48 14	21.48 46.80 01 25 54 46 48 14	21.48 46.80 01 25 54 46 48 14	.356	.0061 .0009	.0047 .0019			(R)
IH0132-086	23.02 -8.63 01 32 05 -08 37 45	153.50 -68.64 17.97 -16.95	22.00 -8.79 01 27 59 -08 47 27	23.86 -8.03 01 35 27 -08 01 32	24.05 -8.46 01 36 11 -08 27 53	22.18 -9.23 01 28 43 -09 13 51	22.18 -9.23 01 28 43 -09 13 51	22.18 -9.23 01 28 43 -09 13 51	.952	.0047 .0019	.0047 .0019	4U 0129-09?	A217	
IH0132+607	23.11 60.74 01 32 27 60 44 13	128.29 -1.42 49.32 46.39	21.36 60.23 01 25 27 60 13 38	24.84 61.29 01 39 20 61 17 20	24.92 61.22 01 39 39 61 13 24	21.45 60.16 01 25 47 60 09 50	21.45 60.16 01 25 47 60 09 50	21.45 60.16 01 25 47 60 09 50	.152	.0188 .0012	.0188 .0012	4U 0142+61		(R)
IH0135-346	23.77 -34.64 01 35 04 -34 38 24	252.13 -77.77 5.92 -40.80	22.62 -35.00 01 30 29 -35 00 01	24.75 -34.04 01 39 00 -34 02 22	24.91 -34.27 01 39 37 -34 16 10	22.77 -35.23 01 31 05 -35 13 58	22.77 -35.23 01 31 05 -35 13 58	22.77 -35.23 01 31 05 -35 13 58	.528	.0034 .0007	.0034 .0007			(R)

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR		IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	AREA	ERROR	X-RAY	NON X-RAY					
IH0136-681	24.14 -68.11 01 36 33 -68 06 52	296.32 -48.67 326.01 -65.78		23.09 -68.60 01 32 22 -68 35 49	24.66 -67.53 01 38 38 -67 31 43	25.14 -67.63 01 40 34 -67 37 32	23.59 -68.70 01 34 22 -68 41 55	25.14 -67.63 01 40 34 -67 37 32	23.59 -68.70 01 34 22 -68 41 55	.253	.0043 .0006	H 0136-68	(R)
IH0137-403	24.34 -40.40 01 37 22 -40 23 50	268.56 -73.61 2.49 -46.01		23.11 -40.78 01 32 26 -40 46 43	25.35 -39.74 01 41 23 -39 44 13	25.57 -40.00 01 42 15 -40 00 10	23.32 -41.05 01 33 17 -41 02 55	25.57 -40.00 01 42 15 -40 00 10	23.32 -41.05 01 33 17 -41 02 55	.628	.0021 .0005		
IH0140+393	25.24 39.37 01 40 57 39 22 14	133.81 -22.14 38.43 26.79		23.98 39.10 01 35 56 39 05 56	26.36 39.91 01 45 25 39 54 24	26.51 39.63 01 46 02 39 37 43	24.14 38.82 01 36 34 38 49 27	26.51 39.63 01 46 02 39 37 43	24.14 38.82 01 36 34 38 49 27	.604	.0036 .0009		
IH0142-291	25.60 -29.13 01 42 25 -29 08 04	224.52 -78.12 10.96 -36.65		24.49 -29.42 01 37 57 -29 25 23	26.54 -28.53 01 46 08 -28 31 48	26.71 -28.84 01 46 51 -28 50 11	24.66 -29.73 01 38 39 -29 43 55	26.71 -28.84 01 46 51 -28 50 11	24.66 -29.73 01 38 39 -29 43 55	.688	.0021 .0006		
IH0143-239	25.87 -23.99 01 43 28 -23 59 18	200.50 -77.27 13.93 -32.11		24.82 -24.31 01 39 17 -24 18 35	26.81 -23.47 01 47 13 -23 27 54	26.91 -23.66 01 47 37 -23 39 36	24.92 -24.51 01 39 41 -24 30 22	26.91 -23.66 01 47 37 -23 39 36	24.92 -24.51 01 39 41 -24 30 22	.432	.0035 .0006		
IH0144+747	26.21 74.79 01 44 49 74 47 20	126.72 12.59 64.35 57.06		29.37 75.37 01 57 29 75 22 25	23.62 74.07 01 34 28 74 03 59	23.28 74.16 01 33 07 74 09 48	29.04 75.48 01 56 10 75 28 44	23.28 74.16 01 33 07 74 09 48	29.04 75.48 01 56 10 75 28 44	.268	.0038 .0004		
IH0145-832	26.39 -83.24 01 45 32 -83 14 34	301.01 -33.94 286.89 -68.73		27.71 -84.23 01 50 49 -84 14 02	24.60 -82.27 01 38 23 -82 16 00	25.40 -82.25 01 41 37 -82 14 56	28.77 -84.21 01 55 05 -84 12 36	25.40 -82.25 01 41 37 -82 14 56	28.77 -84.21 01 55 05 -84 12 36	.220	.0063 .0006		
IH0145-066	26.43 -6.68 01 45 43 -06 40 52	158.60 -65.29 22.00 -16.42		25.46 -6.96 01 41 49 -06 57 21	27.33 -6.21 01 49 18 -06 12 48	27.40 -6.40 01 49 37 -06 24 15	25.53 -7.15 01 42 08 -07 08 50	27.40 -6.40 01 49 37 -06 24 15	25.53 -7.15 01 42 08 -07 08 50	.412	.0037 .0007		
IH0145+326	26.44 32.70 01 45 44 32 41 57	136.56 -28.41 36.55 20.28		25.26 32.48 01 41 01 32 28 59	27.46 33.24 01 49 50 33 14 38	27.62 32.90 01 50 29 32 54 15	25.43 32.15 01 41 42 32 08 45	27.62 32.90 01 50 29 32 54 15	25.43 32.15 01 41 42 32 08 45	.732	.0051 .0015		A260
IH0150-535	27.64 -53.59 01 50 32 -53 35 20	283.75 -61.46 352.67 -57.98		26.66 -53.97 01 46 37 -53 58 04	28.39 -53.06 01 53 33 -53 03 51	28.60 -53.20 01 54 23 -53 12 08	26.86 -54.11 01 47 27 -54 06 32	28.60 -53.20 01 54 23 -53 12 08	26.86 -54.11 01 47 27 -54 06 32	.255	.0050 .0007		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0151+359	27.88 35.99 01 51 31 35 59 39	136.91 -24.92 39.09 22.87	27.17 35.85 01 48 40 35 50 52	28.52 36.30 01 54 03 36 17 45	28.60 36.14 01 54 22 36 08 11	27.25 35.69 01 49 00 35 41 22	.202	.0104 .0011	4U 0148+36	XRS01486+360	A262 B2 0149+35 (R)	
1H0154-340	28.66 -34.09 01 54 39 -34 05 17	242.42 -74.41 11.02 -42.24	27.54 -34.47 01 50 08 -34 27 55	29.66 -33.52 01 58 39 -33 31 24	29.78 -33.70 01 59 07 -33 42 01	27.65 -34.64 01 50 36 -34 38 40	.404	.0035 .0006				
1H0155+740	28.85 74.05 01 55 23 74 03 15	127.60 12.05 64.49 56.04	31.00 74.39 02 04 00 74 23 24	27.48 73.50 01 49 55 73 29 53	26.79 73.70 01 47 08 73 41 52	30.31 74.60 02 01 15 74 36 03	.370	.0043 .0009			(R)	
1H0157+142	29.34 14.26 01 57 21 14 15 20	146.83 -45.17 32.28 2.12	28.33 14.03 01 53 18 14 01 35	30.26 14.72 02 01 03 14 43 15	30.36 14.48 02 01 25 14 28 49	28.42 13.79 01 53 41 13 47 12	.512	.0027 .0006			(R)	
1H0201-029	30.29 -2.97 02 01 10 -02 58 11	161.35 -60.10 27.12 -14.36	29.34 -3.27 01 57 20 -03 16 07	31.21 -2.56 02 04 50 -02 33 34	31.25 -2.67 02 05 00 -02 40 11	29.38 -3.38 01 57 30 -03 22 45	.236	.0058 .0006				
1H0203+513	30.75 51.40 02 03 01 51 23 58	134.58 -9.53 48.39 36.16	29.12 51.21 01 56 29 51 12 52	32.04 52.07 02 08 09 52 03 57	32.40 51.56 02 09 35 51 33 41	29.51 50.72 01 58 01 50 43 09	1.104	.0019 .0009	1E02063+5212		(R)	
1H0208-106	32.21 -10.70 02 08 50 -10 41 49	175.19 -64.88 26.06 -22.25	31.21 -10.93 02 04 49 -10 55 30	33.10 -10.20 02 12 24 -10 11 52	33.21 -10.47 02 12 50 -10 27 57	31.31 -11.19 02 05 15 -11 11 37	.576	.0028 .0007				
1H0209+774	32.46 77.42 02 09 50 77 25 01	127.48 15.52 69.65 58.09	36.43 77.90 02 25 44 77 54 15	29.56 76.68 01 58 15 76 41 03	28.79 76.88 01 55 10 76 52 32	35.70 78.11 02 22 47 78 06 53	.504	.0026 .0005				
1H0212-172	33.04 -17.22 02 12 09 -17 13 00	189.39 -68.28 24.21 -28.61	32.03 -17.51 02 08 08 -17 30 22	33.97 -16.75 02 15 52 -16 44 48	34.05 -16.92 02 16 11 -16 55 20	32.11 -17.68 02 08 25 -17 40 56	.380	.0041 .0006				
1H0215-007	33.91 -76 02 15 38 -00 45 34	164.59 -56.22 31.40 -13.54	32.93 -98 02 11 42 -00 58 36	34.81 -30 02 19 14 -00 17 51	34.90 -54 02 19 35 -00 32 31	33.02 -12.22 02 12 03 -01 13 16	.520	.0027 .0006	H0206-019	Mkn 590	(R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC		AREA	X-RAY				
IH0217-639	34.46 -63.97 02 17 50 -63 58 13	287.81 -50.73 340.28 -67.40		32.96 -64.74 02 21 23 -64 44 36	35.35 -63.04 02 21 23 -63 02 28	35.88 -63.18 02 23 31 -63 10 58	33.51 -64.89 02 14 03 -64 53 38	33.51 -64.89 02 14 03 -64 53 38	.560	.0046 .0011		STR0214-643
IH0218+304	34.54 30.47 02 18 09 30 28 18	144.80 -28.34 42.48 15.71		33.40 30.25 02 13 35 30 15 15	35.58 30.94 02 22 19 30 56 09	35.69 30.68 02 22 44 30 40 45	33.51 30.00 02 14 01 29 59 57	.544	.0035 .0008		4U 0223+31? XRS02238+312	
IH0219-710	34.96 -71.09 02 19 49 -71 05 38	292.90 -44.49 322.19 -70.36		34.37 -71.68 02 17 29 -71 40 38	34.90 -70.48 02 19 35 -70 28 53	35.51 -70.51 02 22 02 -70 30 31	35.02 -71.71 02 20 05 -71 42 22	.249	.0047 .0008			
IH0219+625	34.79 62.51 02 19 08 62 30 26	133.20 1.70 57.48 45.16		36.83 62.87 02 27 19 62 51 56	33.00 61.94 02 12 00 61 56 31	32.79 62.12 02 11 09 62 07 11	36.64 63.05 02 26 32 63 02 56	.408	.0037 .0006			HB3
IH0226-448	36.56 -44.89 02 26 15 -44 53 38	261.49 -63.89 10.59 -54.63		35.28 -45.36 02 21 08 -45 21 53	37.61 -44.20 02 30 25 -44 11 58	37.82 -44.41 02 31 16 -44 24 33	35.49 -45.58 02 21 58 -45 34 44	.525	.0034 .0006			(R)
IH0226-296	36.71 -29.70 02 26 49 -29 41 58	224.93 -68.43 21.85 -41.39		35.60 -30.00 02 22 23 -29 59 52	37.68 -29.15 02 30 42 -29 08 55	37.81 -29.39 02 31 15 -29 23 31	35.73 -30.24 02 22 54 -30 14 35	.540	.0031 .0007			
IH0227-094	37.00 -9.40 02 27 58 -09 24 04	180.09 -60.53 31.33 -22.71		36.01 -9.65 02 24 01 -09 38 58	37.91 -8.96 02 31 38 -08 57 39	37.98 -9.15 02 31 55 -09 09 01	36.08 -9.84 02 24 18 -09 50 22	.404	.0036 .0006			NGC985?
IH0229-323	37.30 -32.37 02 29 12 -32 22 28	232.02 -67.77 20.90 -44.02		36.20 -32.74 02 24 47 -32 44 36	38.32 -31.86 02 33 17 -31 51 49	38.40 -32.00 02 33 35 -31 59 46	36.27 -32.88 02 25 05 -32 52 36	.296	.0046 .0006			(R)
IH0230-356	37.75 -35.68 02 30 59 -35 40 30	240.28 -66.83 19.24 -47.13		36.30 -36.01 02 25 12 -36 00 43	39.00 -35.02 02 36 00 -35 00 55	39.18 -35.32 02 36 43 -35 19 16	36.47 -36.32 02 25 52 -36 19 17	.816	.0056 .0018			
IH0230+198	37.62 19.88 02 30 29 19 52 41	153.18 -36.72 41.63 4.79		36.57 19.70 02 26 16 19 42 04	38.59 20.33 02 34 20 20 20 03	38.69 20.05 02 34 44 20 02 56	36.67 19.42 02 26 40 19 25 02	.600	.0035 .0009			

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC			X-RAY	NON X-RAY
1H0235-525	38.94 -52.54 02 35 46 -52 32 13	271.99 -57.97 4.22 -61.68		37.60 -53.13 02 40 23 -53 07 33	40.09 -51.82 02 41 00 -51 49 23	40.25 -51.93 02 41 00 -51 56 01	37.76 -53.24 02 31 01 -53 14 23		.296	.0043 .0005	2A 0235-526 XRS02352-526	STR0237-526	
1H0239-585	40.00 -58.59 02 39 58 -58 35 17	279.02 -53.35 355.38 -66.39		39.03 -59.02 02 36 07 -59 01 00	40.61 -58.01 02 42 26 -58 00 49	40.94 -58.15 02 43 44 -58 09 33	39.36 -59.16 02 37 26 -59 09 33	.288	.0036 .0007				
1H0239-215	39.86 -21.59 02 39 26 -21 35 35	206.06 -64.27 29.29 -35.08		38.83 -21.89 02 35 18 -21 53 13	40.82 -21.14 02 43 17 -21 08 28	40.89 -21.29 02 43 33 -21 17 34	38.89 -22.04 02 35 33 -22 02 22	.328	.0046 .0006				
1H0240+621	40.16 62.14 02 40 38 62 08 11	135.65 2.30 60.38 43.72		42.16 62.51 02 48 37 62 30 47	38.28 61.67 02 33 06 61 40 22	38.21 61.73 02 32 51 61 43 55	42.10 62.57 02 48 23 62 34 26	.132	.0104 .0006	2S 0241+622 XRS0241+622	4U 0241+61	(R)	
1H0241+364	40.28 36.49 02 41 06 36 29 25	146.85 -20.88 49.32 19.80		39.02 36.37 02 36 03 36 21 56	41.38 37.01 02 45 30 37 00 44	41.54 36.60 02 46 10 36 36 06	39.20 35.96 02 36 46 35 57 30	.864	.0039 .0017		A376	(R)	
1H0244+001	41.02 .19 02 44 05 00 11 14	172.83 -50.96 38.65 -14.96		40.02 .05 02 40 03 00 02 51	41.92 .67 02 47 39 00 40 08	42.03 .33 02 48 06 00 19 36	40.13 -29 02 40 30 -00 17 40	.720	.0032 .0010		NGC1068 3C71	(R)	
1H0246+275	41.71 27.53 02 46 50 27 31 41	152.67 -28.22 47.61 10.91		40.59 27.36 02 42 20 27 21 30	42.74 27.96 02 50 57 27 57 50	42.84 27.69 02 51 20 27 41 19	40.69 27.08 02 42 45 27 05 04	.576	.0039 .0009		A387?	(R)	
1H0247-370	41.95 -37.02 02 47 47 -37 01 05	241.56 -63.23 22.84 -49.88		40.77 -37.38 02 43 05 -37 22 48	42.99 -36.46 02 51 58 -36 27 45	43.12 -36.64 02 52 27 -36 38 40	40.89 -37.56 02 43 33 -37 33 50	.412	.0048 .0008				
1H0251+414	42.77 41.43 02 51 03 41 26 04	146.28 -15.60 53.00 23.86		41.47 41.18 02 45 53 41 11 04	44.00 41.82 02 56 00 41 49 26	44.07 41.67 02 56 16 41 40 11	41.54 41.03 02 46 10 41 01 54	.324	.0201 .0029	2A 0251+413 1M 0255+41 XRS02530+417	4U 0253+41 XRS02530+417	NGC1129 NGC1130 NGC1131 (R)	
1H0253+058	43.26 5.80 02 53 03 05 48 08	169.75 -45.27 42.58 -10.29		42.28 5.58 02 49 07 05 34 56	44.20 6.17 02 56 48 06 10 16	44.25 6.02 02 56 59 06 01 13	42.33 5.43 02 49 18 05 25 53	.316	.0085 .0014	2A 0252+060 XRS02522+060	A400? 3C75? (R)		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	X-RAY			NON X-RAY	
1H0253+130	43.42 13.02	163.83 -39.53		42.72 12.86	44.10 13.26	44.13 13.17	42.75 12.77	42.75 12.77	.133	.0143 .0016	2A 0255+132 1M 0254+132	4U 0254+13 XRS02254+132	A399 A401
1H0254+221	43.52 22.16	157.51 -31.95		42.44 22.03	44.51 22.29	44.61 22.29	42.54 21.71	42.54 21.71	.660	.0032 .0009			(R)
1H0256-617	44.08 -61.79	280.35 -49.65		42.08 -62.72	45.23 -60.59	45.96 -60.83	42.83 -62.97	42.83 -62.97	1.102	.0036 .0012			STR0303-613
1H0258-126	44.54 -12.65	193.44 -56.42		42.69 -13.02	46.23 -11.85	46.38 -12.27	42.83 -13.44	42.83 -13.44	1.608	.0052 .0016			A415
1H0258-015	44.65 -1.50	178.72 -49.59		43.65 -1.64	45.56 -1.04	45.66 -1.36	43.75 -1.96	43.75 -1.96	.668	.0033 .0009			(R)
1H0258+443	44.65 44.34	146.10 -12.39		46.65 44.70	42.77 43.75	42.67 43.94	46.57 44.89	46.57 44.89	.588	.0070 .0024	H 0252+440		
1H0300-482	45.14 -48.24	261.22 -57.12		43.74 -48.65	46.20 -47.51	46.52 -47.81	44.06 -48.96	44.06 -48.96	.736	.0052 .0017			
1H0301-106	45.37 -10.63	191.18 -54.66		44.33 -10.73	46.27 -10.11	46.41 -10.53	44.47 -11.15	44.47 -11.15	.884	.0025 .0009			
1H0307-722	46.88 -72.27	289.67 -41.36		46.61 -72.78	46.59 -71.76	47.14 -71.76	47.19 -72.78	47.19 -72.78	.173	.0033 .0005			STR0308-723
1H0307-499	46.83 -49.92	263.00 -55.36		45.42 -50.38	47.92 -49.20	48.20 -49.44	45.70 -50.63	45.70 -50.63	.616	.0048 .0012			
	03 07 18 -49 55 19	16 00 -62.72		03 01 40 -50 23 01	03 11 40 -49 11 56	03 12 48 -49 26 37	03 08 45 -50 38 04	03 08 45 -50 38 04					

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY						
1H0307-426	46.79 -42.65 03 07 08 -42 38 52	250.73 -58.18 23.81 -56.60	45.52 -43.04 03 02 05 -43 02 38	47.89 -42.06 03 11 32 -42 03 20	48.03 -42.24 03 12 07 -42 14 18	45.66 -43.23 03 02 39 -43 13 46	46.42 -43.23 03 12 07 -43 13 46	48.54 -43.23 03 02 39 -43 13 46	.424	.0038 .0007			
1H0310+576	47.53 57.66 03 10 06 57 39 53	140.99 .07 62.65 38.19	48.64 57.79 03 14 33 57 47 41	46.52 57.38 03 06 05 -57 22 59	46.42 57.53 03 05 41 57 31 30	48.54 57.94 03 14 10 57 56 18	48.54 57.94 03 14 10 57 56 18	.183	.0057 .0006				
1H0311-348	47.85 -34.81 03 11 24 -34 48 33	235.66 -58.80 31.02 -49.99	46.68 -35.12 03 06 43 -35 06 54	48.90 -34.29 03 15 35 -34 17 08	49.01 -34.49 03 16 03 -34 29 31	46.80 -35.32 03 07 10 -35 19 25	46.80 -35.32 03 07 10 -35 19 25	.456	.0044 .0009				
1H0311-227	47.96 -22.72 03 11 50 -22 43 28	212.82 -57.43 37.55 -38.83	46.91 -22.99 03 07 39 -22 59 30	48.95 -22.31 03 15 47 -22 18 29	49.01 -22.45 03 16 01 -22 27 01	46.97 -23.13 03 07 52 -23 08 05	46.97 -23.13 03 07 52 -23 08 05	.304	.0076 .0009	2A 0311-227	EF Eri		
1H0315-445	48.92 -44.51 03 15 39 -44 30 45	253.15 -56.15 24.56 -58.99	48.38 -44.66 03 13 31 -44 39 37	49.36 -44.25 03 17 25 -44 15 02	49.45 -44.36 03 17 47 -44 21 44	48.47 -44.77 03 13 53 -44 46 21	48.47 -44.77 03 13 53 -44 46 21	.105	.0077 .0006	2A 0316-443	4U 0321-45	PKS0316-44	
1H0316+413	49.13 41.33 03 16 30 41 19 32	150.58 -13.26 57.91 22.33	49.17 41.33 03 16 40 41 19 30	49.09 41.31 03 16 21 41 18 26	49.08 41.33 03 16 20 41 19 34	49.16 41.34 03 16 38 41 20 39	49.16 41.34 03 16 38 41 20 39	.001	.1727 .0013	2A 0316+413 1M 0316+41	4U 0316+41 XRS03165+413	Perseus Cluster A426	
1H0323+342	50.99 34.30 03 23 57 34 17 53	155.98 -18.22 57.40 15.16	52.19 34.45 03 28 46 34 27 08	49.86 33.93 03 19 26 33 56 02	49.79 34.13 03 19 09 34 07 56	52.13 34.65 03 28 31 34 39 07	52.13 34.65 03 28 31 34 39 07	.412	.0043 .0007				
1H0324-636	51.07 -63.62 03 24 15 -63 37 21	279.36 -46.02 351.97 -73.62	49.54 -64.43 03 18 09 -64 25 30	51.92 -62.65 03 27 40 -62 39 06	52.51 -62.80 03 30 01 -62 48 17	50.15 -64.59 03 20 36 -64 35 17	50.15 -64.59 03 20 36 -64 35 17	.640	.0029 .0008				
1H0324-530	51.14 -53.00 03 24 33 -53 00 16	265.57 -51.57 16.54 -66.81	50.35 -53.27 03 21 24 -53 16 00	51.72 -52.59 03 26 51 -52 35 36	51.92 -52.74 03 27 39 -52 44 15	50.55 -53.41 03 22 12 -53 24 47	50.55 -53.41 03 22 12 -53 24 47	.200	.0060 .0008			STR0324-530	
1H0324+674	51.18 67.44 03 24 43 67 26 29	137.14 9.21 69.45 46.75	53.15 67.54 03 32 35 67 32 13	49.43 67.10 03 17 43 67 05 43	49.23 67.32 03 16 55 67 19 20	52.98 67.77 03 31 55 67 46 06	52.98 67.77 03 31 55 67 46 06	.360	.0048 .0007				

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	X-RAY			NON X-RAY	
1H0326+787	51.57 78.73 03 26 16 78 43 53	130.50 18.49 77.11 57.02	56.38 79.10 03 45 30 79 06 13	47.70 78.11 03 10 48 78 06 23	47.09 78.29 03 08 21 78 17 14	55.86 79.30 03 43 26 79 18 03		.436	.0040 .0010			
1H0327+000	51.86 -08 03 27 25 -00 04 45	184.00 -43.21 49.42 -18.31	50.87 -.27 03 23 29 -00 16 03	52.81 .25 03 31 13 00 15 00	52.84 .11 03 31 22 00 06 33	50.91 -.41 03 23 38 -00 24 30		.292	.0090 .0011	4U 0336+01	HR 1099 V711 Tau (R)	
1H0331+257	52.75 25.72 03 31 00 25 43 18	162.87 -24.11 56.72 6.48	53.80 25.82 03 35 12 25 49 25	51.78 25.36 03 27 07 25 21 38	51.71 25.61 03 26 50 25 36 44	53.73 26.08 03 34 55 26 04 33		.488	.0036 .0007			
1H0332+317	53.16 31.71 03 32 37 31 42 31	159.15 -19.21 58.54 12.20	54.13 31.76 03 36 31 31 45 51	52.26 31.37 03 29 02 31 22 27	52.18 31.65 03 28 43 31 38 44	54.06 32.04 03 36 13 32 02 12		.459	.0044 .0009	H 0333+317	NRAO 140 (R)	
1H0334+098	53.66 9.82 03 34 38 09 49 28	175.97 -35.28 53.74 -9.16	52.66 9.64 03 30 38 09 38 23	54.63 10.12 03 38 31 10 00 23	54.66 10.01 03 38 38 10 00 23	52.69 9.53 03 30 45 09 31 44		.228	.0089 .0008	2A 0335+096 XRS03353+096	4U 0344+11 (R)	
1H0334+291	53.53 29.17 03 34 08 29 10 14	161.10 -20.99 58.24 9.66	54.67 29.32 03 38 41 29 19 09	52.45 28.84 03 29 48 28 50 23	52.40 29.01 03 29 36 29 00 44	54.63 29.49 03 38 30 29 29 32		.356	.0034 .0005		(R)	
1H0335-357	53.89 -35.74 03 35 34 -35 44 08	236.93 -53.83 37.67 -52.82	53.50 -35.81 03 36 56 -35 48 21	54.24 -35.56 03 36 56 -35 33 18	54.29 -35.66 03 37 10 -35 39 49	53.55 -35.92 03 34 12 -35 54 54		.077	.0146 .0011	H 0333-35	NGC1399 (R)	
1H0336-434	54.16 -43.42 03 36 39 -43 25 05	249.68 -52.77 32.10 -59.87	52.83 -43.73 03 31 20 -43 43 51	55.27 -42.81 03 41 04 -42 48 18	55.48 -43.09 03 41 55 -43 05 23	53.04 -44.02 03 32 08 -44 01 12		.648	.0031 .0008			
1H0337-152	54.38 -15.28 03 37 32 -15 16 33	204.62 -49.14 47.57 -33.62	53.36 -15.44 03 33 25 -15 26 29	55.35 -14.89 03 41 22 -14 53 06	55.41 -15.11 03 41 39 -15 06 21	53.42 -15.66 03 33 40 -15 39 45		.460	.0062 .0012			
1H0338-543	54.54 -54.32 03 38 09 -54 19 16	266.10 -49.19 18.41 -69.11	54.10 -54.44 03 36 25 -54 26 29	54.84 -54.10 03 39 21 -54 06 13	54.97 -54.20 03 39 52 -54 11 56	54.23 -54.54 03 36 56 -54 32 15		.067	.0102 .0008		(R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0339-822	55.00 -82.21 03 39 59 -82 12 21	296.70 -32.98 284.90 72.39		59.77 -83.00 03 20 10 -81 29 10	50.05 -81.49 03 20 10 -81 29 10	51.13 -81.37 03 24 31 -81 21 56	60.90 -82.86 04 03 35 -82 51 24		.404	.0037 .0006		
1H0340+392	55.18 39 29 03 40 43 39 17 35	155.64 -12.22 62.11 19.16		56.63 39.39 03 46 30 39 23 40	53.85 38.86 03 35 23 38 51 52	53.74 39.17 03 34 57 39 10 27	56.53 39.71 03 46 07 39 42 23	.710		.0031 .0007		(R)
1H0341-537	55.44 -53.79 03 41 44 -53 47 19	265.03 -48.91 20.50 -69.03		54.02 -54.35 03 36 05 -54 21 15	56.65 -53.09 03 46 35 -53 05 39	56.81 -53.21 03 47 14 -53 12 27	54.18 -54.47 03 36 43 -54 28 14	.296	2A 0343-536 1M 0328-524	.0052 .0006	4U 0339-54 XRS03432-536	STR0342-538 (R)
1H0342-392	55.67 -39.30 03 42 41 -39 17 50	242.72 -52.23 37.46 -56.65		54.42 -39.58 03 37 40 -39 34 44	56.78 -38.76 03 47 06 -38 45 51	56.92 -39.00 03 47 40 -39 00 07	54.56 -39.82 03 38 13 -39 49 10	.524		.0047 .0011		
1H0343+237	55.97 23.71 03 43 52 23 42 21	166.73 -23.73 59.10 3.84		56.66 23.76 03 46 38 23 45 24	55.32 23.47 03 41 17 23 28 23	55.28 23.65 03 41 06 23 39 07	56.62 23.94 03 46 27 23 56 10	.231		.0055 .0007		Pleiades (R)
1H0345-452	56.40 -45.24 03 45 35 -45 14 22	252.05 -50.83 33.26 -62.23		55.01 -45.54 03 40 03 -45 32 16	57.51 -44.60 03 50 02 -44 35 45	57.77 -44.92 03 51 04 -44 55 27	55.26 -45.87 03 41 02 -45 52 19	.752	4U 0321-45?	.0021 .0006		
1H0345+634	56.34 63.45 03 45 20 63 26 42	141.27 7.27 70.43 42.27		57.52 63.53 03 50 04 63 31 33	55.25 63.22 03 41 01 63 13 15	55.16 63.35 03 40 38 63 21 16	57.43 63.66 03 49 44 63 39 39	.148		.0047 .0005		
1H0347-413	56.93 -41.39 03 47 42 -41 23 22	245.92 -51.07 37.46 -58.95		55.64 -41.69 03 42 34 -41 41 24	58.06 -40.85 03 52 13 -40 50 38	58.20 -41.07 03 52 48 -41 04 29	55.78 -41.92 03 43 07 -41 55 05	.500		.0045 .0009		
1H0350-735	57.72 -73.58 03 50 53 -73 34 34	288.15 -38.13 312.93 -73 34 34		57.88 -73.97 03 51 31 -73 57 58	57.14 -73.22 03 48 33 -73 13 16	57.57 -73.19 03 50 17 -73 11 10	58.33 -73.93 03 53 20 -73 55 46	.101	4U 0357-74 XRS03576-743	.0036 .0003		STR0352-742?
1H0350+472	57.71 47.21 03 50 50 47 12 38	152.07 -4.89 66.10 26.41		58.63 47.25 03 54 32 47 15 02	56.87 46.95 03 47 27 46 57 03	56.78 47.16 03 47 08 47 09 49	58.56 47.46 03 54 14 47 27 52	.273	4U 0404+47 XRS04040+476	.0050 .0008		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	X-RAY			NON X-RAY	
1H0351+194	57.87 19.44 03 51 28 19 26 24	171.37 -25.62 59.90 -71	59.44 19.58 03 57 46 19 34 29	56.38 18.94 03 45 11 18 56 27	56.30 19.29 03 45 11 19 17 30	59.37 19.93 03 57 27 19 55 38	1.066	.0027 .0007					
1H0352+308	58.06 30.90 03 52 14 30 53 43	163.08 -17.14 62.51 10.45	58.06 30.90 03 52 14 30 53 43	.000	.0448 .0011	IS 0352+308 4U 0352+30 CGS0352+309 XRS03522+308	X Per (R)						
1H0354-310	58.65 -31.09 03 54 36 -31 05 27	229.76 -49.63 46.26 -49.89	57.49 -31.27 03 49 58 -31 16 24	59.70 -30.63 03 58 48 -30 37 55	59.81 -30.90 03 59 14 -30 53 53	57.60 -31.54 03 50 22 -31 32 29	.564	.0063 .0015					
1H0355-116	58.77 -11.63 03 55 05 -11 37 45	202.54 -43.72 53.58 -31.21	57.77 -11.81 03 51 04 -11 48 27	59.75 -11.33 03 58 59 -11 19 31	59.78 -11.45 03 59 07 -11 26 50	57.80 -11.93 03 51 11 -11 55 47	.252	.0075 .0008					
1H0358-669	59.61 -66.92 03 58 26 -66 55 28	280.46 -41.23 344.26 -78.11	59.12 -67.34 03 56 29 -67 20 09	59.60 -66.47 03 58 22 -66 28 17	60.08 -66.51 04 00 19 -66 30 41	59.63 -67.38 03 58 30 -67 22 38	.175	.0041 .0006					
1H0402+573	60.63 57.39 04 02 31 57 23 25	146.82 4.01 70.96 35.87	61.88 57.46 04 07 31 57 27 21	59.47 57.14 03 57 53 57 08 17	59.39 57.31 03 57 32 57 18 44	61.81 57.63 04 07 13 57 37 53	.241	.0039 .0005					
1H0403-570	60.95 -57.07 04 03 48 -57 04 22	267.86 -44.81 21.13 -73.56	59.38 -57.63 03 57 30 -57 37 34	62.06 -56.27 04 08 15 -56 15 55	62.48 -56.50 04 09 54 -56 30 02	59.79 -57.87 03 59 09 -57 32 12	.656	.0025 .0007					
1H0409-078	62.26 -7.88 04 09 02 -07 52 32	200.28 -38.92 58.41 -28.33	62.86 -7.82 04 11 26 -07 49 07	61.70 -8.09 04 06 38 -08 05 28	61.66 -7.93 04 06 38 -07 55 53	62.82 -7.66 04 11 17 -07 39 33	.194	.0063 .0008		40 Eri (R)			
1H0409+102	62.38 10.26 04 09 32 10 15 51	182.30 -28.55 62.35 -10.57	62.69 10.28 04 10 45 10 16 54	62.09 10.17 04 08 22 10 10 04	62.08 10.25 04 08 18 10 14 46	62.68 10.36 04 10 42 10 21 37	.048	.0118 .0007	2A 0411+103 IM 0405+10 XRS04106+103	A478 (R)			
1H0410+529	62.58 52.96 04 10 19 52 57 25	150.64 1.49 71.06 31.30	64.19 53.03 04 16 45 53 02 04	61.08 52.62 04 04 19 52 37 02	60.98 52.86 04 03 55 52 51 28	64.11 53.28 04 16 25 53 16 40	.477	.0027 .0005					

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		X-RAY	NON X-RAY
IH0412-381	63.17 -38.18 04 12 40 -38 10 30	240.72 -46.42 48.26 -57.80	61.92 -38.41 04 07 41 -38 24 23	64.32 -37.73 04 17 15 -37 44 00	64.41 -37.93 04 17 37 -37 55 49	62.01 -38.61 04 08 02 -38 36 18			.420	.0044 .0007		
IH0413-116	63.44 -11.64 04 13 44 -11 38 11	205.28 -39.63 58.81 -32.25	64.49 -11.56 04 17 58 -11 33 23	62.44 -11.99 04 09 44 -11 59 12	62.38 -11.71 04 09 30 -11 42 45	64.43 -11.28 04 17 43 -11 16 57		.577	.0043 .0008		A483 (R)	
IH0413+009	63.26 .96 04 13 01 00 57 38	191.61 -33.43 61.42 -19.87	63.91 -33.43 04 15 39 00 59 06	62.64 -74 04 10 32 00 44 22	62.60 .94 04 10 23 00 56 10	63.87 1.18 04 15 29 01 10 53		.260	.0070 .0011		A480 (R)	
IH0414-551	63.70 -55.14 04 14 48 -55 08 32	264.63 -43.94 29.55 -73.08	62.15 -55.63 04 08 35 -55 37 56	64.93 -54.42 04 19 43 -54 25 28	65.21 -54.63 04 20 51 -54 37 59	62.43 -55.85 04 09 42 -55 50 49		.532	.0032 .0007	4U 0423-53? XRS04234-531		
IH0414+380	63.62 38.04 04 14 27 38 02 39	161.50 -8.80 68.59 16.54	64.06 38.06 04 16 15 38 03 28	63.19 37.93 04 12 45 37 55 50	63.17 38.03 04 12 39 38 01 43	64.04 38.16 04 16 09 38 09 23		.070	.0109 .0007	4U 0407+37 XRS04074+379	3CR111.0 (R)	
IH0419-577	64.97 -57.76 04 19 52 -57 45 45	267.83 -42.54 25.34 -75.54	63.97 -58.02 04 15 52 -58 01 06	65.67 -57.31 04 22 40 -57 18 26	65.95 -57.50 04 23 48 -57 29 55	64.25 -58.21 04 17 00 -58 12 49		.284	.0035 .0006			
IH0419+280	64.96 28.03 04 19 51 28 01 48	169.64 -14.98 67.92 6.48	66.09 28.15 04 24 21 28 08 55	63.86 27.81 04 15 25 27 48 35	63.84 27.90 04 15 21 27 54 08	66.07 28.24 04 24 17 28 14 29		.188	.0059 .0005			
IH0422-086	65.71 -8.63 04 22 51 -08 37 36	203.17 -36.27 62.07 -29.75	66.73 -8.53 04 26 54 -08 31 49	64.74 -8.91 04 18 57 -08 54 26	64.70 -8.72 04 18 48 -08 43 14	66.69 -8.34 04 26 45 -08 20 37		.380	.0040 .0008			
IH0422+601	65.50 60.14 04 22 00 60 08 26	146.74 7.74 74.82 37.98	67.62 59.93 04 30 29 59 55 51	63.74 59.52 04 14 58 59 31 03	63.35 60.32 04 13 24 60 18 56	67.33 60.74 04 29 18 60 44 21		1.644	.0007 .0003			
IH0423+096	65.76 9.64 04 23 03 09 38 41	185.17 -26.32 65.58 -11.77	66.73 9.63 04 26 55 09 37 30	64.85 9.33 04 19 24 09 19 35	64.80 9.66 04 19 10 09 39 43	66.68 9.96 04 26 42 09 57 39		.639	.0039 .0009			

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0426+051	66.70 5.13 04 26 47 05 07 35	189.89 -28.23 65.76 -16.38	71.00 5.65 04 43 50 05 38 56	62.45 4.32 04 09 37 04 19 09	62.41 4.58 04 09 37 04 34 30	70.96 5.91 04 43 50 05 54 20			2.241	4U 0432+05	XRS04355+052 3C120 (R)	
1H0427+177	66.92 17.74 04 27 39 17 44 27	179.00 -20.41 68.02 -3.96	68.36 17.80 04 33 26 17 48 01	65.52 17.38 04 22 05 17 22 30	65.47 17.67 04 21 53 17 40 16	68.32 18.10 04 33 15 18 05 49			.822			
1H0429-616	67.38 -61.66 04 29 30 -61 39 26	272.32 -40.24 15.85 -79.06	67.23 -61.73 04 28 54 -61 43 39	67.44 -61.56 04 29 44 -61 33 41	67.53 -61.59 04 30 06 -61 35 13	67.32 -61.75 04 29 16 -61 45 12			.010	2A 0430-615 1M 0426-635	4U 0427-61 XRS04309-615 STR0431-616 Sers 40/6 PKS0429-61 (R)	
1H0430-133	67.73 -13.36 04 30 55 -13 21 46	209.54 -36.57 63.33 -34.77	68.02 -13.35 04 32 05 -13 20 56	67.46 -13.45 04 29 49 -13 27 17	67.44 -13.38 04 29 46 -13 22 34	68.01 -13.27 04 32 01 -13 16 14			.045	2A 0431-136 XRS04312-136	A496 (R)	
1H0433-088	68.50 -8.88 04 33 58 -08 53 00	204.99 -33.95 65.15 -30.49	69.52 -8.89 04 38 05 -08 53 13	67.53 -9.23 04 30 06 -09 13 32	67.47 -8.88 04 29 52 -08 52 36	69.46 -8.54 04 37 50 -08 32 18			.708			
1H0435-531	68.86 -53.17 04 35 26 -53 10 14	261.15 -41.39 41.97 -73.10	67.86 -53.40 04 31 27 -53 23 58	69.65 -52.74 04 38 35 -52 44 33	69.85 -52.93 04 39 23 -52 56 01	68.06 -53.59 04 32 14 -53 35 37			.284		STR0428-540?	
1H0435-274	68.79 -27.47 04 35 10 -27 28 12	226.99 -40.28 60.85 -48.79	69.65 -27.38 04 38 36 -27 22 51	67.99 -27.77 04 31 58 -27 46 00	67.93 -27.55 04 31 43 -27 33 12	69.59 -27.17 04 38 21 -27 10 07			.334			
1H0435-165	68.83 -16.51 04 35 20 -16 30 41	213.67 -36.84 63.92 -38.06	70.43 -16.42 04 41 43 -16 25 28	67.31 -16.98 04 29 14 -16 58 55	67.24 -16.59 04 28 56 -16 35 11	70.35 -16.03 04 41 24 -16 01 48			1.222			
1H0437+206	69.28 20.68 04 37 07 20 40 32	178.09 -16.83 70.67 -1.39	69.94 20.65 04 39 46 20 39 02	68.65 20.48 04 34 36 20 28 49	68.62 20.70 04 34 28 20 41 53	69.91 20.87 04 39 38 20 52 07			.268			
1H0441-207	70.38 -20.79 04 41 32 -20 47 38	219.33 -36.98 64.79 -42.54	71.52 -20.71 04 46 05 -20 42 49	69.30 -21.12 04 37 11 -21 07 20	69.24 -20.87 04 36 58 -20 52 00	71.47 -20.46 04 45 52 -20 27 32			.551	4U 0505-21	XRS05050-213 A514? PKS0446-206? (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		AREA	X-RAY
1H0443+836	70.77 83.69 04 43 04 83 41 30	128.89 23.98 85.78 60.53		79.95 83.78 04 10 59 83 15 56	62.75 83.27 04 08 15 83 15 56	79.75 83.45 05 18 59 83 58 46	62.07 83.45 04 08 15 83 26 42	79.75 83.98 05 18 59 83 58 46	.392	.0023 .0004		
1H0444-338	71.03 -33.89 04 44 07 -33 53 06	235.70 -39.69 61.57 -55.47		72.23 -33.74 04 48 54 -33 44 16	69.88 -34.19 04 39 31 -34 01 15	72.18 -33.57 04 48 42 -33 33 54	69.83 -34.02 04 39 19 -34 01 15	72.18 -33.57 04 48 42 -33 33 54	.356	.0036 .0005		
1H0445-060	71.29 -6.08 04 45 10 -06 04 46	203.59 -30.19 68.79 -28.16		72.29 -6.04 04 49 10 -06 02 31	70.33 -6.35 04 41 18 -06 21 08	70.29 -5.81 04 49 01 -05 48 18	70.29 -6.12 04 41 09 -06 06 55	70.29 -5.81 04 49 01 -05 48 18	.475	.0040 .0008		NGC1681? (R)
1H0445+757	71.38 75.77 04 45 31 75 46 22	135.93 19.52 82.54 52.81		77.14 75.88 05 08 34 75 52 33	65.99 75.33 04 23 56 75 19 59	77.06 76.08 05 08 13 76 05 05	65.75 75.53 04 22 59 75 32 03	77.06 76.08 05 08 13 76 05 05	.593	.0049 .0068		
1H0446+450	71.64 45.01 04 46 34 45 00 40	160.48 .34 76.06 22.45		71.81 45.01 04 47 15 45 00 26	71.48 44.98 04 45 54 45 00 26	71.47 45.01 04 45 52 45 02 49	71.60 45.01 04 45 52 45 02 49	71.81 45.05 04 47 13 45 02 49	.010	.0241 .0003	4U 0446+44 XRS04466+449	3C129 Cluster
1H0448-041	72.08 -4.10 04 48 19 -04 06 03	202.03 -28.55 69.98 -26.31		72.55 -4.10 04 50 13 -04 05 56	71.62 -4.22 04 46 28 -04 13 18	72.54 -3.98 04 50 09 -03 58 48	71.60 -4.10 04 46 25 -04 06 09	72.54 -3.98 04 50 09 -03 58 48	.113	.0073 .0007	H 0448-04	MCG-01-13-025 (R)
1H0451-747	72.89 -74.73 04 51 33 -74 43 58	286.94 -33.96 296.86 -80.13		74.17 -75.13 04 56 41 -75 08 04	71.25 -74.45 04 45 00 -74 26 42	74.59 -75.01 04 58 21 -75 00 29	71.68 -74.32 04 46 42 -74 19 27	74.59 -75.01 04 58 21 -75 00 29	.171	.0064 .0008	2A 0452-742 H 0452-742	
1H0451-560	72.87 -56.07 04 51 27 -56 04 08	264.46 -38.68 44.08 -76.77		71.12 -56.39 04 44 29 -56 23 28	74.19 -55.37 04 56 45 -55 22 19	71.49 -56.75 04 45 58 -56 45 05	74.58 -55.72 04 58 18 -55 43 22	71.49 -56.75 04 45 58 -56 45 05	.828	.0022 .0007	H 0449-55	
1H0453-100	73.40 -10.05 04 53 35 -10 03 12	208.78 -30.14 70.54 -32.38		74.04 -10.06 04 56 08 -10 03 19	72.79 -10.25 04 51 10 -10 14 51	74.01 -9.86 04 56 01 -09 51 28	72.76 -10.05 04 51 02 -10 03 00	74.01 -9.86 04 56 01 -09 51 28	.248	.0058 .0008	4U 0443-09	A521?
1H0455-441	73.76 -44.11 04 55 01 -44 06 26	249.11 -38.64 60.54 -65.90		74.89 -44.00 04 59 34 -44 00 04	72.73 -44.48 04 50 28 -44 28 42	74.77 -43.73 04 59 05 -43 43 37	72.62 -44.20 04 50 28 -44 12 07	74.77 -43.73 04 59 05 -43 43 37	.467	.0034 .0007	2A 0456-449 XRS04566-449	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0455+134	73.87 13.49 04 55 29 13 29 29	186.86 -17.63 74.13 -9.07	75.91 13.48 05 03 38 13 28 36	71.89 13.05 04 47 32 13 03 10	71.83 13.49 04 47 20 13 29 23	73.26 27.43 04 53 08 27 25 51	73.29 27.63 04 53 02 27 37 53	74.70 27.77 04 58 49 27 46 19	1.734			
1H0455+276	73.99 27.60 04 55 58 27 36 11	175.25 -9.16 75.80 4.94	74.73 27.57 04 58 54 27 34 15	73.29 27.43 04 53 08 27 25 51	73.26 27.63 04 53 02 27 37 53	74.70 27.77 04 58 49 27 46 19		.260			(R)	
1H0455+518	73.81 51.90 04 55 14 51 53 57	156.05 5.81 78.65 29.09	74.07 51.89 04 56 17 51 53 19	73.56 51.85 04 54 14 51 50 58	73.55 51.91 04 54 11 51 54 33	74.06 51.95 04 56 15 51 56 53		.019	H 0457+51		(R)	
1H0456+304	74.20 30.42 04 56 47 30 25 29	173.10 -7.29 76.29 7.73	75.34 30.42 05 01 21 30 25 17	73.09 30.20 04 52 13 30 12 15	73.06 30.42 04 52 13 30 25 07	75.31 30.64 05 01 15 30 38 10		.422				
1H0457+677	74.46 67.70 04 57 49 67 42 08	143.39 15.59 81.78 44.70	77.12 67.67 05 08 29 67 40 06	71.95 67.37 04 47 47 67 22 14	71.78 67.99 04 47 08 67 41 33	77.03 67.99 05 08 06 67 59 40		.656				
1H0458-367	74.57 -36.73 04 58 17 -36 43 43	239.87 -37.28 65.64 -58.88	75.26 -36.70 05 01 02 -36 42 00	73.95 -36.97 04 55 48 -36 58 00	73.89 -36.75 04 55 32 -36 45 11	75.19 -36.49 05 00 45 -36 29 14		.238	4U 0457-35 XRS04574-357		(R)	
1H0459+230	74.75 23.04 04 59 00 23 02 15	179.37 -11.37 75.99 .33	75.73 23.02 05 02 54 23 01 04	73.81 22.83 04 55 13 22 49 57	73.78 23.05 04 55 06 23 03 04	75.70 23.24 05 02 48 23 14 12		.392			3C132?	
1H0459+248	74.83 24.81 04 59 18 24 48 50	177.96 -10.25 76.25 2.09	75.68 24.78 05 02 43 24 46 48	74.00 24.62 04 55 58 24 37 27	73.97 24.84 04 55 52 24 50 35	75.66 25.00 05 02 38 24 59 56		.339			3C133?	
1H0501+592	75.32 59.23 05 01 17 59 13 34	150.69 10.93 80.75 36.25	77.29 59.21 05 09 09 59 12 51	73.43 58.97 04 53 42 58 57 55	73.35 59.21 04 53 24 59 12 30	77.25 59.46 05 08 58 59 27 32		.492			12 Cam	
1H0502-755	75.74 -75.55 05 02 56 -75 33 06	287.56 -32.99 290.61 -79.94	76.58 -75.78 05 06 18 -75 46 34	74.64 -75.42 04 58 32 -75 25 11	74.92 -75.32 04 59 41 -75 19 27	76.86 -75.68 05 07 25 -75 40 42		.072	H 0541-742?		(R) STRO458-755?	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC			X-RAY	NON X-RAY
IH0504-290	76.17 -29.00 05 04 41 -29 00 07	230.89 -34.37 70.37 -51.51		77.75 -28.95 05 10 59 -28 56 53	74.64 -29.35 04 58 34 -29 21 15	74.59 -29.04 05 10 45 -28 37 56	77.69 -28.63 05 10 45 -28 37 56		.877	.0026 .0006			
IH0505-386	76.37 -38.60 05 05 29 -38 36 08	242.45 -36.15 67.68 -61.00		77.67 -38.48 05 10 40 -38 28 35	75.16 -38.99 05 00 38 -38 59 08	75.08 -38.71 05 10 17 -38 12 23	77.57 -38.21 05 10 17 -38 12 23		.566	.0032 .0009			
IH0506-039	76.55 -3.94 05 06 11 -03 56 30	204.27 -24.57 74.94 -26.69		77.55 -3.92 05 10 12 -03 55 04	75.56 -4.13 05 10 12 -04 07 30	75.54 -3.96 05 02 10 -03 57 50	77.54 -3.76 05 10 08 -03 45 25		.324	.0035 .0005	4U 0506-03	XRS05065-034	
IH0507-459	76.94 -45.99 05 07 44 -45 59 17	251.62 -36.49 64.87 -68.30		77.67 -45.98 05 10 40 -45 58 47	76.26 -46.19 05 05 02 -46 11 16	76.20 -45.99 05 04 48 -45 59 30	77.61 -45.78 05 10 25 -45 47 03		.200	.0046 .0006	(IM)0510-44? 3U 0510-44	H 0517-456 Pic A (R)	
IH0509+166	77.33 16.69 05 09 19 16 41 26	186.10 -13.07 77.80 -6.22		77.78 16.68 05 11 07 16 40 36	76.89 16.60 05 07 32 16 36 14	76.88 16.70 05 07 30 16 42 12	77.77 16.78 05 11 05 16 46 35		.086	.0082 .0006	4U 0517+17 XRS05175+175	H 0509+167	
IH0510+031	77.51 3.14 05 10 03 03 08 13	198.13 -20.23 76.74 -19.74		78.09 3.09 05 12 22 03 05 32	76.96 2.96 05 07 49 02 57 47	76.93 3.18 05 07 43 03 10 54	78.07 3.31 05 12 16 03 18 39		.251	.0065 .0010	4U 0509+01		
IH0512-401	78.12 -40.10 05 12 27 -40 06 04	244.51 -35.04 69.90 -62.72		78.12 -40.10 05 12 27 -40 06 04		.000	.0150 .0004	2S 0512-400 4U 0513-40 CGS0512-401	2A 0512-399 1M 0513-40 XRS05124-400 NGC1851 (R)				
IH0513-518	78.30 -51.88 05 13 12 -51 52 50	258.95 -35.77 62.61 -74.21		79.56 -51.97 05 18 13 -51 57 56	77.10 -52.12 05 08 23 -52 07 16	77.05 -51.78 05 08 12 -51 46 56	79.49 -51.63 05 17 58 -51 37 40		.517	.0023 .0004			
IH0513+717	78.27 71.75 05 13 04 71 45 14	140.60 18.91 84.48 48.53		81.47 71.80 05 25 52 71 47 42	75.15 71.55 05 00 36 71 33 06	75.09 71.66 05 00 21 71 39 36	81.44 71.90 05 25 46 71 54 17		.220	.0041 .0004			
IH0515-488	78.84 -48.85 05 15 22 -48 50 51	255.23 -35.35 66.49 -71.38		79.85 -48.89 05 19 23 -48 53 11	77.87 -49.03 05 11 29 -49 01 58	77.84 -48.80 05 11 21 -48 47 59	79.81 -48.65 05 19 13 -48 39 15		.306	.0036 .0006			

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0515-363	78.97 -36.36 05 15 52 -36 21 24	240.18 -33.74 72.52 -59.13	80.08 -36.38 05 20 20 -36 22 41	77.88 -36.56 05 11 31 -36 33 51	77.85 -36.33 05 11 25 -36 19 30	80.05 -36.14 05 20 11 -36 08 23	.427	.0030 .0005		PKS0521-365 (R)		
1H0516+063	79.03 6.32 05 16 07 06 19 01	196.07 -17.29 78.61 -16.70	80.04 6.35 05 20 08 06 20 50	78.03 6.19 05 12 07 06 11 21	78.02 6.28 05 12 05 06 17 05	80.03 6.44 05 20 07 06 26 35	.192	.0044 .0003	4U 0519+06 XRS05198+065	A539? (R)		
1H0520+121	80.07 12.12 05 20 16 12 06 55	191.52 -13.36 80.11 -10.99	81.39 12.03 05 25 32 12 01 59	78.78 11.85 05 15 06 11 51 08	78.75 12.19 05 15 00 12 11 29	81.36 12.37 05 25 27 12 22 20	.870	.0023 .0007				
1H0521-720	80.33 -72.01 05 21 18 -72 00 19	283.09 -32.69 297.67 -83.58	80.33 -72.01 05 21 18 -72 00 19	.000	.0579 .0004	2A 0521-720 4U 0520-72 1M 0521-72 CGS0521-720 XRS05213-719	(R)					
1H0521+373	80.30 37.33 05 21 11 37 19 42	170.53 .87 82.06 14.15	81.84 37.25 05 27 21 37 15 12	78.78 37.08 05 15 08 37 05 05	78.75 37.38 05 15 00 37 23 00	81.82 37.55 05 27 16 37 33 10	.732	.0025 .0006	4U 0515+38 XRS05150+384			
1H0522+283	80.70 28.31 05 22 49 28 18 51	178.16 -3.94 81.79 5.13	81.21 28.27 05 24 50 28 16 23	80.21 28.22 05 20 50 28 12 57	80.20 28.35 05 20 47 28 21 12	81.20 28.41 05 24 48 28 24 39	.122	.0056 .0005				
1H0523-118	80.99 -11.81 05 23 57 -11 48 37	214.15 -24.16 79.22 -34.92	81.66 -11.85 05 26 37 -11 51 07	80.33 -11.95 05 21 19 -11 56 49	80.32 -11.77 05 21 16 -11 46 02	81.64 -11.67 05 26 34 -11 40 21	.234	.0044 .0005				
1H0524-552	81.18 -55.20 05 24 43 -55 12 17	263.00 -34.06 65.34 -77.89	82.95 -55.09 05 31 47 -55 05 08	79.58 -55.67 05 18 19 -55 40 12	79.40 -55.30 05 17 36 -55 17 53	82.74 -54.72 05 30 57 -54 43 09	.772	.0022 .0007		STR0524-553		
1H0525+340	81.30 34.00 05 25 11 34 00 09	173.73 -33 82.66 10.78	82.51 33.99 05 30 01 33 59 16	80.10 33.87 05 20 24 33 51 55	80.09 34.01 05 20 21 34 00 18	82.50 34.13 05 29 59 34 07 40	.280	.0036 .0004				
1H0527-328	81.78 -32.81 05 27 07 -32 48 19	236.70 -30.68 77.62 -55.90	82.19 -32.82 05 28 45 -32 49 24	81.38 -32.89 05 25 31 -32 53 07	81.37 -32.79 05 25 29 -32 47 08	82.18 -32.72 05 28 42 -32 43 26	.068	.0067 .0004	2A 0526-328 XRS05269-328	TV Col (R)		

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	AREA		X-RAY	NON X-RAY				
IH0529+427	82.42 42.72 05 29 39 42 43 24	166.94 5.22 84.10 19.43	84.31 42.62 05 27 12 42 36 55	80.55 42.46 05 22 03 42 27 41	84.29 42.96 05 37 10 42 57 18	80.52 42.80 05 22 03 42 48 01	84.29 42.96 05 37 10 42 57 18	.942		VRO 42.05.21	
IH0530-054	82.66 -5.48 05 30 39 -05 28 30	208.80 -19.89 81.67 -28.71	83.67 -5.43 05 34 40 -05 25 56	81.66 -5.52 05 26 38 -05 32 53	83.67 -5.40 05 34 39 -05 24 01	81.66 -5.52 05 26 38 -05 30 58	83.67 -5.40 05 34 39 -05 24 01	.064	2A 0532-056 XRS05328-0566 6	M42 Orion Nebula (R)	
IH0531-070	82.76 -7.08 05 31 03 -07 04 48	210.37 -20.53 81.67 -30.32	83.77 -7.06 05 35 05 -07 03 31	81.76 -7.18 05 27 02 -07 10 30	83.77 -6.98 05 35 03 -06 58 58	81.75 -7.10 05 27 01 -07 05 56	83.77 -6.98 05 35 03 -06 58 58	.152		Iota Ori region (R)	
IH0531+219	82.88 21.98 05 31 30 21 58 54	184.56 -5.79 83.40 -1.30	82.88 21.98 05 31 30 21 58 54	.000	4U 0531+21 Tau X-1	Crab Nebula Crab Pulsar (R)					
IH0533+607	83.42 60.73 05 33 41 60 43 55	151.65 15.15 85.96 37.38	84.55 60.61 05 38 12 60 36 47	82.31 60.58 05 29 14 60 34 54	84.54 60.87 05 38 10 60 52 23	82.29 60.84 05 29 08 60 50 29	84.54 60.87 05 38 10 60 52 23	.286	4U 0541+60?		
IH0534-667	83.72 -66.70 05 34 52 -66 42 00	276.66 -32.29 353.76 -87.50	83.71 -67.70 05 34 50 -67 42 00	83.67 -65.70 05 34 40 -65 42 01	83.73 -67.70 05 34 54 -67 42 00	83.73 -65.70 05 34 53 -67 42 00	83.73 -67.70 05 34 53 -67 42 00	.048	2A 0532-664 LMC X-4	4U 0532-66 XRS05328-663 (R)	
IH0536+263	84.06 26.32 05 36 14 26 18 57	181.47 -2.54 84.67 2.98	84.40 26.29 05 37 35 26 17 15	83.73 26.26 05 34 54 26 15 49	84.39 26.37 05 37 34 26 22 03	83.72 26.34 05 34 53 26 20 36	84.39 26.37 05 37 34 26 22 03	.048	IS 0535+26 4U 0538+26 XRS05357+262	HDE245770 V725 Tau (R)	
IH0538-641	-64.11 05 38 51 -64 06 47	273.58 -32.06 45.46 -86.71	84.71 -64.11 05 38 51 -64 06 47	.000	2A 0539-642 IM 0539-64 CGS0538-641	4U 0538-64 LMC X-3 XRS05389-641 (R)					
IH0538-577	84.68 -57.78 05 38 42 -57 46 50	266.10 -32.16 71.80 -80.89	85.17 -57.77 05 40 41 -57 45 59	84.23 -57.89 05 36 54 -57 53 25	84.18 -57.79 05 36 43 -57 47 35	84.18 -57.79 05 36 43 -57 47 35	84.18 -57.79 05 36 43 -57 47 35	.052	H 0534-581		
IH0538+401	84.74 40.16 05 38 57 40 09 33	170.05 5.32 85.80 16.79	85.84 40.04 05 43 22 40 02 37	83.65 39.98 05 34 36 39 59 04	85.84 40.32 05 43 20 40 19 25	83.63 40.26 05 34 32 40 15 51	85.84 40.32 05 43 20 40 19 25	.470			

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		X-RAY	NON X-RAY
IH0539-226	84.77 -22.64 05 39 04 -22 38 28	226.68 -25.04 83.05 -45.96	84.11 -22.61 05 36 27 -22 40 14	84.09 -22.61 05 36 21 -22 36 31	85.42 -22.47 05 41 41 -22 28 19			.248	.0040 .0006		
IH0539+590	84.97 59.01 05 39 52 59 00 37	153.59 14.99 86.81 35.62	83.71 58.87 05 34 54 58 53 40	83.70 59.11 05 34 47 59 06 49	86.23 59.13 05 44 55 59 08 04			.312	.0059 .0011		
IH0540-697	85.04 -69.76 05 40 09 -69 45 30	280.19 -31.51 297.65 -86.30	85.04 -69.76 05 40 09 -69 45 30		.000	.0946 .0003	2A 0540-698 1M 0540-69 CGS0540-697	4U 0540-69 LMC X-1 (R)			
IH0541-258	85.41 -25.88 05 41 38 -25 53 03	230.27 -25.61 83.67 -49.23	84.22 -26.07 05 36 52 -26 04 07	84.20 -25.81 05 36 48 -25 48 32	86.60 -25.69 05 46 23 -25 41 24		.562	.0035 .0008	.0034 .0003	A548 (R)	
IH0542-407	85.75 -40.74 05 42 58 -40 44 33	246.48 -29.44 82.61 -64.08	86.37 -40.78 05 45 29 -40 46 32	85.12 -40.71 05 40 28 -40 46 32	86.36 -40.64 05 45 25 -40 38 09		.132	.0039 .0005			
IH0543-289	85.92 -28.93 05 43 40 -28 56 04	233.64 -26.18 84.15 -52.30	86.54 -29.01 05 46 09 -29 00 18	85.30 -28.86 05 41 11 -28 51 39	86.53 -28.83 05 46 07 -28 49 30		.194	.0041 .0005			
IH0543-205	85.83 -20.57 05 43 19 -20 34 19	224.96 -23.37 84.57 -43.94	85.15 -20.67 05 40 35 -20 40 20	85.14 -20.51 05 40 34 -20 30 44	86.51 -20.47 05 46 02 -20 28 08		.205	.0028 .0004			PKS0537-44?
IH0546-439	86.67 -43.98 05 46 41 -43 58 44	250.27 -29.41 83.77 -67.35	85.57 -44.14 05 42 17 -44 08 31	85.55 -43.94 05 42 12 -43 56 33	87.77 -43.81 05 51 03 -43 48 20		.320	.0018 .0004			(R)
IH0547-601	86.92 -60.17 05 47 41 -60 10 03	268.94 -31.06 76.43 -83.47	86.18 -60.31 05 44 42 -60 18 45	86.16 -60.05 05 44 38 -60 02 47	87.67 -60.02 05 50 39 -60 01 06		.200	.0037 .0004		4U 0559-57 XRS05598-571	
IH0547-575	86.89 -57.55 05 47 32 -57 32 47	265.88 -30.97 79.41 -80.88	85.05 -57.74 05 40 11 -57 44 19	85.02 -57.60 05 40 04 -57 35 58	88.70 -57.33 05 54 49 -57 19 39		.280				

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		X-RAY	NON X-RAY
1H0548-322	87.14 -32.23 05 48 32 -32 13 39	237.49 -26.18 85.71 -55.63		88.32 -32.22 05 53 16 -32 13 11	85.96 -32.29 05 43 48 -32 17 25	88.32 -32.22 05 43 48 -32 13 28	85.95 -32.22 05 43 48 -32 13 28	88.32 -32.15 05 53 15 -32 09 14	.132	.0080 .0004	4U 0543-31 XRS05438-316	PKS0548-322 (R)
1H0550+541	87.69 54.19 05 50 46 54 11 34	158.71 14.04 88.43 30.76		92.42 53.92 06 09 41 53 54 56	82.98 53.84 05 31 56 53 50 41	92.42 53.92 06 09 41 53 54 56	82.92 54.28 05 31 41 54 21 16	92.46 54.35 06 09 50 54 21 16	2.446	.0037 .0019		
1H0551-819	87.89 -81.93 05 51 33 -81 55 38	294.04 -29.11 271.12 -74.62		92.43 -82.01 06 09 42 -82 00 47	83.35 -82.01 05 33 24 -82 00 41	92.43 -82.01 06 09 42 -82 00 47	83.47 -81.79 05 33 53 -81 47 32	92.31 -81.79 06 09 14 -81 47 37	.277	.0032 .0006		
1H0551-074	87.84 -7.44 05 51 20 -07 26 31	213.08 -16.19 87.50 -30.87		88.29 -7.50 05 53 09 -07 30 02	87.38 -7.52 05 49 32 -07 31 23	88.29 -7.50 05 53 09 -07 30 02	87.38 -7.38 05 49 31 -07 22 59	88.29 -7.36 05 53 08 -07 21 38	.126	.0072 .0007	H 0550-075	NGC2110
1H0551+463	87.89 4 37 05 51 34 46 22 20	165.82 10.44 88.42 22.94		89.34 46.32 05 57 22 46 19 01	86.45 46.29 05 45 47 46 17 07	89.34 46.32 05 57 22 46 19 01	86.44 46.41 05 45 45 46 24 33	89.34 46.44 05 57 22 46 26 27	.248	.0078 .0008	2A 0551+446 1M 0600+46	4U 0558+46 XRS05512+466 (R)
1H0553-480	88.37 -48.08 05 53 29 -48 04 38	255.14 -28.99 86.58 -71.50		89.13 -48.09 05 56 31 -48 05 33	87.64 -48.22 05 50 34 -48 12 56	89.13 -48.09 05 56 31 -48 05 33	87.62 -48.06 05 50 28 -48 03 24	89.10 -47.93 05 56 24 -47 56 02	.160	.0047 .0005	4U 0553-48?	
1H0555-384	88.99 -38.49 05 55 58 -38 29 16	244.67 -26.47 88.32 -61.93		89.46 -38.52 05 57 49 -38 31 12	88.54 -38.55 05 54 08 -38 33 13	89.46 -38.52 05 57 49 -38 31 12	88.53 -38.45 05 54 07 -38 27 13	89.45 -38.42 05 57 47 -38 25 13	.072	.0070 .0006	4U 0557-38 XRS05570-381	(R)
1H0555+680	88.81 68.03 05 55 13 68 01 30	145.86 20.46 89.37 44.58		91.47 67.94 06 05 53 67 56 14	86.15 67.91 05 44 35 67 54 51	91.47 67.94 06 05 53 67 56 14	86.13 68.07 05 44 30 68 04 11	91.49 68.09 06 05 56 68 05 35	.312	.0041 .0005		
1H0556+286	89.23 28.67 05 56 54 28 40 08	181.84 2.59 89.32 5.23		90.37 28.60 06 01 27 28 35 48	88.09 28.59 05 52 21 28 35 09	90.37 28.60 06 01 27 28 35 48	88.09 28.73 05 52 20 28 43 54	90.37 28.74 06 01 27 28 44 33	.292	.0051 .0006	4U 0548+29 XRS05480+290	
1H0556+126	89.19 12.64 05 56 45 12 38 37	195.71 -5.45 89.19 -10.80		89.83 12.55 05 59 19 12 33 14	88.54 12.55 05 54 10 12 33 06	89.83 12.55 05 59 19 12 33 14	88.54 12.73 05 54 09 12 43 54	89.83 12.73 05 59 19 12 44 02	.227	.0075 .0009		(R)

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY						
1H0557-503	89.36 -50.30	257.76 -28.72	89.91 -50.33	88.82 -50.38	88.81 -50.28	89.90 -50.23	89.90 -50.23	89.90 -50.23	.070	.0060 .0005			
1H0606-351	91.55 -35.11	241.73 -23.55	92.04 -35.16	91.06 -35.21	91.05 -35.05	92.03 -35.00	92.03 -35.00	92.03 -35.00	.128	.0075 .0008			
1H0609-659	92.26 -65.96	275.73 -28.88	92.42 -66.09	91.92 -65.99	92.10 -65.84	92.60 -65.94	92.60 -65.94	92.60 -65.94	.037	.0043 .0003		STR0609-657?	
1H0610+091	92.69 9.17	200.44 -4.14	93.66 9.13	91.72 9.17	91.72 9.21	93.66 9.17	93.66 9.17	93.66 9.17	.077	.1804 .0504	2S 0614+091 1M 0614+09 XRS06143+091	V1055 Ori (R)	
1H0612+226	93.13 22.61	188.85 2.70	93.33 22.58	92.94 22.59	92.94 22.65	93.33 22.64	93.33 22.64	93.33 22.64	.022	.0376 .0021	4U 0617+23 XRS06137+224	1M 0614+22 IC443	
1H0613+479	93.47 47.94	166.15 14.53	94.54 47.79	92.40 47.84	92.40 48.09	94.55 48.04	94.55 48.04	94.55 48.04	.354	.0108 .0018	2A 0608+497 XRS06088+497	3C153? (R)	
1H0620-646	95.12 -64.64	274.35 -27.58	95.22 -64.88	94.70 -64.49	95.03 -64.41	95.56 -64.80	95.56 -64.80	95.56 -64.80	.075	.0043 .0004		SC 0620-646	
1H0623-539	95.79 -53.99	262.65 -25.53	97.45 -54.23	94.10 -53.87	94.15 -53.72	97.49 -54.08	97.49 -54.08	97.49 -54.08	.320	.0070 .0009	2A 0626-541 XRS06261-541	4U 0627-54 STR0627-544	
1H0627-563	96.87 -56.31	265.31 -25.41	97.69 -56.56	95.94 -56.29	96.06 -56.05	97.80 -56.32	97.80 -56.32	97.80 -56.32	.243	.0045 .0007	(1M)0624-55?	(R) STR0631-562?	
1H0628-609	97.03 -60.92	270.36 -26.20	97.46 -61.14	96.43 -60.86	96.60 -60.71	97.63 -60.98	97.63 -60.98	97.63 -60.98	.101	.0032 .0004			

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		AREA	X-RAY
IH0633-752	98.40 -75.21 06 33 36 -75 12 49	286.33 -27.40 256.31 -80.94		99.65 -75.15 06 38 37 -75 08 47	97.35 -75.40 06 29 23 -75 24 11	97.14 -75.27 06 28 32 -75 16 25	99.43 -75.02 06 37 42 -75 01 09		.0032 .0003	.090		PKS0637-75? (R)
IH0633+049	98.28 5.00 06 33 06 04 59 49	206.73 -1.21 98.68 -18.20		99.20 4.82 06 36 48 04 48 54	97.34 4.92 06 29 20 04 55 04	97.35 5.18 06 29 24 05 10 39	99.22 5.07 06 36 51 05 04 28		.0061 .0011	.484		3C163 NGC2337
IH0635-431	98.87 -43.16 06 35 27 -43 09 44	251.90 -20.67 106.12 -66.11		99.62 -43.31 06 38 29 -43 18 36	98.08 -43.18 06 32 20 -43 10 48	98.11 -43.01 06 32 27 -43 00 33	99.65 -43.14 06 38 35 -43 08 21		.0047 .0006	.194		
IH0635-292	98.87 -29.24 06 35 28 -29 14 29	238.21 -15.69 102.71 -52.30		100.00 -29.44 06 39 59 -29 26 12	97.72 -29.24 06 30 52 -29 14 09	97.74 -29.04 06 30 58 -29 02 13	100.02 -29.24 06 40 04 -29 14 14		.0046 .0007	.400	4U 0628-28? XRS06288-284	
IH0636-403	99.03 -40.39 06 36 06 -40 23 07	249.15 -19.65 105.45 -63.35		100.30 -40.68 06 41 12 -40 40 36	97.70 -40.40 06 30 46 -40 23 52	97.76 -40.08 06 31 02 -40 04 47	100.35 -40.36 06 41 25 -40 21 26		.0033 .0009	.644		
IH0637-387	99.30 -38.77 06 37 12 -38 46 02	247.62 -18.89 105.43 -61.72		100.55 -39.04 06 42 12 -39 02 31	98.01 -38.77 06 32 01 -38 46 12	98.06 -38.48 06 32 15 -38 28 46	100.60 -38.75 06 42 23 -38 45 01		.0033 .0008	.588	4U0627-38	
IH0637+535	99.49 53.53 06 37 56 53 31 31	162.24 20.16 96.52 30.29		101.14 53.29 06 44 32 53 17 25	97.79 53.44 06 31 10 53 26 30	97.82 53.74 06 31 16 53 44 14	101.19 53.58 06 44 44 53 35 05		.0031 .0010	.592	H 0643+534	Anon 0637+53 (R)
IH0641-418	100.45 -41.85 06 41 48 -41 51 02	251.00 -19.13 108.38 -64.63		101.75 -42.14 06 47 00 -42 08 20	99.10 -41.80 06 36 24 -41 48 05	99.16 -41.55 06 36 39 -41 52 52	101.80 -41.88 06 47 13 -41 53 02		.0032 .0007	.516		
IH0641+741	100.35 74.14 06 41 23 74 08 19	140.66 25.76 94.46 50.85		103.91 73.93 06 55 38 73 55 56	96.68 74.16 06 26 42 74 09 26	96.70 74.29 06 26 48 74 17 06	103.99 74.06 06 55 58 74 03 30		.0050 .0005	.256	4U 0638+74 XRS06384+472	
IH0645-633	101.30 -63.37 06 45 13 -63 22 20	273.44 -24.71 151.59 -84.27		101.52 -63.64 06 46 03 -63 38 14	100.80 -63.20 06 43 13 -63 12 12	101.10 -63.11 06 44 23 -63 06 25	101.81 -63.54 06 47 14 -63 32 21		.0039 .0004	.088		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0646+152	101.57 15.27 06 46 16 15 16 25	199.08 6.38 101.26 -7.72	102.59 15.06 06 50 21 15 03 26	100.53 15.22 06 42 06 15 13 05	100.55 15.49 06 42 11 15 29 07	102.37 15.32 06 50 27 15 19 27			.536	.0036 .0008		
1H0646+250	101.65 25.07 06 46 35 25 04 13	190.21 10.75 100.54 2.05	102.35 24.91 06 49 24 24 54 22	100.92 25.01 06 43 41 25 00 42	100.94 25.23 06 43 46 25 13 52	102.37 25.13 06 49 29 25 07 31			.286	.0072 .0011		
1H0655+375	103.75 37.60 06 55 01 37 35 42	179.11 17.41 101.23 14.68	104.99 37.36 06 59 57 37 21 30	102.48 37.55 06 49 55 37 33 13	102.51 37.82 06 50 02 37 49 07	105.03 37.62 07 00 06 37 37 21			.532	.0034 .0007		
1H0656-525	104.13 -52.57 06 56 30 -52 34 06	262.61 -20.35 123.42 -74.37	105.81 -53.18 07 03 15 -53 10 45	102.28 -52.20 06 49 07 -52 12 09	102.49 -51.93 06 49 57 -51 56 04	106.01 -52.91 07 04 01 -52 54 18		.701		.0021 .0006		
1H0658+595	104.57 59.52 06 58 17 59 31 12	156.85 24.51 99.14 36.54	106.47 59.21 07 05 52 59 12 29	102.58 59.46 06 50 18 59 27 21	102.64 59.80 06 50 34 59 48 15	106.57 59.55 07 06 17 59 33 13		.700		.0023 .0007		
1H0659-494	104.93 -49.44 06 59 42 -49 26 19	259.67 -18.82 121.42 -71.26	105.97 -49.77 07 03 53 -49 45 59	103.78 -49.33 06 55 07 -49 19 55	103.89 -49.10 06 55 34 -49 06 05	106.08 -49.53 07 04 18 -49 32 02		.360	4U 0708-49	.0048 .0008	XRS07084-492	
1H0659+453	104.87 45.34 06 59 27 45 20 37	171.70 20.84 101.25 22.48	106.27 45.16 07 05 03 45 09 40	103.44 45.38 06 53 45 45 22 54	103.46 45.51 06 53 49 45 30 33	106.29 45.29 07 05 09 45 17 17		.256	2A 0710+456	.0071 .0008	XRS07107+456 (R)	
1H0703+508	105.83 50.85 07 03 18 50 50 54	166.23 23.07 101.25 28.02	107.38 50.65 07 09 31 50 39 13	104.24 50.90 06 56 57 50 53 57	104.26 51.02 06 57 02 51 01 21	107.41 50.78 07 09 37 50 46 35		.248		.0071 .0007	NGC2321	
1H0705-812	106.39 -81.23 07 05 33 -81 14 03	293.23 -26.43 260.58 -74.77	110.77 -80.99 07 23 05 -80 59 22	102.54 -81.67 06 50 08 -81 40 12	101.79 -81.43 06 47 09 -81 25 32	109.87 -80.76 07 19 28 -80 45 47		.379		.0029 .0007		
1H0706-567	106.74 -56.78 07 06 58 -56 47 00	267.39 -20.30 136.76 -77.49	107.15 -56.97 07 08 35 -56 58 24	106.24 -56.69 07 04 57 -56 41 12	106.34 -56.59 07 05 21 -56 35 30	107.25 -56.88 07 08 59 -56 52 39		.063	2A 0700-563	.0055 .0004	H 0700-563	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H0707+443	106.91 44.32 07 07 38 44 19 09	173.23 21.91 102.94 21.63	108.38 44.05 07 13 30 44 02 44	105.39 44.32 07 01 33 44 18 55	105.43 44.57 07 01 42 44 34 26	108.43 44.30 07 13 43 44 18 10			.562	.0060 .0011	RNGC2337?	
1H0709-360	107.43 -36.02 07 09 43 -36 01 18	247.60 -11.88 117.08 -57.84	108.62 -36.40 07 14 29 -36 23 51	106.16 -35.95 07 04 38 -35 56 42	106.25 -35.63 07 05 00 -35 38 02	108.71 -36.08 07 14 49 -36 05 05		.653	.0038 .0009	2A 0708-357 (1M)0657-35 XRS07080-357		
1H0711+183	107.85 18.37 07 11 23 18 22 17	198.90 13.13 106.95 -4.03	108.88 18.19 07 15 32 18 11 24	106.79 18.43 07 07 10 18 26 03	106.81 18.55 07 07 13 18 32 51	108.90 18.30 07 15 35 18 18 11		.228	.0091 .0008			
1H0712+558	108.11 55.82 07 12 25 55 49 16	161.28 25.57 102.03 33.13	109.43 55.62 07 17 43 55 37 00	106.73 55.83 07 06 54 55 49 56	106.76 56.01 07 07 03 56 00 39	109.48 55.79 07 17 56 55 47 40		.277	.0074 .0008	4U 0720+55 XRS07202+558 A576? Mkn 85? (R)		
1H0713-112	108.32 -11.27 07 13 17 -11 16 16	225.78 .12 111.66 -33.35	108.85 -11.43 07 15 23 -11 25 30	107.78 -11.27 07 11 06 -11 16 28	107.80 -11.12 07 11 11 -11 06 57	108.87 -11.27 07 15 28 -11 15 59		.170	.0068 .0008	H 0712-113		
1H0714-390	108.58 -39.09 07 14 19 -39 05 07	250.83 -12.36 120.25 -60.59	109.79 -39.48 07 19 08 -39 28 49	107.29 -38.96 07 09 09 -38 57 46	107.39 -38.68 07 09 34 -38 40 41	109.88 -39.19 07 19 30 -39 11 36		.592	.0031 .0007	4U 0711-38 XRS07113-384		
1H0717+714	109.39 71.43 07 17 33 71 25 55	143.99 28.12 99.20 48.61	112.35 71.11 07 29 24 71 06 21	106.23 71.50 07 04 55 71 30 10	106.33 71.71 07 05 19 71 42 37	112.51 71.31 07 30 02 71 18 33		.420	.0030 .0005	1E 0716+71 (R)		
1H0723-749	110.91 -74.94 07 23 37 -74 56 40	286.65 -24.19 240.16 -79.26	112.99 -74.59 07 31 58 -74 35 35	109.34 -75.46 07 17 21 -75 27 30	108.72 -75.28 07 14 53 -75 16 33	112.37 -74.42 07 29 28 -74 25 13		.307	.0029 .0005			
1H0725-132	111.37 -13.21 07 25 28 -13 12 38	228.91 1.82 115.59 -34.78	112.19 -13.52 07 28 45 -13 31 01	110.49 -13.20 07 21 58 -13 11 44	110.55 -12.90 07 22 12 -12 54 05	112.25 -13.22 07 28 59 -13 13 20		.504	.0056 .0011			
1H0726-377	111.74 -37.71 07 26 57 -37 42 29	250.70 -9.54 124.22 -58.60	112.91 -38.13 07 31 37 -38 07 52	110.48 -37.56 07 21 54 -37 33 52	110.59 -37.27 07 22 21 -37 16 26	113.01 -37.84 07 32 02 -37 50 18		.608	.0025 .0006	4U 0729-37 XRS07290-379		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC		AREA	X-RAY					
1H0726-259	111.57 -25.99 07 26 16 -25 59 38	240.21 -4.15 119.15 -47.28		112.64 -26.27 07 30 34 -26 16 26	110.47 -25.84 07 21 52 -25 50 32	111.09 31.41 07 24 21 31 24 40	111.13 31.97 07 24 31 31 58 05	113.46 31.66 07 33 49 31 39 42	112.67 -26.14 07 30 41 -26 08 13	.280	4U 0728-25 XRS07283-258	(R)
1H0729+316	112.27 31.69 07 29 05 31 41 41	187.57 21.92 109.10 9.71		113.41 31.41 07 33 37 31 24 40	111.09 31.72 07 24 21 31 43 00	111.13 31.97 07 24 31 31 58 05	113.46 31.66 07 33 49 31 39 42	113.46 31.66 07 33 49 31 39 42	.508	.0036 .0007	A586 YY Gem?	(R)
1H0735-438	113.81 -43.83 07 35 14 -43 49 34	256.95 -10.97 131.43 -63.89		115.26 -44.33 07 41 02 -44 20 04	112.24 -43.59 07 28 57 -43 35 23	112.39 -43.30 07 29 32 -43 18 00	115.39 -44.04 07 41 34 -44 02 28	115.39 -44.04 07 41 34 -44 02 28	.708	.0030 .0007		
1H0735-372	113.90 -37.23 07 35 35 -37 13 46	251.08 -7.80 127.06 -57.64		115.01 -37.76 07 40 02 -37 45 36	112.61 -37.16 07 30 25 -37 09 21	112.80 -36.69 07 31 12 -36 41 19	115.19 -37.29 07 40 45 -37 17 20	115.19 -37.29 07 40 45 -37 17 20	.984	.0013 .0005		
1H0737-668	114.41 -66.84 07 37 39 -66 50 20	278.77 -20.46 192.90 -80.40		114.49 -67.85 07 37 56 -67 50 54	113.67 -65.87 07 34 39 -65 52 28	114.35 -65.83 07 37 23 -65 49 45	115.22 -67.80 07 40 53 -67 47 58	115.22 -67.80 07 40 53 -67 47 58	.564	.0030 .0006		
1H0738-075	114.66 -7.52 07 38 37 -07 31 04	225.47 7.40 118.10 -28.59		115.45 -7.81 07 41 48 -07 48 35	113.86 -7.50 07 35 13 -07 29 58	113.86 -7.22 07 35 26 -07 13 28	115.50 -7.53 07 42 00 -07 32 04	115.50 -7.53 07 42 00 -07 32 04	.465	.0046 .0009		
1H0739-529	114.87 -52.98 07 39 27 -52 58 51	265.63 -14.52 144.07 -71.78		116.20 -53.59 07 44 48 -53 35 20	113.39 -52.52 07 33 34 -52 31 01	113.57 -52.36 07 34 15 -52 21 30	116.37 -53.43 07 45 28 -53 25 35	116.37 -53.43 07 45 28 -53 25 35	.380	.0037 .0006		
1H0739+151	114.86 15.13 07 39 27 15 07 45	204.86 17.90 114.10 -6.26		115.47 14.94 07 41 52 14 56 06	114.23 15.14 07 36 54 15 08 40	114.26 15.32 07 37 01 15 19 19	115.50 15.11 07 42 00 15 06 44	115.50 15.11 07 42 00 15 06 44	.220	.0071 .0009		
1H0741+651	115.44 65.18 07 41 45 65 10 59	151.21 30.18 104.27 42.99		117.68 64.86 07 50 44 64 51 21	113.06 65.32 07 32 15 65 19 17	113.14 65.48 07 32 33 65 28 34	117.78 65.01 07 51 08 65 00 29	117.78 65.01 07 51 08 65 00 29	.316	.0040 .0005	Mkn 78	(R)
1H0741+289	115.38 28.97 07 41 31 28 58 04	191.33 23.54 112.22 7.46		116.31 28.71 07 45 13 28 42 50	114.41 29.00 07 37 39 28 59 54	114.46 29.22 07 37 49 29 12 56	116.35 28.93 07 45 23 28 55 50	116.35 28.93 07 45 23 28 55 50	.370	.0058 .0008	Sigma Gem	(R)

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	X-RAY		NON X-RAY	
1H0742-566	115.54 -56.64 07 42 10 -56 38 36	269.21 -15.79 152.62 -74.51	116.86 -57.35 07 37 06 -56 03 34	114.07 -56.06 07 37 06 -56 03 34	114.28 -55.93 07 37 06 -55 55 37	117.06 -57.21 07 48 14 -57 12 34	.352	.0041 .0006	4U 0718-54 XRS07183-546			
1H0743+037	115.86 3.71 07 43 25 03 42 42	215.98 13.78 117.12 -17.33	118.51 3.06 07 54 03 03 03 32	113.14 4.07 07 32 34 04 04 19	113.20 4.36 07 32 46 04 21 25	118.57 3.34 07 54 16 03 20 36	1.582	.0068 .0039	XRS07394+036	YZ CMi (R)		
1H0743+184	115.92 18.49 07 43 40 18 29 16	202.04 20.18 114.52 -2.78	117.57 18.04 07 50 17 18 02 31	114.21 18.63 07 36 49 18 37 48	114.26 18.92 07 37 02 18 55 10	117.63 18.33 07 50 31 18 19 49	.954	.0050 .0015		(R)		
1H0744+499	116.06 49.93 07 44 14 9 55 34	168.77 29.25 108.71 28.16	117.81 49.57 07 51 14 49 34 29	114.23 50.05 07 36 54 50 03 14	114.28 50.25 07 37 08 50 15 02	117.88 49.77 07 51 31 49 46 10	.472	.0038 .0007	2A 0738+498 XRS07380+498	Mkn 79 (R)		
1H0745-191	116.28 -19.17 07 45 07 -19 10 10	236.42 2.99 122.90 -39.66	117.62 -19.60 07 50 29 -19 35 45	114.88 -18.99 07 39 31 -18 59 09	114.94 -18.73 07 39 46 -18 44 00	117.68 -19.34 07 50 44 -19 20 32	.692	.0076 .0022	4U 0739-19 XRS07390-199	PKS0745-19 (R)		
1H0748-297	117.02 -29.76 07 48 05 -29 45 39	245.88 -1.83 127.61 -49.74	118.14 -30.26 07 52 32 -30 15 40	115.80 -29.56 07 43 11 -29 33 21	115.92 -29.25 07 43 41 -29 15 03	118.26 -29.95 07 53 01 -29 57 15	.695	.0045 .0011	4U 0742-28 XRS07426-286			
1H0749-600	117.35 -60.07 07 49 24 -60 04 05	272.85 -16.46 164.92 -76.27	118.43 -61.06 07 53 43 -61 03 33	115.89 -59.22 07 43 33 -59 13 14	116.33 -59.07 07 45 19 -59 04 07	118.89 -60.90 07 55 33 -60 53 55	.612	.0038 .0011				
1H0749-554	117.33 -55.40 07 49 20 -55 24 15	268.54 -14.34 152.59 -72.92	118.65 -56.08 07 54 37 -56 04 41	115.89 -54.83 07 43 34 -54 49 56	116.06 -54.72 07 44 14 -54 43 00	118.82 -55.96 07 55 16 -55 57 32	.300	.0049 .0006				
1H0753+456	118.26 45.62 07 53 02 45 36 58	173.93 30.01 111.30 24.24	119.41 45.33 07 57 39 45 20 01	117.04 45.67 07 48 09 45 40 29	117.10 45.89 07 48 23 45 53 13	119.48 45.54 07 57 55 45 32 40	.367	.0062 .0009				
1H0754-438	118.56 -43.85 07 54 15 -43 50 45	258.66 -7.99 138.46 -62.57	119.78 -44.34 07 59 07 -44 20 33	117.25 -43.52 07 49 00 -43 30 56	117.37 -43.34 07 49 28 -43 20 12	119.89 -44.16 07 59 33 -44 09 40	.396	.0037 .0006				

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	AREA		X-RAY	NON X-RAY					
1H0755-218	118.89 -21.85	239.98 3.71	119.66 -22.15	118.05 -21.54	118.11 -21.54	119.72 -21.94	119.72 -21.94	119.72 -21.94	.325	.0047 .0007		
1H0757-384	119.44 -38.41	254.32 -4.61	120.47 -38.86	118.29 -38.19	118.42 -37.96	120.59 -38.62	120.59 -38.62	120.59 -38.62	.473	.0046 .0008		
1H0758+762	119.68 76.24	138.30 30.68	122.64 75.87	116.33 76.39	116.56 76.58	122.95 76.05	122.95 76.05	122.95 76.05	.320	.0042 .0006		
1H0759-490	119.81 -49.02	263.61 -9.89	120.50 -49.38	119.00 -48.81	119.14 -48.66	120.63 -49.22	120.63 -49.22	120.63 -49.22	.202	.0063 .0008	4U 0750-49	XRS07574-484
1H0801+213	120.30 21.35	200.87 25.07	121.30 20.91	119.20 21.31	119.30 21.78	121.41 21.38	121.41 21.38	121.41 21.38	.964	.0019 .0008		(R)
1H0802-469	120.72 -46.94	262.12 -8.29	121.97 -47.48	119.39 -46.52	119.50 -46.38	122.08 -47.33	122.08 -47.33	122.08 -47.33	.324	.0065 .0009	1E08083-4275	
1H0806-545	08 02 52 -46 56 10	144.60 -64.67	08 07 51 -47 28 32	07 57 32 -46 31 28	07 58 00 -46 22 59	08 08 18 -47 19 54	08 08 18 -47 19 54	08 08 18 -47 19 54	.413	.0048 .0009	3U 0804-53	
1H0809+796	122.42 79.67	134.27 30.51	126.38 79.13	117.46 79.86	118.05 80.14	127.16 79.40	127.16 79.40	127.16 79.40	.534	.0031 .0007		
1H0811+625	122.87 62.59	154.12 33.54	124.05 62.33	121.56 62.68	121.67 62.85	124.17 62.50	124.17 62.50	124.17 62.50	.216	.0046 .0006		SU UMa
1H0814-073	08 11 28 62 35 37	109.44 41.35	08 16 11 62 19 31	08 06 15 62 40 44	08 06 15 62 51 07	08 16 40 62 29 46	08 16 40 62 29 46	08 16 40 62 29 46	.174	.0085 .0009	2A 0815-075	XRS08152-075
	123.56 -7.37	229.85 15.12	124.06 -7.58	123.01 -7.32	123.05 -7.16	124.10 -7.43	124.10 -7.43	124.10 -7.43				A644
	08 14 13 -07 22 25	127.78 -26.52	08 16 15 -07 35 02	08 12 02 -07 19 10	08 12 02 -07 09 45	08 16 24 -07 25 36	08 16 24 -07 25 36	08 16 24 -07 25 36				(R)

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	X-RAY			NON X-RAY	
1H0815-571	123.93 -57.10	271.93 -12.02		124.61 -57.55	123.10 -56.73	123.26 -56.65	124.77 -57.46	.142	.0077 .0009	4U 0814-56 XRS08142-567	A 0813-57?		
1H0816+017	124.03 1.76	221.78 20.08		124.94 1.29	123.00 1.76	123.11 2.22	125.05 1.76	.956	.0015 .0006			A653 PKS0812+02	
1H0820-426	125.02 -42.65	260.20 -3.39		126.23 -43.10	123.80 -42.20	123.82 -42.18	126.24 -43.08	.040	.3490 .0023	4U 0821-42	XRS08215-427	Pup A	
1H0822+042	125.70 4.28	220.25 22.75		126.68 3.91	124.66 4.41	124.72 4.65	126.74 4.15	.519	.0052 .0010				
1H0823+301	08 22 48 04 16 47	126.99 -14.70		08 26 43 03 54 24	08 18 38 04 24 33	08 18 52 04 39 06	08 26 58 04 08 57	.396	.0039 .0008				
1H0823+561	125.93 56.10	161.86 35.51		127.26 55.71	124.44 56.23	124.58 56.48	127.41 55.95	.432	.0045 .0008			A652	
1H0824-641	126.11 -64.13	278.61 -14.92		126.71 -64.70	124.87 -63.82	125.54 -63.56	127.38 -64.43	.470	.0036 .0006				
1H0827+089	08 24 26 -64 07 59	187.68 -74.96		08 26 49 -64 42 11	08 19 29 -63 49 26	08 22 09 -63 33 39	08 29 30 -64 25 54	.272	.0063 .0009				
1H0828-706	127.07 -70.65	284.55 -18.10		126.84 -71.21	126.80 -70.09	127.29 -70.08	127.35 -71.21	.185	.0048 .0006				
1H0832+488	08 28 16 -70 38 55	213.63 -76.12		08 27 21 -71 12 49	08 27 13 -70 05 09	08 29 08 -70 05 00	08 29 23 -71 12 40	.256	.0051 .0007				

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY						
1H0833+153	128.38 15.32	210.42 29.91	129.36 14.96	127.35 15.45	127.41 15.67	127.41 15.18	129.42 15.18	129.42 15.18	.452	.0034 .0007	A689 (R)		
1H0833+654	128.45 65.42	150.31 35.56	129.85 65.08	126.83 65.52	127.00 65.30	130.06 65.30	130.06 65.30	130.06 65.30	.322	.0047 .0008	Pi(1) UMa (R)		
1H0834-793	128.55 -79.34	292.67 -22.30	131.77 -78.45	126.40 -80.35	124.78 -80.19	130.34 -78.31	130.34 -78.31	130.34 -78.31	.685	.0013 .0005			
1H0835+412	128.99 41.27	180.35 37.14	130.86 40.63	126.94 41.51	127.08 41.89	131.02 41.01	131.02 41.01	131.02 41.01	1.222	.0028 .0010			
1H0839-558	129.86 -55.89	272.83 -8.64	130.54 -56.36	129.00 -55.54	129.20 -55.42	130.75 -56.24	130.75 -56.24	130.75 -56.24	.199	.0042 .0005			
1H0845+361	131.27 36.12	187.10 38.26	132.40 35.69	130.02 36.24	130.13 36.54	132.51 35.99	132.51 35.99	132.51 35.99	.632	.0022 .0006			
1H0846-534	131.74 -53.43	271.55 -6.27	132.11 -53.68	131.27 -53.25	131.37 -53.18	132.21 -53.61	132.21 -53.61	132.21 -53.61	.061	.0090 .0006	H 0844-531		
1H0846+519	131.72 51.90	166.86 39.17	133.09 51.30	130.03 51.93	130.31 52.49	133.41 51.86	133.41 51.86	133.41 51.86	1.184	.0011 .0006	2A 0859+509? XRS08590+509 0846+51W1?		
1H0849+578	132.41 57.89	159.15 38.82	133.97 57.27	130.46 57.95	130.80 58.49	134.35 57.80	134.35 57.80	134.35 57.80	1.124	.0013 .0006	(R)		
1H0856+108	134.01 10.85	217.84 33.07	135.33 10.29	132.58 11.06	132.68 11.41	135.44 10.64	135.44 10.64	135.44 10.64	1.028	.0044 .0011			
	08 56 02 10 51 05	133.35 -6.22	09 01 19 10 17 19	08 50 20 11 03 21	08 50 44 11 24 30	09 01 44 10 38 25	09 01 44 10 38 25	09 01 44 10 38 25					

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC		X-RAY	NON X-RAY				
1H0857-242	134.49 -24.27	250.37 14.04	135.47 -24.74	133.42 -24.02	133.51 -23.80	135.56 -24.53	135.56 -24.53	.452	.0044 .0010		
1H0859-403	135.00 -40.36	263.03 3.89	136.15 -40.84	133.85 -39.89	133.86 -39.87	136.16 -40.82	136.16 -40.82	.044	.1770 .0013	4U 0900-40 GX263 + 3 XRS09002-403	Vela X-1 CGS0900-403 HD77581 GP Vel (R)
1H0900-482	135.12 -48.21	268.96 -1.26	136.31 -48.83	133.86 -47.68	133.95 -47.59	136.41 -48.73	136.41 -48.73	.224	.0155 .0014	4U 0900-48?	
1H0900-375	135.24 -37.51	261.02 5.93	136.31 -38.07	134.05 -37.16	134.20 -36.94	136.44 -37.85	136.44 -37.85	.492	.0040 .0007		PKS0902-38
1H0906-095	09 00 58 -37 30 32	154.38 -51.34	09 05 13 -38 03 58	08 56 13 -37 09 37	08 56 13 -36 56 32	09 05 46 -37 50 43	09 05 46 -37 50 43				(R)
1H0906-095	136.71 -9.56	239.43 24.77	136.99 -9.70	136.31 -9.51	136.43 -9.41	137.02 -9.61	137.02 -9.61	.061	.0161 .0011	2A 0906-095 XRS09062-095	4U 0900-09 A754 (R)
1H0908-326	137.05 -32.69	258.39 10.25	137.81 -32.16	136.16 -32.47	136.31 -32.22	137.95 -32.91	137.95 -32.91	.435	.0062 .0013		
1H0908-207	09 08 12 -32 41 36	153.20 -46.36	09 11 13 -33 09 36	09 04 38 -32 28 26	09 05 14 -32 13 19	09 11 48 -32 54 23	09 11 48 -32 54 23				
1H0908+289	137.03 -20.79	249.13 18.07	137.98 -21.28	135.98 -20.56	136.09 -20.30	138.08 -21.01	138.08 -21.01	.568	.0031 .0007		
1H0910-374	09 08 06 -20 47 21	147.05 -35.39	09 11 54 -21 16 35	09 03 54 -20 33 41	09 04 20 -20 17 49	09 12 20 -21 00 38	09 12 20 -21 00 38	.760	.0021 .0007		
1H0912+407	138.16 40.79	181.51 44.02	139.37 40.38	136.88 41.03	136.94 41.18	139.44 40.53	139.44 40.53	.308	.0066 .0009		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	X-RAY			NON X-RAY	
1H0917-121	139.28 -12.10 09 17 06 -12.06 09	243.35 25.23 145.89 -26.50	275.70	140.22 -12.50 09 20 52 -12 29 42	138.29 -11.82 09 13 10 -11 49 16	138.34 -11.71 09 13 20 -12 22 48	140.26 -12.38 09 21 02 -12 22 48		.244	.0087 .0009	A780 (R)		
1H0918-548	139.55 -54.87 09 18 13 -54 52 18	275.70 -3.83 177.77 -64.01	139.64	139.64 -54.94 09 18 34 -54 56 26	139.43 -54.82 09 17 42 -54 49 27	139.46 -54.80 09 17 51 -54 48 09	139.68 -54.92 09 18 43 -54 55 08		.005	.0317 .0006	4U 0919-54 CGS0918-549 XRS09189-549 (R)		
1H0919-312	139.86 -31.23 09 19 27 -31 13 56	258.96 12.99 155.39 -44.03	140.91	140.91 -31.69 09 23 37 -31 41 34	138.79 -30.85 09 15 08 -30 50 47	138.83 -30.76 09 15 19 -30 45 48	140.95 -31.61 09 23 48 -31 36 33		.184	.0100 .0008	4U 0923-31 XRS09233-314 (R)		
1H0920-629	140.16 -62.90 09 20 38 -62 54 05	281.64 -9.28 193.89 -68.88	140.54	140.54 -63.33 09 22 09 -63 19 43	139.53 -62.54 09 18 07 -62 32 36	139.79 -62.47 09 19 10 -62 28 23	140.81 -63.26 09 23 14 -63 15 23		.127	.0085 .0008	H 0921-631 3S 0921-630 (R)		
1H0921+449	140.25 44.95 09 21 01 44 57 15	175.57 45.40 128.01 27.92	141.50	141.50 44.47 09 26 00 44 28 28	138.86 45.17 09 15 25 45 09 55	138.98 45.42 09 15 56 45 25 12	141.64 44.73 09 26 33 44 43 34		.540	.0033 .0007			
1H0921+633	140.28 63.39 09 21 07 63 23 10	150.89 41.03 119.13 44.94	142.20	142.20 62.78 09 28 47 62 46 53	138.01 63.70 09 12 03 63 41 51	138.28 63.96 09 13 08 63 57 50	142.50 63.04 09 29 59 63 02 22		.611	.0034 .0007	3U 0917+63 XRS09177+634 A804? (R)		
1H0922-810	140.67 -81.03 09 22 41 -81 01 33	295.45 -21.62 248.24 -71.00	142.18	142.18 -80.57 09 28 42 -80 33 58	140.23 -81.54 09 20 54 -81 32 24	139.01 -81.48 09 16 02 -81 28 43	141.07 -80.51 09 24 17 -80 30 39		.194	.0057 .0008			
1H0926-362	141.50 -36.26 09 26 00 -36 15 45	263.59 10.41 160.37 -47.93	142.63	142.63 -36.84 09 30 31 -36 50 33	140.24 -35.93 09 20 56 -35 56 05	140.39 -35.67 09 21 34 -35 40 19	142.78 -36.58 09 31 07 -36 34 36		.623	.0043 .0009			
1H0927+501	141.77 50.12 09 27 04 50 07 13	168.06 45.67 126.96 33.10	143.14	143.14 49.64 09 32 34 49 38 40	140.25 50.39 09 21 00 50 23 21	140.37 50.58 09 21 28 50 34 47	143.27 49.83 09 33 03 49 49 56		.408	.0037 .0006	A793 (R)		
1H0929+122	142.45 12.20 09 29 48 12 12 15	220.83 41.10 140.86 -2.47	143.39	143.39 11.80 09 33 33 11 47 42	141.45 12.43 09 25 47 12 25 34	141.51 12.61 09 26 02 12 36 38	143.45 11.98 09 33 48 11 58 44		.388	.0038 .0006	A803? (R)		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC		AREA	X-RAY					
1H0932+107	143.11 10.79	222.89 41.05		144.03 10.36	142.10 10.99	142.18 11.22	144.11 10.58	142.18 10.58	144.11 10.58	.468		
1H0945+252	09 32 25 10 47 16	141.92 -3.61		09 36 08 10 21 24	09 28 43 10 59 39	09 28 43 11 12 58	09 36 26 10 34 42	09 28 43 11 12 58	09 36 26 10 34 42			
1H0946-309	146.63 -30.96	205.12 48.96		147.26 24.84	145.18 25.51	145.25 25.71	147.34 25.03	145.18 25.51	147.34 25.03	.416		
1H0946-144	09 45 02 25 16 39	140.01 11.06		09 49 01 24 50 21	09 40 42 25 30 46	09 41 00 25 42 33	09 49 20 25 02 03	09 40 42 25 30 46	09 49 20 25 02 03			
1H0947+169	146.63 -14.41	263.09 17.20		147.64 -31.47	145.55 -30.58	145.63 -30.46	147.72 -31.34	145.55 -30.46	147.72 -31.34	.284	2A 0946-310 XRS09459-306	MCG-5-23-16 (R)
1H0950+696	147.62 69.63	41.80 40.64		148.61 69.30	146.35 69.82	146.60 69.95	148.86 69.43	146.35 69.82	148.86 69.43	.149	2A 0943-140 XRS09433-140	NGC2992 (R)
1H0951+057	147.93 5.73	231.97 42.69		148.84 5.29	146.95 5.97	147.03 6.17	148.92 5.50	146.95 5.97	148.92 5.50	.432		NGC3041
1H0952-770	09 51 44 05 44 03	148.12 -6.81		09 55 22 05 17 32	09 47 48 05 58 17	09 48 06 06 10 28	09 55 39 05 29 43	09 47 48 06 10 28	09 55 39 05 29 43			
1H1000-600	148.20 -77.04	293.58 -17.78		148.60 -76.04	148.70 -78.04	147.74 -78.04	147.77 -76.04	148.60 -78.04	147.74 -78.04	.400	2A 0954+700 1M 0943+712	M82 (R)
1H1003+428	150.00 -60.05	283.33 -4.05		151.18 -60.87	148.62 -59.32	148.88 -59.22	151.44 -60.75	148.62 -59.32	148.88 -59.22	.340		
	10 00 00 -60 02 49	194.98 -63.41		10 04 42 -60 51 57	09 54 29 -59 19 27	09 55 31 -59 13 05	10 05 46 -60 45 17	09 54 29 -59 19 27	09 55 31 -59 13 05			
	150.94 42.86	177.09 53.31		152.14 42.38	149.64 43.17	149.72 43.32	152.23 42.52	149.64 43.17	149.72 43.32	.312		
	10 03 45 42 51 22	137.01 28.84		10 08 33 42 22 53	09 58 33 43 10 27	09 58 53 43 19 06	10 08 54 42 31 25	09 58 33 43 10 27	09 58 53 43 19 06			

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY						
1H1005-365	151.26 -36.51 10 05 03 -36 30 21	269.86 15.36 170.51 -44.39	152.31 -37.06 10 09 13 -37 03 40	150.13 -36.08 10 09 56 -36 05 02	150.24 -35.94 10 09 37 -36 55 02	150.44 -46.66 10 01 45 -46 23 52	150.16 -46.66 10 00 38 -46 39 36	153.21 -47.74 10 12 50 -47 44 09	.328	.0034 .0005			
1H1006-472	151.67 -47.21 10 06 40 -47 12 29	276.57 6.91 179.64 -53.28	152.93 -48.00 10 11 44 -48 00 17	150.16 -46.66 10 00 38 -46 39 36	150.44 -47.74 10 12 50 -47 44 09	150.16 -46.66 10 00 38 -46 39 36	153.21 -47.74 10 12 50 -47 44 09	.754	.0032 .0008				
1H1008-318	152.03 -31.84 10 08 07 -31 50 17	267.42 19.46 168.28 -39.98	153.03 -32.39 10 12 06 -32 23 07	150.93 -31.47 10 03 43 -31 28 02	151.05 -32.20 10 04 10 -32 11 58	151.05 -31.47 10 03 43 -31 28 02	153.14 -32.20 10 12 32 -32 11 58	.416	.0041 .0008				
1H1008+343	152.12 34.37 10 08 28 34 22 19	191.38 55.09 141.58 21.37	153.14 33.85 10 12 34 33 51 16	150.94 34.58 10 03 46 34 34 49	151.08 34.88 10 04 20 34 52 50	151.08 34.58 10 03 46 34 34 49	153.29 34.15 10 13 10 34 09 08	.631	.0047 .0014	3C236?	(R)		
1H1011-002	152.91 -21 10 11 39 -00 12 31	242.54 43.23 154.94 -10.63	154.47 -1.05 10 17 52 -01 03 08	151.20 .24 10 04 48 00 14 14	151.36 -.64 10 05 26 00 38 06	151.20 .24 10 04 48 00 14 14	154.62 -.65 10 18 29 -00 39 15	1.502	.0032 .0011	A954?	(R)		
1H1012-574	153.01 -57.50 10 12 02 -57 29 43	283.13 -1.07 193.15 -60.55	153.72 -57.98 10 14 53 -57 58 58	152.12 -57.11 10 08 29 -57 06 23	152.32 -57.00 10 09 17 -57 00 14	152.12 -57.11 10 08 29 -57 06 23	153.92 -57.88 10 15 40 -57 52 41	.181	.0088 .0010	RCW 48W	(R)		
1H1012-399	153.01 -39.92 10 12 01 -39 54 58	273.08 13.42 174.65 -46.65	154.03 -40.57 10 16 06 -40 34 01	151.79 -39.53 10 07 09 -39 31 55	152.01 -39.26 10 08 02 -40 17 15	151.79 -39.53 10 07 09 -39 31 55	154.24 -40.29 10 16 57 -40 17 15	.648	.0024 .0007	4U 1022-40 XRS10220-408			
1H1012-098	153.13 -9.86 10 12 30 -09 51 23	252.02 36.86 158.82 -19.53	154.43 -10.58 10 17 43 -10 34 56	151.69 -9.46 10 06 44 -09 27 39	151.83 -9.13 10 07 19 -09 07 31	151.69 -9.46 10 06 44 -09 27 39	154.57 -10.25 10 18 16 -10 14 44	1.064	.0045 .0013	A970? PKS1020-103?	(R)		
1H1013+498	153.43 49.85 10 13 43 49 50 56	165.10 52.92 135.40 35.91	154.50 49.38 10 17 58 49 22 31	152.19 50.10 10 08 44 50 05 56	152.34 50.31 10 09 22 50 18 46	152.19 50.10 10 08 44 50 05 56	154.66 49.59 10 18 38 49 35 09	.391	.0065 .0011	A950	(R)		
1H1017+226	154.46 22.67 10 17 50 22 39 58	212.34 55.56 148.10 11.26	155.43 22.21 10 21 42 22 12 35	153.41 22.94 10 13 38 22 56 29	153.48 23.12 10 13 56 23 07 00	153.41 22.94 10 13 38 22 56 29	155.50 22.38 10 22 00 22 23 03	.376	.0037 .0006				

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	X-RAY			NON X-RAY					
1H1017+202	154.38 20.24 10 17 30 20 14 37	216.34 54.76 148.92 8.98	155.00 19.92 10 19 59 19 55 19	153.69 20.40 10 14 44 20 24 10	153.75 20.56 10 15 00 20 33 48	157.45 20.08 10 15 00 20 04 54	155.06 20.08 10 15 00 20 04 54	157.45 20.08 10 15 00 20 04 54	.227	.0087 .0010	A 1021+198 H 1019+203	NGC3227 AD Leo? (R)	
1H1023+513	155.89 51.33 10 23 34 51 19 54	161.74 53.71 136.31 37.94	156.99 50.83 10 27 57 50 50 05	154.60 51.60 10 18 24 51 36 04	154.77 51.82 10 19 05 51 49 05	157.17 51.05 10 28 41 51 02 54	157.17 51.05 10 28 41 51 02 54	.407	.0043 .0007	H1028+512	A1004	(R)	
1H1027-351	156.92 -35.11 10 27 40 -35 06 48	272.95 19.13 175.04 -40.94	157.36 -35.40 10 29 25 -35 23 54	156.39 -34.97 10 25 33 -34 58 20	156.49 -34.83 10 25 57 -34 49 36	157.45 -35.25 10 29 48 -35 15 07	157.45 -35.25 10 29 48 -35 15 07	.149	.0076 .0008	NGC3267 NGC3268 NGC3271 STR1027-353			
1H1027+040	156.87 4.02 10 27 29 04 01 27	241.38 48.97 157.11 -5.25	157.76 3.54 10 31 02 03 32 34	155.90 4.28 10 23 35 04 16 39	155.99 4.50 10 23 56 04 30 16	157.85 3.77 10 31 24 03 46 10	157.85 3.77 10 31 24 03 46 10	.488	.0032 .0006				
1H1032-142	158.20 -14.25 10 32 47 -14 15 02	260.30 36.85 165.53 -21.66	159.14 -14.79 10 36 34 -14 47 20	157.15 -13.96 10 28 35 -13 57 21	157.26 -13.71 10 29 02 -13 42 30	159.25 -14.54 10 37 00 -14 32 25	159.25 -14.54 10 37 00 -14 32 25	.568	.0040 .0007				
1H1033-273	158.44 -27.30 10 33 44 -27 18 11	269.50 26.38 171.93 -33.42	158.67 -27.45 10 34 41 -27 27 04	158.16 -27.22 10 32 38 -27 13 28	158.20 -27.15 10 32 47 -27 09 17	158.71 -27.38 10 34 51 -27 22 53	158.71 -27.38 10 34 51 -27 22 53	.040	.0136 .0007	2A 1033-270 XRS10335-270	4U 1033-26	A1060 STR1034-272 (R)	
1H1039-073	159.85 -7.36 10 39 23 -07 7 22	256.20 43.20 164.25 -14.68	160.75 -7.81 10 42 59 -07 48 44	158.89 -7.04 10 35 33 -07 02 24	158.95 -6.90 10 35 47 -06 53 53	160.81 -7.67 10 43 13 -07 40 12	160.81 -7.67 10 43 13 -07 40 12	.308	.0058 .0007	2A 1041-079	XRS10413-079		
1H1041+395	160.34 39.59 10 41 20 39 35 07	179.99 60.93 145.89 28.78	161.42 39.01 10 45 39 39 00 49	159.07 39.87 10 36 17 39 52 00	159.24 40.15 10 36 57 40 08 49	161.59 39.29 10 46 21 39 17 25	161.59 39.29 10 46 21 39 17 25	.616	.0027 .0007		A1068?		
1H1043-641	160.89 -64.11 10 43 33 -64 06 46	289.82 -4.76 208.80 -61.92	161.87 -64.83 10 47 29 -64 49 39	159.56 -63.53 10 38 13 -63 31 31	159.95 -63.39 10 39 48 -63 31 30	162.28 -64.69 10 49 06 -64 41 16	162.28 -64.69 10 49 06 -64 41 16	.366	.0042 .0006				
1H1045-597	161.46 -59.71 10 45 50 -59 42 41	288.04 -7.3 202.34 -58.87	162.82 -60.45 10 51 15 -60 27 00	160.10 -58.99 10 40 24 -58 59 25	160.17 -58.96 10 40 40 -58 57 34	162.88 -60.42 10 51 31 -60 25 04	162.88 -60.42 10 51 31 -60 25 04	.092	.0258 .0010	A 1044-59 XRS10440-594	4U 1053-58	Eta Car G287.8-0.5 (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		X-RAY	NON X-RAY
1H1046+547	161.71 54.73 10 46 51 54 43 51	153.60 54.81 138.15 42.61		163.05 54.09 10 40 19 54 05 09	160.08 55.11 10 40 19 55 06 32	163.31 54.33 10 41 20 54 19 53	160.33 55.36 10 41 20 55 21 40	163.31 54.33 10 41 20 54 19 53	.580	.0025 .0006		
1H1051+607	162.76 60.72 10 51 03 60 42 58	145.60 51.21 134.22 47.95		164.37 60.10 10 57 27 60 06 10	161.00 61.24 10 43 59 61 14 09	164.47 60.17 10 57 52 60 10 27	161.00 61.31 10 44 23 61 18 35	164.47 60.17 10 57 52 60 10 27	.176	.0077 .0005	2A 1052+606 XRS10528+606	3U 1109+59 DM UMa (R)
1H1054-665	163.55 -66.56 10 54 12 -66 33 40	291.92 -6.46 214.45 -62.44		165.64 -67.94 11 02 33 -67 56 20	161.16 -65.30 10 44 37 -65 17 52	166.20 -67.78 11 04 47 -67 47 02	161.69 -65.16 10 46 44 -65 09 30	166.20 -67.78 11 04 47 -67 47 02	.834	.0064 .0017		
1H1055+299	163.82 29.92 10 55 17 29 55 16	200.42 64.99 153.23 21.20		164.94 29.29 10 59 44 29 17 40	162.54 30.24 10 50 10 30 14 06	165.10 29.60 11 00 23 29 35 43	162.70 30.54 10 50 47 30 32 19	165.10 29.60 11 00 23 29 35 43	.757	.0060 .0014		Mkn 36?
1H1058-762	164.51 -76.23 10 58 03 -76 13 56	296.41 -15.07 235.05 -66.40		163.71 -75.25 10 54 51 -75 14 52	166.19 -77.16 11 04 44 -77 09 34	165.43 -75.30 10 52 11 -75 17 43	165.43 -77.21 11 01 43 -77 12 50	165.05 -75.30 10 52 11 -75 17 43	.352	.0021 .0003	4U 1119-77 XRS11196-778	
1H1059+566	164.96 56.70 10 59 50 56 41 52	148.94 54.87 138.86 45.24		166.04 56.17 11 04 09 56 10 27	163.65 57.03 10 54 35 57 01 57	166.25 56.35 11 05 00 56 20 58	163.85 57.21 10 55 24 57 12 43	166.25 56.35 11 05 00 56 20 58	.333	.0051 .0007		A1132 (R)
1H1100-230	165.15 -23.04 11 00 36 -23 02 32	272.95 33.17 176.10 -26.93		166.04 -23.57 11 04 10 -23 33 55	164.15 -22.73 10 56 36 -22 43 54	166.15 -23.35 11 04 37 -23 20 47	164.27 -22.51 10 57 03 -22 30 51	166.15 -23.35 11 04 37 -23 20 47	.467	.0052 .0008	2A 1058-226 XRS10586-226	4U 1057-21 NGC3513?
1H1104+382	166.06 38.21 11 04 14 38 12 42	180.06 65.59 151.17 29.48		167.17 37.72 11 08 39 37 43 15	164.89 38.61 10 59 32 38 36 26	164.94 37.80 11 08 52 37 48 16	164.94 38.69 10 59 45 38 41 32	164.94 37.80 11 08 52 37 48 16	.188	.0094 .0007	2A 1102+384 XRS11020+384	Mkn 421 (R)
1H1106+026	166.74 2.69 11 06 58 02 41 34	253.95 55.29 166.76 -2.75		168.21 1.91 11 12 49 01 54 47	165.17 3.20 11 00 39 03 11 54	168.32 2.19 11 13 17 02 11 07	165.28 3.47 11 01 07 03 28 16	168.32 2.19 11 13 17 02 11 07	.976	.0030 .0019		A1171?
1H1109-783	167.33 -78.35 11 09 19 -78 20 51	297.90 -16.74 240.55 -66.37		166.83 -77.71 11 07 19 -77 42 29	168.88 -78.92 11 15 30 -78 55 09	167.89 -77.77 11 11 34 -78 59 09	168.88 -78.99 11 11 34 -78 59 09	165.93 -77.77 11 03 43 -77 46 05	.256	.0040 .0006		

CATALOG ENTRY	POSITION		ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY					
1H1109+181	167.28 18.17	229.59 65.26	168.18 17.64	166.25 18.43	166.38 18.70	168.31 17.91	168.31 17.91	.592	.0022 .0006		A1204	
1H1117-026	169.46 -2.66	263.24 52.78	170.33 -3.17	168.49 -2.38	168.59 -2.14	170.44 -2.93	170.44 -2.93	.512	.0041 .0009		3CR255?	
1H1118-602	169.72 -60.30	292.06 .38	169.83 -60.37	169.58 -60.25	169.62 -60.23	169.87 -60.35	169.87 -60.35	.005	.0686 .0013	4U 1118-60 XRS11190-603	V779 Cen (R)	
1H1118-431	169.60 -43.20	285.99 16.40	170.68 -43.83	168.36 -42.77	168.55 -42.55	170.87 -43.61	170.87 -43.61	.516	.0030 .0007	4U 1120-43 XRS11206-431		
1H1120+423	170.02 42.39	167.53 66.52	171.76 41.38	167.96 43.05	168.22 43.39	172.03 41.70	172.03 41.70	1.270	.0038 .0011		A1250? A1237? (R)	
1H1121-591	170.25 -59.15	291.92 1.55	171.67 -59.84	168.84 -58.46	168.89 -58.44	171.72 -59.81	171.72 -59.81	.080	.0342 .0010	H 1122-59	MSH11-54 (R)	
1H1121+309	170.50 30.98	197.09 70.71	171.91 30.20	168.90 31.45	169.06 31.75	172.08 30.49	172.08 30.49	.938	.0046 .0012		B2 1115+31B? (R)	
1H1129+495	172.48 49.54	152.10 63.17	173.72 48.94	171.10 50.00	171.21 50.12	173.83 49.06	173.83 49.06	.272	.0060 .0007		A1314 (R)	
1H1130+043	172.53 4.34	260.31 60.24	173.65 3.66	171.26 4.68	171.41 5.01	173.79 3.99	173.79 3.99	.937	.0042 .0011		1132+04? (R)	
1H1135-372	173.77 -37.25	287.09 23.06	174.63 -37.76	172.79 -36.92	172.92 -36.74	174.76 -37.58	174.76 -37.58	.355	.0064 .0009	2A 1135-373 XRS11357-373	NGC3783 (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY						
IH1135-125	173.85 -12.58	276.56 46.22	174.74 -13.08	172.87 -12.27	172.96 -12.07	174.83 -12.89	172.87 -12.27	172.96 -12.07	174.83 -12.89	.428	.0034 .0007		
IH1137-649	174.31 -64.98	295.50 -3.42	175.78 -65.77	172.64 -64.27	172.93 -64.17	176.07 -65.66	172.64 -64.27	172.93 -64.17	176.07 -65.66	.328	.0063 .0009	4U 1137-65	HD101379
IH1137+699	174.39 69.98	131.72 46.19	175.67 69.30	172.58 70.51	173.04 70.65	176.11 69.44	172.58 70.51	173.04 70.65	176.11 69.44	.330	.0042 .0006		(R) Mkn180
IH1139+594	174.86 59.45	138.67 55.79	175.70 58.85	173.67 59.87	173.99 60.04	176.03 59.01	173.67 59.87	173.99 60.04	176.03 59.01	.345	.0054 .0008		(R)
IH1142-178	175.74 -17.82	281.64 42.04	176.64 -18.35	174.73 -17.52	174.85 -17.27	176.75 -18.11	174.73 -17.52	174.85 -17.27	176.75 -18.11	.532	.0029 .0006	4U 1130-14	
IH1142+199	175.75 19.95	235.72 73.17	176.07 19.75	175.37 20.04	175.43 20.16	176.13 19.86	175.37 20.04	175.43 20.16	176.13 19.86	.094	.0120 .0011	2A 1141+199 XRS11435+198	4U 1143+19
IH1144-617	176.17 -61.76	295.47 -1.10	176.32 -61.85	175.98 -61.69	176.03 -61.67	176.37 -61.82	175.98 -61.69	176.03 -61.67	176.37 -61.82	.008	.0407 .0009	4U 1145-61 XRS11455-619	HD102567 V801 Cen
IH1145-034	176.45 -3.49	274.28 55.56	178.98 -4.89	173.70 -2.57	173.92 -2.08	179.20 -4.40	173.70 -2.57	173.92 -2.08	179.20 -4.40	3.097	.0032 .0016		(R) PKS1146-037
IH1148-499	177.08 -49.92	293.10 11.51	178.25 -50.60	175.69 -49.46	175.95 -49.22	178.51 -50.36	175.69 -49.46	175.95 -49.22	178.51 -50.36	.596	.0028 .0007		
IH1150+738	177.50 73.82	128.56 42.94	179.09 72.92	175.01 74.56	175.73 74.70	179.78 73.04	175.01 74.56	175.73 74.70	179.78 73.04	.476	.0028 .0005		A1412?
	73.48 54	61.19	72.55 00	74.33 32	74.42 01	73.02 41	74.33 32	74.42 01	73.02 41				(R)

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	AREA		X-RAY	NON X-RAY					
1H1151-130	177.93 -13.10	282.24 47.19	178.82 -13.62	176.94 -12.80	177.05 -12.58	178.92 -13.39	177.05 -12.58	178.92 -13.39	.488	4U 1147-12		
1H1151+039	177.84 3.92	270.12 62.79	178.73 3.44	176.89 4.24	176.96 4.40	178.80 3.60	176.96 4.40	178.80 3.60	.360			
1H1152+237	11 51 22 03 55 12	176.46 2.74	11 54 54 03 26 20	11 47 33 04 14 06	11 47 50 04 24 01	11 55 11 03 36 14	11 47 33 04 14 06	11 55 11 03 36 14			A1413	
1H1154+294	178.14 29.46	225.69 76.79	179.10 23.31	177.12 24.16	177.18 24.27	179.16 23.42	177.12 24.16	179.16 23.42	.256		(R)	
1H1157-563	179.26 -56.39	295.82 5.49	181.72 -57.65	176.50 -55.40	176.97 -55.08	182.17 -57.31	176.50 -55.40	182.17 -57.31	.504		4C29.45	
1H1159+581	179.99 58.13	135.25 58.09	181.31 57.41	178.38 58.68	178.61 58.83	181.54 57.56	178.38 58.68	181.54 57.56	.384		A1446	
1H1205+440	181.44 44.01	147.81 71.25	182.52 43.36	180.15 44.40	180.35 44.65	182.73 43.60	180.15 44.40	182.73 43.60	.568		NGC4051 3C268.4	
1H1207-067	181.97 -6.72	285.24 54.46	183.34 -7.52	180.44 -6.30	180.60 -5.91	183.50 -7.13	180.44 -6.30	180.60 -5.91	1.325	4U 1203-06 ^c	XRS12036-061	
1H1208-518	182.23 -51.88	296.73 10.23	183.15 -52.42	181.10 -51.54	181.32 -51.34	183.37 -52.22	181.10 -51.54	181.32 -51.34	.374		PKS1208-518	
1H1210+393	182.61 39.38	154.34 75.58	183.23 39.00	181.87 39.61	181.97 39.75	183.34 39.15	181.87 39.61	181.97 39.75	.200	2A 1207+397 1M 1207+397	4U 1206+39 XRS12078+397	
	12 05 46 44 00 31	160.13 40.14	12 01 23 43 21 43	12 00 34 44 24 01	12 01 23 44 38 42	12 10 54 43 36 08	12 00 34 44 24 01	12 10 54 43 36 08			(R)	
	12 07 52 -06 43 06	184.48 -5.38	12 13 20 -07 31 17	12 01 44 -06 18 05	12 02 24 -05 54 42	12 14 00 -07 07 50	12 01 44 -06 18 05	12 14 00 -07 07 50			(R)	
	12 08 54 -51 52 54	208.51 -45.42	12 12 36 -52 25 01	12 04 22 -51 32 10	12 05 16 -51 20 21	12 13 29 -52 12 57	12 04 22 -51 32 10	12 05 16 -51 20 21			(R)	
	12 10 25 39 22 51	164.08 36.59	12 12 55 39 00 17	12 07 28 39 36 40	12 07 53 39 45 14	12 13 21 39 08 46	12 07 28 39 36 40	12 13 21 39 08 46			(R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	X-RAY		NON X-RAY	
1H1211+762	182.94 76.20 12 11 46 76 12 02	125.93 40.99 12 06 12 63.62	184.17 75.32 12 16 40 75 19 02	180.52 76.95 12 02 05 76 56 46	181.55 77.08 12 06 12 77 04 38	185.12 75.43 12 20 28 75 26 02			.492	.0032 .0006	Mkn 205 (R)	
1H1213+718	183.29 71.81 12 13 10 71 48 30	126.96 45.32 130.76 61.49	184.17 71.22 12 16 40 71 12 58	181.87 72.29 12 07 27 72 17 34	182.36 72.40 12 09 26 72 23 47	184.65 71.31 12 18 35 71 18 50			.236	.0056 .0007		
1H1215-549	183.96 -54.93 12 15 50 -54 55 36	298.21 7.37 212.28 -47.31	185.28 -55.60 12 21 06 -55 35 51	182.45 -54.42 12 09 48 -54 25 27	182.69 -54.24 12 10 45 -54 14 31	185.51 -55.41 12 22 01 -55 24 36			.456	.0027 .0005		
1H1215-390	183.76 -39.03 12 15 02 -39 02 03	295.84 23.09 200.99 -33.88	184.82 -39.62 12 19 17 -39 37 02	182.56 -38.66 12 10 14 -38 39 34	182.72 -38.44 12 10 52 -38 26 29	184.98 -39.40 12 19 54 -39 23 47			.500	.0032 .0007		
1H1219+301	184.77 30.17 12 19 05 30 09 57	188.35 82.89 171.16 29.32	185.13 29.94 12 20 31 29 56 25	184.35 30.28 12 17 23 30 16 46	184.41 30.39 12 17 38 30 23 26	185.19 30.05 12 20 46 30 03 04			.094	.0106 .0009	2A 1219+305 XRS12192+305 1219+305	
1H1221-623	185.38 -62.38 12 21 31 -62 23 02	299.82 .05 220.38 -52.71	185.60 -62.51 12 22 24 -62 30 24	185.09 -62.30 12 20 21 -62 17 52	185.16 -62.26 12 20 38 -62 15 38	185.67 -62.47 12 22 41 -62 28 09			.016	.0286 .0010	4U 1223-62 GX301-2 CGS1223-624 XRS12238-624 (R) WRA977 BP Cru	
1H1225-303	186.49 -30.33 12 25 56 -30 19 35	297.13 32.01 198.70 -25.12	187.47 -30.87 12 29 53 -30 52 05	185.39 -29.99 12 21 32 -29 59 38	185.51 -29.78 12 22 02 -29 46 38	187.59 -30.65 12 30 22 -30 38 58			.484	.0056 .0011		
1H1226+022	186.71 2.29 12 26 50 02 17 19	290.13 64.33 185.25 4.77	187.13 2.05 12 28 29 02 03 05	186.25 2.43 12 25 00 02 25 43	186.29 2.53 12 25 10 02 31 33	187.17 2.15 12 28 40 02 08 55			.101	.0129 .0011	2A 1225+022 4U 1226+02 XRS12260+24 3C273	
1H1226+128	186.69 12.81 12 26 44 12 48 39	282.26 74.51 180.94 14.39	186.80 12.74 12 27 11 12 44 35	186.56 12.85 12 26 13 12 50 50	186.57 12.88 12 26 17 12 52 42	186.81 12.77 12 27 14 12 46 27			.009	.1044 .0029	2A 1228+125 4U 1228+12 1M 1228+127 XRS12287+126 M87 Virgo Cluster (R)	
1H1226+505	186.63 50.55 12 26 31 50 33 09	131.96 66.46 159.19 47.53	187.63 49.95 12 30 30 49 56 53	185.38 50.93 12 21 31 50 55 57	185.61 51.15 12 22 26 51 08 55	187.86 50.16 12 31 27 50 09 35			.451	.0042 .0009	(R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS		
	RA DEC	GAL ECL	RA DEC	RA DEC		X-RAY	NON X-RAY						
IH1228+081	187.16	287.98	188.04	186.19	186.28	188.13	8.68	188.13	.432	.0044	4U 1232+07	XRS12329+071	NGC4472
	8.18	70.19	7.68	8.48	8.68	7.88	12 24 45	12 32 09		.0010			
	12 28 37	183.29	12 32 06	12 24 45	12 25 06	12 32 30	08 40 53	07 52 43					
IH1229+199	187.45	271.60	188.37	186.45	186.52	188.45	19.56	188.45	.348	.0048			TON 1542?
	19.91	81.32	19.40	20.25	20.41	19.56	12 26 05	12 33 48		.0007			(R)
	12 29 48	178.55	12 33 29	12 25 47	12 26 05	12 33 48	20 24 27	19 33 40					
IH1238-599	189.53	301.63	190.65	187.46	188.46	191.63	-60.88	191.63	1.644	.0118	2S 1239-599	A 1238-59	
	-59.96	2.62	-60.88	-59.66	-59.02	-60.22	12 33 50	12 46 30		.0018	4U 1246-58	A 1246-58	
	12 38 05	220.41	12 42 36	12 29 49	12 33 50	12 46 30	-59 39 42	-59 01 09			CGS1239-599	XRS12391-599	(R)
IH1238-050	189.59	298.08	190.18	188.91	189.00	190.27	-4.72	190.27	.307	.0084	2A 1238-049	4U 1240-05	NGC4593
	-5.10	57.40	-5.47	-4.93	-4.72	-5.27	12 35 38	12 41 05		.0013	H1238-049		(R)
	12 38 21	190.81	12 40 44	12 35 38	12 35 59	12 41 05	-04 43 21	-05 15 56					
IH1241+626	-05 05 47	-89	-05 28 11	-04 55 35	-04 43 21	-05 15 56	188.67	188.99	.396	.0031			
	190.33	124.53	191.61	188.67	188.99	191.93	63.41	61.93		.0005			
	62.61	54.77	61.80	63.27	63.41	61.93	12 34 40	12 35 57					
IH1242+078	12 41 20	148.48	12 46 26	12 34 40	12 35 57	12 47 42	189.74	189.74	.448	.0051			
	62 36 37	57.93	61 48 01	63 16 16	63 24 29	61 55 50	8.33	7.53		.0010			
	190.62	298.19	191.50	189.65	189.74	191.59	12 38 35	12 38 56					
IH1244-588	7.83	70.37	7.33	8.13	8.33	7.53	08 07 31	08 19 51		.0167	4U 1246-58	XRS12466-588	
	12 42 28	186.64	12 45 59	12 38 35	12 38 56	12 46 21	189.55	189.62	.136	.0009			
	07 49 48	11.40	07 19 39	08 07 31	08 19 51	07 31 58	-58.27	-58.22					
IH1244-409	191.12	302.42	192.68	189.55	189.62	192.76	12 50 43	12 38 29		.0253	2A 1246-40	4U 1246-41	Cen Cluster
	-58.84	3.76	-59.44	-58.27	-58.22	-59.39	-58.16 17	-58 13 01	.068	.0006	1M 1247-410	XRS12462-410	PKS1245-51
	12 44 29	220.40	12 50 43	12 38 10	12 38 29	12 51 01	190.01	190.03					(R)
IH1247+755	-58 50 21	-48.19	-59 26 35	-58 16 17	-58 13 01	-59 23 13	-40.46	-40.43		.0028			A1607
	191.19	302.13	192.36	190.01	190.03	192.38	12 40 02	12 40 07		.0006			(R)
	-40.91	21.68	-41.39	-40.46	-40.43	-41.36	191.10	193.66	.476				
IH1249-637	12 44 44	208.05	12 49 25	12 40 02	12 40 07	12 49 30	76.51	74.71		.0028			(R)
	-40 54 42	-32.85	-41 23 07	-40 27 22	-40 25 34	-41 21 18	12 40 25	12 44 24		.0006			(R)
	75 34 09	65.38	74 37 48	76 24 53	76 30 19	74 42 37	12 44 24	12 54 38					
IH1249-637	192.28	303.01	194.00	190.48	190.64	194.16	190.11	191.10	.220	.0098	A 1250-66?		(R)
	-63.71	-1.11	-64.37	-63.12	-63.03	-64.29	190.64	194.16		.0009			
	12 49 07	225.68	12 56 00	12 41 56	12 42 33	12 56 37	12 40 25	12 44 24					
IH1249-637	-63 42 50	-51.73	-64 22 27	-63 07 03	-63 02 01	-64 17 12	76 24 53	76 30 19					

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS		NON X-RAY
	RA DEC	GAL ECL		RA DEC	RA DEC		AREA	X-RAY					
1H1251-291	192.78 -29.12 12 51 07 -29 07 19	303.56 33.48 203.53 -21.69		192.98 -29.24 12 51 55 -29 14 11	192.55 -29.06 12 50 12 -29 03 42	192.58 -29.01 12 50 19 -29 00 26	193.01 -29.18 12 52 02 -29 10 55	193.01 -29.18 12 52 02 -29 10 55	.025	2A 1251-290 CGS1249-289	4U 1249-28 XRS12492-289	EX Hya	
1H1253-761	193.37 -76.11 12 53 28 -76 06 31	303.28 -13.51 241.88 -60.29		191.26 -75.25 12 45 03 -75 14 48	196.49 -76.80 13 05 58 -76 47 58	195.74 -76.95 13 02 57 -76 57 00	190.54 -75.38 12 42 09 -75 22 54	190.54 -75.38 12 42 09 -75 22 54	.456	4U 1302-77?	XRS13020-775	(R)	
1H1254-690	193.59 -69.02 12 54 20 -69 01 05	303.48 -6.42 232.20 -55.40		193.59 -69.02 12 54 20 -69 01 05	.000	.0934 .0029	2S 1254-691 1M 1254-69 CGS1254-691	4U 1254-69	(R)				
1H1255-567	193.83 -56.71 12 55 18 -56 42 33	303.87 5.88 220.36 -45.62		195.22 -57.38 13 00 53 -57 22 35	192.18 -56.27 12 48 43 -56 16 06	192.48 -56.03 12 49 55 -56 01 37	195.51 -57.13 13 02 02 -57 07 40	.588	.0038 .0009				
1H1255-172	193.88 -17.28 12 55 30 -17 16 53	305.21 45.29 199.50 -10.45		194.60 -17.69 12 58 24 -17 41 26	193.07 -17.06 12 52 16 -17 03 36	193.16 -16.87 12 52 37 -16 52 10	194.69 -17.50 12 58 44 -17 29 58	.331	.0083 .0012	H 1256-171		A1644	
1H1257-610	194.48 -61.10 12 57 55 -61 05 53	304.08 1.48 224.46 -49.03		194.82 -61.27 12 59 17 -61 16 27	194.04 -60.98 12 56 10 -60 58 57	194.14 -60.92 12 56 34 -60 55 16	194.92 -61.21 12 59 41 -61 12 43	.037	.0373 .0019	4U 1258-61 CGS1258-613	GX304-1 XRS 12582-613	3 (R)	
1H1257-010	194.39 -1.06 12 57 33 -01 03 20	307.48 61.47 193.66 4.70		195.24 -1.61 13 00 57 -01 36 45	193.40 -.84 12 53 34 -00 50 21	193.54 -.50 12 54 09 -00 29 53	195.38 -1.27 13 01 32 -01 16 17	.740	.0030 .0009	4U 1253-00	XRS12539-002	(R)	
1H1257+281	194.28 28.17 12 57 07 28 10 12	56.67 88.04 180.78 31.31		194.37 28.12 12 57 28 28 06 54	194.18 28.20 12 56 43 28 11 45	194.20 28.22 12 56 46 28 13 29	194.38 28.14 12 57 31 28 08 38	.006	.0596 .0013	2A 1257+283 1M 1257+281	4U 1257+28 XRS12574+283	A1656 Coma Cluster (R)	
1H1300+443	195.08 44.37 13 00 19 44 22 12	116.11 72.88 171.14 45.69		196.26 43.57 13 05 03 43 34 18	193.56 44.81 12 54 15 44 48 46	193.86 45.16 12 55 27 45 09 21	196.57 43.91 13 06 17 43 54 28	.929	.0032 .0009				
1H1303-047	195.87 -4.71 13 03 28 -04 42 36	309.76 57.70 196.43 1.90		196.45 -5.06 13 05 46 -05 03 31	195.21 -4.55 13 00 51 -04 32 49	195.29 -4.36 13 01 09 -04 21 38	196.52 -4.87 13 06 05 -04 52 20	.269	.0104 .0016			A1651? (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H1304+497	196.09 -49.77	305.54 12.76	198.73 -50.96	193.15 -48.98	193.57 -48.52	199.11 -50.47	2.210		.0029 .0014			
	13 04 20 -49 45 54	217.01 -38.99	13 14 54 -50 57 22	12 52 36 -48 58 48	12 54 17 -48 30 59	13 16 25 -50 28 24						
1H1305+466	196.38 46.60	114.47 70.53	197.05 46.15	195.54 46.89	195.70 47.04	197.21 46.31	.242		.0047 .0006		A1682	
	13 05 30 46 36 01	170.41 48.05	13 08 11 46 09 16	13 02 08 46 53 10	13 02 46 47 02 33	13 08 50 46 18 31					(R)	
1H1308+237	197.17 -23.74	308.77 38.65	198.14 -24.20	196.13 -23.41	196.20 -23.27	198.21 -24.06	.304		.0046 .0006			
	13 08 40 -23 44 06	205.01 -15.17	13 12 34 -24 11 44	13 04 32 -23 24 27	13 04 48 -23 16 05	13 12 49 -24 03 20						
1H1312+161	198.02 -16.13	311.01 46.12	198.52 -16.43	197.44 -16.00	197.52 -15.82	198.60 -16.25	.218		.0089 .0012		NGC5044 NGC5047	
	13 12 05 -16 07 34	202.76 -7.85	13 14 05 -16 25 54	13 09 46 -15 59 54	13 10 05 -15 49 10	13 14 23 -16 15 09						
1H1312+393	198.03 39.36	102.56 77.11	198.90 38.81	197.00 39.69	197.16 39.90	199.06 39.01	.412		.0054 .0009			
	13 12 07 39 21 26	177.45 42.61	13 15 34 38 48 28	13 07 59 39 41 35	13 08 37 39 54 00	13 16 13 39 00 43						
1H1313+363	198.46 36.37	94.15 79.60	199.35 35.78	197.39 36.72	197.55 36.95	199.52 36.00	.476		.0067 .0017		H1310+371	
	13 13 49 36 22 02	179.85 40.20	13 17 24 35 46 56	13 09 32 36 43 20	13 10 11 36 56 43	13 18 04 36 00 10						
1H1315+568	198.93 -56.87	306.66 5.54	200.19 -57.45	197.46 -56.50	197.72 -56.29	200.43 -57.23	.445		.0122 .0027			
	13 15 43 -56 52 22	223.81 -44.25	13 20 45 -57 26 49	13 09 51 -56 29 44	13 10 51 -56 17 10	13 21 43 -57 13 55						
1H1318+560	199.65 56.00	114.48 60.90	200.68 55.34	198.27 56.43	198.59 56.66	201.01 55.56	.501		.0041 .0008		A1734	
	13 18 36 56 00 15	163.36 56.66	13 22 42 55 20 22	13 13 04 56 26 02	13 14 22 56 39 37	13 24 01 55 33 35						
1H1319+597	199.76 59.76	116.02 57.23	200.88 58.93	198.18 60.40	198.58 60.59	201.28 59.11	.548		.0025 .0005		4U 1314+59 XRS13144+595	
	13 19 02 59 45 47	158.41 59.36	13 23 31 58 55 50	13 12 43 60 23 44	13 14 20 60 35 08	13 25 06 59 06 45						
1H1320+066	200.02 6.67	324.01 68.00	200.89 6.15	199.03 6.92	199.15 7.20	201.01 6.43	.600		.0038 .0010		4U 1317+06 XRS13175+067	
	13 20 05 06 40 22	195.90 14.00	13 23 33 06 08 54	13 16 08 06 55 07	13 16 35 07 11 45	13 24 01 06 25 30						

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
IH1320+144	200.13 14.41 13 20 30 14 24 33	334.03 75.08 192.81 21.16	201.03 13.93 13 16 34 14 43 44	199.14 14.73 13 16 34 14 43 44	199.21 14.89 13 16 51 14 05 07	201.11 14.09 13 24 25 14 05 07	.344			.0048 .0007	NGC5129	
IH1321+692	200.28 69.25 13 21 06 69 14 43	118.77 47.89 142.03 65.06	200.67 68.65 13 22 40 68 38 50	199.33 69.76 13 17 18 69 45 42	199.86 69.84 13 19 26 69 50 32	201.18 68.72 13 24 43 68 43 25	.245			.0039 .0006		
IH1322-309	200.68 -31.00 13 22 42 -30 59 57	311.43 31.05 211.04 -20.61	201.74 -31.42 13 26 57 -31 25 12	199.60 -30.62 13 18 23 -30 37 28	199.63 -30.57 13 18 30 -30 34 11	201.77 -31.36 13 27 04 -31 21 53	.120		2A 1326-311	.0123 .0006	SC 1326-31 (R)	
IH1323-428	200.79 -42.89 13 23 08 -42 53 16	309.62 19.27 216.63 -31.39	200.95 -42.97 13 23 47 -42 58 22	200.60 -42.85 13 22 23 -42 50 51	200.63 -42.80 13 22 30 -42 48 10	200.98 -42.93 13 23 54 -42 55 40	.014		2A 1322-427 XRS13223-427	.0428 .0015	NGC5128 Cen A (R)	
IH1325-246	201.45 -24.68 13 25 48 -24 41 01	313.50 37.17 209.12 -14.53	202.43 -25.16 13 29 42 -25 09 40	200.39 -24.40 13 21 34 -24 23 43	200.48 -24.20 13 21 55 -24 12 00	202.51 -24.96 13 30 03 -24 57 53	.424			.0038 .0007		
IH1326-269	201.58 -27.00 13 26 18 -26 59 48	313.14 34.87 210.15 -16.62	202.58 -27.45 13 30 19 -27 27 04	200.51 -26.68 13 22 02 -26 40 42	200.58 -26.54 13 22 18 -26 32 06	202.65 -27.31 13 30 35 -27 18 24	.312			.0047 .0006	A1736 (R)	
IH1326-025	201.64 -2.57 13 26 32 -02 34 05	321.27 58.70 200.96 6.05	202.55 -2.99 13 30 11 -02 59 06	200.69 -2.24 13 22 45 -02 14 28	200.73 -2.15 13 22 54 -02 09 01	202.58 -2.89 13 30 20 -02 53 39	.196		H1325-020	.0078 .0006		
IH1326+174	201.62 17.47 13 26 29 17 28 03	345.99 76.83 192.90 24.53	203.51 16.42 13 34 03 16 25 20	199.54 18.13 13 18 09 18 07 43	199.71 18.49 13 18 49 18 29 41	203.69 16.79 13 34 45 16 47 06	1.665			.0043 .0015	VW Com 1331+170? (R)	
IH1328+113	202.06 11.38 13 28 14 11 23 04	334.81 71.52 195.93 19.12	202.96 10.91 13 31 50 10 54 30	201.08 11.69 13 24 20 11 41 19	201.16 11.86 13 24 37 11 51 29	203.04 11.08 13 32 08 11 04 39	.368		4U 1326+11 XRS13264+119	.0061 .0009	MKW 11 (R)	
IH1329+514	202.41 51.47 13 29 37 51 28 24	108.08 64.74 170.78 54.31	203.20 50.98 13 32 47 50 58 40	201.41 51.80 13 25 38 51 47 52	201.60 51.96 13 26 24 51 57 48	203.39 51.14 13 33 34 51 08 25	.282			.0052 .0008		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H1332-233	203.18 -23.32 13 32 42 -23 19 19	315.80 38.19 210.09 -12.67	204.15 -23.79 13 28 30 -23 47 41	202.13 -23.04 13 28 30 -23 02 40	202.22 -22.84 13 28 52 -22 50 35	204.24 -23.59 13 36 56 -23 35 32	.436	A1757 (R)				
1H1332+372	203.21 37.29 13 32 51 37 17 20	82.70 76.47 183.65 42.89	204.21 36.68 13 36 50 36 40 32	202.04 37.65 13 28 08 37 39 08	202.20 37.89 13 28 49 37 53 39	204.38 36.91 13 37 31 36 54 51	.549	HR 5110 Mkn 456 (R)				
1H1334-340	203.64 -34.05 13 34 33 -34 02 49	313.64 27.61 214.80 -22.42	204.31 -34.37 13 31 13 -34 22 26	202.90 -33.87 13 31 35 -33 52 18	202.98 -33.72 13 31 54 -33 42 57	204.38 -34.22 13 37 32 -34 13 02	.216	2S 1333-34 H 1332-336 (R)				
1H1338-604	204.69 -60.49 13 38 45 -60 29 30	309.09 1.52 230.09 -45.77	206.32 -61.11 13 45 17 -61 06 31	202.84 -60.07 13 31 22 -60 04 09	203.12 -59.86 13 32 28 -59 51 19	206.58 -60.89 13 46 20 -60 53 17	.508	4U 1344-60 1E13405-610 SAO252429 (R)				
1H1338-144	204.59 -14.43 13 38 22 -14 25 55	320.50 46.49 208.04 -3.92	205.51 -14.91 13 42 02 -14 54 50	203.58 -14.19 13 34 19 -14 11 18	203.68 -13.95 13 34 43 -13 56 47	205.61 -14.67 13 42 25 -14 40 17	.520	A1768? (R)				
1H1341+402	205.40 40.21 13 41 36 40 12 49	86.05 73.20 183.62 46.28	206.00 39.77 13 43 59 39 46 13	204.65 40.48 13 38 35 40 28 49	204.80 40.65 13 39 12 40 39 15	206.16 39.94 13 44 37 39 56 32	.263	H1350+390 Mkn 460 A1789? (R)				
1H1342-733	205.55 -73.33 13 42 12 -73 19 33	306.86 -11.12 242.38 -56.06	201.84 -72.10 13 27 20 -72 06 02	210.56 -74.20 14 02 13 -74 11 58	209.82 -74.48 13 59 16 -74 28 30	201.06 -72.34 13 24 14 -72 20 39	1.115					
1H1344-326	206.07 -32.66 13 44 17 -32 39 33	316.23 28.52 216.24 -20.36	207.16 -33.07 13 48 38 -33 04 05	204.96 -32.31 13 39 51 -32 18 20	205.00 -32.24 13 39 58 -32 14 28	207.19 -33.00 13 48 45 -33 00 11	.140	2A 1344-325 1M 1347-32 XRS13448-325 (R)		SC 1344-32		
1H1345-300	206.31 -30.04 13 45 15 -30 02 23	317.21 31.01 215.39 -17.85	206.74 -30.26 13 46 56 -30 15 30	205.84 -29.95 13 43 20 -29 56 59	205.89 -29.82 13 43 34 -29 49 11	206.79 -30.13 13 47 10 -30 07 40	.117	2A 1347-300 XRS13471-300 (R)		IC4329A		
1H1348-633	207.20 -63.35 13 48 48 -63 20 53	309.65 -1.52 233.73 -47.59	208.98 -63.98 13 55 55 -63 58 39	205.17 -62.92 13 40 41 -62 55 27	205.50 -62.70 13 42 00 -62 41 50	209.29 -63.74 13 57 08 -63 44 31	.544	1M 1353-64 (R)				

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY					
1H1348+267	207.00	33.53	207.31	206.64	206.70	207.36	207.36	.071	.0131	2A 1346+266 XRS13468-300	4U 1348+25 A1795	
	26.74	76.85	26.55	26.84	26.94	26.65	26.65	.0009				
	13 48 00	193.63	13 49 13	13 46 34	13 46 47	13 49 26	13 49 26					
	26 44 38	35.04	26 32 54	26 50 30	26 56 19	26 38 42	26 38 42			(R)		
1H1350+696	207.72	115.20	207.92	207.24	207.52	208.18	208.18	.062	.0061	2A 1348+700 XRS13481+700	Mkn 279	
	69.62	46.84	69.32	69.88	69.92	69.36	69.36	.0004				
	13 50 52	143.96	13 51 39	13 48 58	13 50 04	13 52 44	13 52 44			(R)		
	69 37 02	67.59	69 19 01	69 52 41	69 55 03	69 21 20	69 21 20					
1H1352-105	208.15	327.25	209.31	206.89	206.99	209.41	209.41	.716	.0047			
	-10.55	49.04	-11.13	-10.24	-9.97	-10.87	-10.87		.0013			
	13 52 35	209.89	13 57 13	13 47 33	13 47 57	13 57 37	13 57 37					
	-10 33 13	.94	-11 07 47	-10 14 13	-09 58 24	-10 51 56	-10 51 56					
1H1356+566	209.15	105.24	210.04	207.92	208.24	210.36	210.36	.409	.0036		NGC5443	
	56.63	58.38	55.97	57.10	57.29	56.15	56.15	.0007				
	13 56 37	169.79	14 00 08	13 51 41	13 52 57	14 01 25	14 01 25					
	56 37 55	60.79	55 58 19	57 06 08	57 17 07	56 08 59	56 08 59					
1H1357+033	209.33	340.17	210.20	208.33	208.47	210.34	210.34	.784	.0021		A1835	
	3.38	60.96	2.84	3.55	3.92	3.20	3.20	.0005				
	13 57 19	206.04	14 00 47	13 53 18	13 53 51	14 01 20	14 01 20					
	03 22 48	14.40	02 50 19	03 33 17	03 55 14	03 12 15	03 12 15					
1H1358+146	209.74	358.54	210.62	208.71	208.85	210.76	210.76	.708	.0023			
	14.69	69.36	14.14	14.91	15.23	14.47	14.47	.0007				
	13 58 56	202.00	14 02 29	13 54 50	13 55 23	14 03 02	14 03 02					
	14 41 22	25.06	14 08 34	14 54 18	15 13 58	14 28 10	14 28 10					
1H1359-645	209.84	310.47	208.59	211.26	211.12	208.45	208.45	.161	.0076	1M 1353-64 XRS13539-645	(R)	
	-64.57	-2.99	-64.16	-64.85	-64.96	-64.26	-64.26	.0008				
	13 59 20	236.15	13 54 22	14 05 02	14 04 28	13 53 46	13 53 46					
	-64 33 55	-48.03	-64 09 42	-64 51 15	-64 57 29	-64 15 47	-64 15 47					
1H1359-421	209.99	316.79	211.15	208.67	208.85	211.33	211.33	.684	.0039		PKS1355-416	
	-42.12	18.57	-42.67	-41.88	-41.57	-42.35	-42.35	.0011				
	13 59 58	223.38	14 04 36	13 54 39	13 55 24	14 05 18	14 05 18					
	-42 07 28	-27.89	-42 39 58	-41 53 04	-41 34 17	-42 20 57	-42 20 57				(R)	
1H1400-478	210.24	315.29	211.22	209.15	209.27	211.33	211.33	.267	.0093			
	-47.82	13.06	-48.20	-47.58	-47.42	-48.04	-48.04	.0013				
	14 00 56	226.20	14 04 53	13 56 37	13 57 03	14 05 18	14 05 18					
	-47 48 56	-33.04	-48 12 06	-47 34 51	-47 25 16	-48 02 24	-48 02 24					
1H1404-450	211.03	316.66	212.17	209.55	209.92	212.51	212.51	1.276	.0025	1M 1402-45 E1404-451	(R)	
	-45.05	15.55	-45.74	-44.94	-44.36	-45.15	-45.15	.0013				
	14 04 07	225.49	14 08 40	13 58 13	13 59 41	14 10 02	14 10 02					
	-45 03 13	-30.29	-45 44 09	-44 56 32	-44 21 37	-45 08 45	-45 08 45					

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	AREA		X-RAY	NON X-RAY					
1H1405+230	211.36 23.08 14 05 26 23 04 44	23.20 72.80 199.83 33.38	212.31 22.58 14 09 14 22 34 57	210.32 23.40 14 01 17 23 23 44	210.41 23.57 14 01 37 23 34 11	212.39 22.76 14 09 34 22 45 20	210.41 23.57 14 01 37 23 34 11	212.39 22.76 14 09 34 22 45 20	.380			
1H1408-031	212.19 -3.13 14 08 46 -03 08 04	338.33 53.92 211.10 9.29	213.11 -3.56 14 12 25 -03 33 25	211.22 -2.87 14 04 53 -02 52 28	211.28 -2.71 14 05 07 -02 42 40	213.17 -3.39 14 12 39 -03 23 36	211.28 -2.71 14 05 07 -02 42 40	213.17 -3.39 14 12 39 -03 23 36	.348	2A 1410-029 1M 1410-30 XRS14109-030	NGC5506 (R)	
1H1409-267	212.26 -26.75 14 09 02 -26 45 12	324.25 32.53 219.23 -12.90	213.27 -27.21 14 13 05 -27 12 23	211.17 -26.52 14 04 40 -26 30 56	211.26 -26.29 14 05 02 -26 17 34	213.36 -26.98 14 13 26 -26 58 57	211.17 -26.52 14 04 40 -26 30 56	213.36 -26.98 14 13 26 -26 58 57	.476			
1H1410-468	212.60 -46.82 14 10 22 -46 49 24	317.16 13.53 227.46 -31.49	213.84 -47.38 14 15 22 -47 23 01	211.15 -46.60 14 04 35 -46 35 42	211.37 -46.25 14 05 29 -46 15 00	214.05 -47.03 14 16 12 -47 02 01	211.15 -46.60 14 04 35 -46 35 42	211.37 -46.25 14 05 29 -46 15 00	.756			
1H1411+094	212.81 9.42 14 11 15 09 25 11	354.08 63.55 207.16 21.28	213.44 9.08 14 13 44 09 04 45	212.12 9.58 14 08 28 09 34 34	212.19 9.76 14 08 45 09 45 33	213.51 9.26 14 14 01 09 15 43	212.12 9.58 14 08 28 09 34 34	212.19 9.76 14 08 45 09 45 33	.273			
1H1415+255	213.77 25.53 14 15 03 25 31 54	32.37 70.67 201.04 36.51	214.09 25.35 14 16 21 25 20 50	213.40 25.63 14 13 35 25 37 55	213.44 25.72 14 13 45 25 42 57	214.13 25.43 14 16 31 25 25 50	213.40 25.63 14 13 35 25 37 55	213.44 25.72 14 13 45 25 42 57	.063	2A 1415+255 XRS14156+255	NGC5548 (R)	
1H1419-774	214.95 -77.43 14 19 47 -77 25 36	308.01 -15.72 250.46 -57.76	212.91 -76.92 14 11 38 -76 55 14	217.76 -77.74 14 31 01 -77 44 13	217.15 -77.92 14 28 36 -77 54 58	212.28 -77.09 14 09 06 -77 05 19	217.76 -77.74 14 31 01 -77 44 13	217.15 -77.92 14 28 36 -77 54 58	.295		(R)	
1H1419+584	214.91 58.41 14 19 38 58 24 48	102.29 55.20 171.54 64.26	216.04 57.49 14 24 09 57 29 24	213.31 59.14 14 13 13 59 08 08	213.72 59.33 14 14 52 59 19 34	216.45 57.67 14 25 47 57 40 18	213.31 59.14 14 13 13 59 08 08	213.72 59.33 14 14 52 59 19 34	.620			
1H1420+481	215.22 48.17 14 20 52 48 10 13	88.52 62.63 185.91 56.79	216.34 47.51 14 25 21 47 30 28	213.93 48.69 14 15 42 48 41 35	214.07 48.82 14 16 16 48 49 18	216.48 47.63 14 25 55 47 38 00	213.93 48.69 14 15 42 48 41 35	214.07 48.82 14 16 16 48 49 18	.316	2A 1418+485 XRS14186+485	A1904? (R)	
1H1421-808	215.28 -80.83 14 21 06 -80 49 32	306.78 -18.91 254.75 -60.35	211.77 -79.98 14 07 05 -79 59 02	221.21 -81.27 14 44 50 -81 16 10	219.46 -81.63 14 37 51 -81 37 37	209.93 -80.29 13 59 44 -80 17 40	221.21 -81.27 14 44 50 -81 16 10	219.46 -81.63 14 37 51 -81 37 37	.884	4U 1450-80 XRS14506-805		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	X-RAY		NON X-RAY					
1H1422+273	215.61 27.31	38.19 69.28		214.54 27.64	214.62 27.80	214.67 26.97	214.62 26.97	214.62 26.97	.0038 .0005		A1903	
	14 22 26 27 18 43	202.02 38.82		14 18 29 27 38 35	14 18 29 27 48 14	14 18 29 26 58 23	14 18 29 26 58 23	14 18 29 26 58 23			(R)	
1H1424+350	216.24 35.10	59.58 68.16		215.21 35.38	215.34 35.59	217.26 34.80	215.34 34.80	215.34 34.80	.0051 .0012			
	14 24 57 35 05 47	198.04 46.05		14 20 50 35 22 55	14 20 50 35 35 25	14 29 01 34 48 07	14 21 21 35 35 25	14 29 01 34 48 07				
1H1426+120	216.68 12.05	3.97 62.45		215.69 12.31	215.76 12.48	217.67 11.78	215.69 12.31	215.69 12.31	.0041 .0006		Fairall 14252+12	
	14 26 43 12 02 47	210.01 25.08		14 22 45 12 18 40	14 22 45 12 29 00	14 30 40 11 46 43	14 23 01 12 29 00	14 30 40 11 46 43				
1H1427+013	216.96 1.36	349.49 54.81		217.87 1.57	216.06 1.81	217.95 1.15	217.87 1.57	216.06 1.81	.0028 .0006			
	14 27 51 01 21 49	214.16 15.13		14 31 27 00 54 52	14 24 14 01 34 23	14 31 47 01 09 15	14 24 14 01 48 46	14 31 47 01 09 15				
1H1428-714	217.04 -71.42	310.80 -10.34		219.95 -71.62	219.53 -71.95	214.19 -71.18	219.95 -71.62	219.53 -71.95	.0038 .0009			
	14 28 08 -71 25 20	245.31 -52.49		14 39 47 -70 51 55	14 39 47 -71 56 52	14 38 08 -71 10 47	14 39 47 -71 56 52	14 38 08 -71 10 47				
1H1429+370	217.45 37.02	63.74 66.70		216.45 37.33	216.45 37.66	218.66 36.71	216.45 37.66	216.45 36.71	.0037 .0012		NGC5684	
	14 29 48 37 01 28	197.99 48.21		14 33 44 36 22 57	14 24 55 37 19 42	14 34 38 36 42 28	14 25 48 37 39 28	14 34 38 36 42 28				
1H1430+423	217.51 42.36	75.66 64.61		216.99 42.53	217.09 42.64	218.03 42.18	216.99 42.53	217.09 42.64	.0085 .0008			
	14 30 03 42 21 19	193.87 52.86		14 27 58 42 31 47	14 28 21 42 38 18	14 32 07 42 10 42	14 28 21 42 38 18	14 32 07 42 10 42				
1H1433-006	218.38 -68	349.11 52.33		217.41 -45	217.47 -27	219.36 -91	217.41 -45	217.47 -27	.0065 .0010			
	14 33 32 -00 40 56	216.23 13.66		14 29 37 -00 27 00	14 29 37 -00 16 20	14 37 26 -00 54 50	14 29 37 -00 16 20	14 37 26 -00 54 50				
1H1434-567	218.71 -56.72	317.17 2.94		220.53 -56.94	220.27 -57.28	216.92 -56.48	220.53 -56.94	220.27 -57.28	.0020 .0006		NGC5662	
	14 34 50 -56 43 28	236.53 -39.09		14 42 06 -56 08 54	14 42 06 -57 16 53	14 27 40 -56 28 42	14 42 06 -57 16 53	14 27 40 -56 28 42				
1H1438-623	219.52 -62.33	315.30 -2.35		219.77 -62.36	219.73 -62.40	219.27 -62.29	219.77 -62.36	219.73 -62.40	.0279 .0007		MSH14-63	
	14 38 04 -62 19 35	240.12 -44.02		14 37 12 -62 21 32	14 39 04 -62 23 43	14 37 03 -62 17 37	14 37 12 -62 21 32	14 39 04 -62 23 43			(R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		AREA	X-RAY
1H1439+393	219.76 39.35 14 39 02 39 20 46	67.69 64.25 198.72 51.12	220.26 39.01 14 41 02 39 00 25	219.13 39.52 14 36 31 39 31 01	219.25 39.68 14 37 00 39 41 00	220.39 39.17 14 41 33 39 10 20	.195		.0092 .0012	A1947 (R)		
1H1444+553	221.10 -55.31 14 44 24 -55 18 28	318.98 3.68 237.39 -37.26	219.54 -54.86 14 38 09 -54 51 19	222.79 -55.61 14 51 09 -55 36 26	222.70 -55.74 14 50 48 -54 44 24	219.44 -54.99 14 37 45 -54 59 08	.284		.0038 .0004	XRS14468-554 4U 1446+55		
1H1448+415	222.13 41.60 14 48 32 41 35 45	70.99 61.79 199.48 53.97	223.16 40.94 14 52 38 40 56 14	220.85 41.94 14 43 24 41 56 17	221.08 42.24 14 44 20 42 14 41	223.40 41.24 14 53 36 41 14 22	.704		.0037 .0011	XRS14444+43 4U 1444+43		
1H1449+316	222.27 31.64 14 49 04 31 38 31	49.54 63.62 206.68 45.16	223.17 31.15 14 52 41 31 08 42	221.24 31.91 14 44 56 31 54 21	221.36 32.13 14 45 25 32 07 55	223.30 31.37 14 53 11 31 22 10	.451		.0041 .0007	A1968? (R)		
1H1450+190	222.54 19.07 14 50 09 19 04 23	22.84 61.03 213.23 33.64	223.48 18.60 14 53 54 18 35 52	221.50 19.30 14 45 59 19 18 05	221.59 19.54 14 46 22 19 32 36	223.58 18.84 14 54 18 18 50 19	.516		.0031 .0007	XRS14550+191 4U 1455+19		A1991 (R)
1H1456+826	224.10 -82.62 14 56 25 -82 37 10	307.17 -21.07 259.05 -60.96	218.60 -81.83 14 34 24 -81 49 59	232.10 -83.04 15 28 23 -83 02 26	230.83 -83.32 15 23 19 -83 19 23	217.09 -82.07 14 28 20 -82 04 21	.685		.0027 .0006			
1H1457+214	224.45 21.43 14 57 46 21 25 52	28.60 60.17 214.26 36.48	225.41 20.99 15 01 39 20 59 24	223.40 21.70 14 53 36 21 41 45	223.47 21.87 14 53 53 21 52 00	225.48 21.16 15 01 55 21 09 35	.364		.0039 .0006	XRS14566+255 4U 1456+22		
1H1458+416	224.56 -41.69 14 58 14 -41 41 07	327.38 14.73 234.48 -23.68	225.82 -42.03 15 03 17 -42 01 47	223.27 -41.41 14 53 05 -41 24 37	223.31 -41.33 14 53 14 -41 19 37	225.86 -41.95 15 03 25 -41 56 44	.176		.0159 .0012	XRS14580-415 4U 1458-41		SN 1006 (R)
1H1504+035	226.09 3.59 15 04 22 03 35 39	2.62 49.89 222.52 20.10	227.02 3.20 15 08 04 03 12 09	225.11 3.79 15 00 25 03 47 24	225.16 3.99 15 00 39 03 59 06	227.08 3.40 15 08 19 03 23 51	.408		.0085 .0018	NGC5864?		
1H1504+473	226.07 47.37 15 04 15 47 22 17	79.29 56.94 198.22 60.35	227.15 46.68 15 08 36 46 41 02	224.71 47.80 14 58 49 47 47 49	224.95 48.05 14 59 48 48 02 55	227.40 46.93 15 09 36 46 55 48	.600		.0064 .0020	A2024 A2018? 44 Boo? (R)		

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS		NON X-RAY
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		AREA	X-RAY	
1H1508+060	227.18 6.06 15 08 43 06 03 49	6.70 50.57 222.86 22.78	227.59 5.87 15 10 21 05 52 20	226.74 6.13 15 06 56 06 07 36	226.77 6.26 15 07 05 06 15 18	227.63 6.00 15 10 31 06 00 02	227.63 6.00 15 10 31 06 00 02	.119	.0165 .0014	2A 1508+062 XRS15087+062	A2029 (R)	
1H1510+335	227.63 33.56 15 10 30 33 33 50	53.27 59.05 211.55 48.78	228.74 32.91 15 14 58 32 54 52	226.33 33.91 15 05 18 33 54 20	226.50 34.20 15 05 59 34 12 11	228.92 33.21 15 15 41 33 12 31	.742	.0026 .0006	A2034 (R)			
1H1511-589	227.80 -58.93 15 11 12 -58 55 40	320.47 -1.22 243.38 -39.32	226.02 -58.55 15 04 04 -58 33 00	229.65 -59.24 15 18 36 -59 14 25	229.63 -59.28 15 18 30 -59 16 49	225.99 -58.59 15 03 57 -58 35 21	.084	.0211 .0006	4U 1510-59 XRS15101-590	1M 1510-59 MSH15-52 (R)		
1H1513-400	228.42 -40.05 15 13 41 -40 03 16	330.83 14.62 236.97 -21.26	227.82 -39.81 15 11 17 -39 48 40	229.10 -40.12 15 16 24 -40 07 07	229.03 -40.29 15 16 07 07 29 18	227.75 -39.99 15 16 40 07 10 57	.189	.0058 .0006				
1H1514+072	228.67 7.25 15 14 40 07 15 17	9.57 50.07 224.02 24.35	229.12 7.02 15 16 28 07 01 15	228.17 7.33 15 12 40 07 19 36	228.22 7.49 15 12 53 07 29 18	229.17 7.18 15 16 40 07 10 57	.168	.0152 .0017	H 1513+070 1M 1514+06	A2052 3C317 (R)		
1H1515+660	228.86 66.02 15 15 25 66 01 29	102.87 45.24 162.79 73.75	229.01 65.57 15 16 02 65 33 59	228.28 66.42 15 13 07 66 25 28	228.70 66.48 15 14 48 66 28 59	229.42 65.62 15 17 40 65 37 22	.162	.0046 .0006				
1H1516-569	229.20 -56.99 15 16 48 -56 59 20	322.12 .04 243.44 -37.25	229.20 -56.99 15 16 48 -56 59 20	.000	.1136 .0016	2S 1516-569 1M 1516-56 CGS1516-569	4U 1516-56 Cir X-1 XRS15168-569 (R)					
1H1518+282	229.53 28.23 15 18 08 28 13 56	43.34 57.14 216.73 44.48	230.36 27.84 15 21 25 27 50 36	228.62 28.41 15 14 29 28 24 42	228.71 28.62 15 14 49 28 36 59	230.44 28.05 15 21 46 28 02 49	.356	.0078 .0012	2A 1518+274 XRS15212+285	4U 1521+28? A2065 (R)		
1H1521-465	230.47 -46.58 15 21 52 -46 34 52	328.45 8.35 240.57 -27.09	229.11 -46.23 15 16 26 -46 13 48	231.90 -46.80 15 27 34 -46 47 54	231.85 -46.92 15 27 23 -46 54 57	229.06 -46.35 15 16 13 -46 20 47	.244	.0040 .0004				
1H1521+083	230.32 8.39 15 21 17 08 23 06	12.43 49.34 225.40 25.90	231.27 8.02 15 25 04 08 01 29	229.33 8.59 15 17 18 08 35 22	229.37 8.74 15 17 29 08 44 35	231.31 8.18 15 25 15 08 10 41	.320	.0078 .0010	2A 1519+082 XRS15190+082	A2063 (R)		

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		X-RAY	NON X-RAY
IH1521+308	230.34 30.81 15 21 22 30 48 18	48.16 56.70 216.32 47.13	231.06 30.46 15 24 13 30 27 45	229.54 30.94 15 18 09 30 56 12	229.63 31.14 15 29 08 31 08 38	.0085 .0012		A2061 (R)			
IH1522-552	230.64 -55.21 15 21 33 -55 12 49	323.75 1.09 243.68 -35.31	229.02 -54.83 15 16 04 -54 50 02	232.35 -55.45 15 29 23 -55 27 04	232.29 -55.57 15 29 08 -55 34 18	.0046 .0004					
IH1525-680	231.42 -68.07 15 25 41 -68 04 29	316.85 -9.78 249.92 -47.30	229.13 -67.54 15 16 30 -67 32 07	234.11 -68.29 15 36 27 -68 17 13	233.83 -68.58 15 35 18 -68 34 51	.0030 .0006					
IH1530-754	232.62 -75.50 15 30 28 -75 29 56	312.71 -16.03 255.01 -54.00	229.27 -74.97 15 17 04 -74 57 57	236.51 -75.78 15 46 02 -75 46 52	236.20 -75.98 15 44 48 -75 58 53	.0043 .0008					
IH1530+585	232.67 58.58 15 30 40 58 34 49	92.55 48.17 187.35 71.41	233.15 58.14 15 32 35 58 08 18	231.92 58.91 15 27 40 58 54 19	232.18 59.02 15 28 43 59 01 14	.0042 .0005		Mkn 290? (R)			
IH1530+629	232.72 62.97 15 30 53 62 58 24	97.97 45.79 175.28 73.97	233.30 62.22 15 33 11 62 12 56	231.65 63.61 15 26 34 63 36 49	232.12 63.73 15 28 27 63 43 42	.0033 .0006					
IH1532-662	233.22 -66.23 15 32 53 -66 13 46	318.51 -8.68 249.92 -45.33	230.97 -65.82 15 23 53 -65 49 07	235.63 -66.49 15 42 31 -66 29 40	235.54 -66.61 15 42 09 -66 36 25	.0049 .0005					
IH1535-445	233.86 -44.58 15 35 25 -44 34 46	331.58 8.62 242.50 -24.53	232.53 -44.26 15 30 06 -44 15 31	235.24 -44.77 15 40 57 -44 46 26	235.20 -44.88 15 40 47 -44 53 05	.0048 .0005	4U 1530-44	XRS15307-443			
IH1535+685	233.89 68.51 15 35 32 68 30 45	103.83 42.16 155.42 76.27	233.94 67.87 15 35 44 67 52 02	232.95 69.06 15 31 47 69 03 41	233.83 69.16 15 35 20 69 09 27	.0028 .0005					
IH1536+840	234.10 84.04 15 36 23 84 02 40	118.33 31.76 100.81 71.07	226.86 83.44 15 07 25 83 26 17	240.78 84.80 16 03 07 84 47 54	242.80 84.54 16 11 11 84 32 11	.0024 .0006					

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY						
1H1538-522	234.66 -52.23 15 38 38 -52 13 38	327.42 2.16 245.37 -31.76	234.66 -52.23 15 38 38 -52 13 38	.000	.0182 .0011	2S 1538-52 4U 1538-52 CGS1538-522 XRS15386-522	QV Nor (R)						
1H1538-182	234.54 -18.24 15 38 08 -18 14 07	349.75 28.67 236.55 1.19	233.53 -17.92 15 34 08 -17 55 02	235.58 -18.38 15 42 19 -18 22 44	235.54 -18.55 15 42 09 -18 32 54	235.54 -18.55 15 42 09 -18 32 54	235.54 -18.55 15 42 09 -18 32 54	.348	.0038 .0005				
1H1538+760	234.68 76.04 15 38 44 76 02 10	111.20 37.21 124.17 75.62	232.18 75.23 15 28 43 75 13 58	235.81 77.02 15 43 13 77 01 02	237.48 76.81 15 49 55 76 48 38	237.48 76.81 15 49 55 76 48 38	237.48 76.81 15 49 55 76 48 38	.857	.0020 .0005			A2127	
1H1540+338	235.20 33.87 15 40 47 33 51 54	53.81 52.75 220.43 51.49	236.01 33.46 15 44 02 33 27 20	234.28 34.05 15 37 06 34 03 15	234.38 34.27 15 37 31 34 16 08	234.38 34.27 15 37 31 34 16 08	234.38 34.27 15 37 31 34 16 08	.362	.0079 .0013				
1H1543-624	235.89 -62.41 15 43 33 -62 24 51	321.76 -6.34 249.76 -41.35	235.89 -62.41 15 43 33 -62 24 51	.000	.1377 .0015	2S 1543-624 4U 1543-62 Nor XR-2 CGS1543-624 XRS15435-624	(R)						
1H1544+360	236.04 36.02 15 44 09 36 01 14	57.36 52.09 220.17 53.75	236.74 35.69 15 46 56 35 41 14	235.25 36.18 15 40 59 36 10 52	235.33 36.35 15 41 19 36 21 00	235.33 36.35 15 41 19 36 21 00	235.33 36.35 15 41 19 36 21 00	.237	.0081 .0011			A2124 (R)	
1H1545+524	236.34 52.49 15 45 20 52 29 30	82.90 48.88 203.86 68.34	236.83 51.97 15 47 20 51 58 29	235.51 52.82 15 42 02 52 49 17	235.83 53.01 15 43 18 53 00 23	235.83 53.01 15 43 18 53 00 23	235.83 53.01 15 43 18 53 00 23	.311	.0038 .0005				
1H1555-552	238.99 -55.24 15 55 57 -55 14 06	327.55 -1.78 249.25 -34.00	237.32 -54.94 16 02 51 -54 56 33	240.71 -55.44 16 02 51 -55 26 11	240.69 -55.50 16 02 44 -55 30 17	240.69 -55.50 16 02 44 -55 30 17	240.69 -55.50 16 02 44 -55 30 17	.140	.0078 .0004	1M 1553-54 XRS15539-542 CGS1553-542	(R)		
1H1555-325	238.76 -32.54 15 55 02 -32 32 22	342.40 15.52 243.46 -11.93	237.64 -32.21 15 50 32 -32 12 34	239.95 -32.63 15 59 48 -32 37 50	239.90 -32.86 15 59 34 -32 51 35	239.90 -32.86 15 59 34 -32 51 35	239.90 -32.86 15 59 34 -32 51 35	.468	.0032 .0006				
1H1556-605	239.20 -60.60 15 56 47 -60 35 45	324.14 -5.93 251.08 -39.16	239.20 -60.60 15 56 47 -60 35 45	.000	.0446 .0021	2S 1556-605 4U 1556-60 CGS1556-605 XRS15567-605	(R)						

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		AREA	X-RAY
1H1556+273	239.04 27.32 15 56 08 27 19 27	44.15 48.71 228.48 46.41	239.61 27.08 15 58 27 27 04 59	238.41 27.42 15 53 37 27 25 26	238.46 27.56 15 53 49 27 33 47	239.66 27.22 15 58 39 27 13 19	.164	.0151 .0018	2A 1556+274 H 1556+274	4U 1556+27 XRS15565+272	A2142 (R)	
1H1600-757	240.03 -75.77 16 00 08 -75 46 16	314.00 -17.42 258.07 -53.57	237.29 -75.42 15 49 10 -75 25 23	243.11 -75.91 16 12 26 -75 54 48	242.90 -76.09 16 11 36 -76 05 11	237.03 -75.59 15 48 06 -75 35 25	.274	.0047 .0006	2A 1556-756	XRS15561-756		
1H1604+158	241.07 15.85 16 04 17 15 50 43	29.12 43.47 234.97 35.84	239.16 16.38 15 56 38 16 22 43	243.03 15.51 16 12 06 15 30 31	242.97 15.30 16 11 53 15 17 42	239.11 16.16 15 56 26 16 09 51	.840	.0062 .0030	2A 1600+164 XRS16011+59	4U 1601+15	A2147 (R)	
1H1607-189	241.89 -18.97 16 07 33 -18 58 05	354.63 23.21 243.52 1.93	241.29 -18.78 16 05 09 -18 46 41	242.52 -19.00 16 10 03 -18 59 55	242.49 -19.16 16 09 56 -19 09 22	241.26 -18.94 16 05 02 -18 56 07	.189	.0044 .0005				
1H1607+031	241.84 3.15 16 07 22 03 08 55	14.86 36.86 239.05 23.62	241.16 3.37 16 04 39 03 22 21	242.56 3.12 16 10 14 03 07 08	242.52 2.92 16 10 05 02 55 27	241.13 3.18 16 04 30 03 10 40	.281	.0046 .0007				
1H1608-522	242.22 -52.30 16 08 52 -52 17 42	330.93 -85 250.64 -30.70	242.22 -52.30 16 08 52 -52 17 42	.000	1.5880 .0250	2S 1608-523 1M 1608-52 XRS16088-523	4U 1608-52 CGS1608-522	Norma Burster Norma Transient (R)				
1H1608+447	242.01 44.73 16 08 02 44 43 33	70.33 47.00 221.56 63.54	243.16 44.12 16 12 38 44 07 14	240.61 44.96 16 02 26 44 57 21	240.84 45.32 16 03 21 45 19 11	243.40 44.48 16 13 36 44 28 45	.796	.0025 .0008				
1H1611-286	242.81 -28.61 16 11 13 -28 36 47	347.84 15.95 246.14 -7.39	241.71 -28.34 16 06 49 -28 20 38	243.94 -28.71 16 15 46 -28 42 37	243.91 -28.87 16 15 38 -28 52 25	241.67 -28.51 16 06 40 -28 30 24	.332	.0031 .0004	4U 1614-27	XRS16146-277		
1H1613-097	243.42 -9.76 16 13 40 -09 45 47	3.47 28.07 243.28 11.25	242.31 -9.40 16 09 14 -09 23 46	244.58 -9.81 16 18 20 -09 48 43	244.53 -10.13 16 18 06 -10 07 36	242.25 -9.71 16 09 00 -09 42 38	.730	.0029 .0007				
1H1613-060	243.34 -6.05 16 13 22 -06 02 48	6.79 30.40 242.51 14.89	242.91 -5.88 16 11 39 -05 53 00	243.80 -6.05 16 15 12 -06 03 10	243.77 -6.21 16 15 05 -06 12 36	242.88 -6.04 16 11 31 -06 02 25	.144	.0060 .0007			A2163 (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC		AREA	X-RAY						
1H1615+655	243.79 65.60 16 15 09 65 35 42	97.89 40.33 173.05 79.41	243.89 65.14 16 15 32 65 08 41	243.29 66.00 16 13 08 65 59 50	243.69 66.05 16 14 46 66 02 44	244.27 65 11 29	244.28 65 19 16 17 07 65 11 29	244.27 65 11 29	244.27 65 11 29	.153		
1H1617-155	244.27 -15.52 16 17 04 -15 31 15	359.09 23.78 245.14 5.73	244.27 -15.52 16 17 04 -15 31 15	.000	2A 1616-155 1M 1617-15 CGS1617-155	V818 Sco (R)						
1H1622-751	245.56 -75.14 16 22 14 -75 08 18	315.49 -17.98 259.95 -52.55	243.76 -74.96 16 15 02 -74 57 41	247.50 -75.14 16 29 58 -75 08 34	247.40 -75.30 16 29 35 -75 18 04	243.63 -75.12 16 14 30 -75 07 03	.157					
1H1624-490	246.08 -49.09 16 24 19 -49 05 06	334.92 -.26 252.65 -27.07	246.08 -49.09 16 24 19 -49 05 06	.000	2S 1624-490 1M 1624-49 CGS1624-490	G334.9-0.3 (R)						
1H1625-333	246.31 -33.30 16 25 13 -33 18 03	346.49 10.54 249.96 -11.49	245.87 -33.17 16 23 28 -33 10 17	246.77 -33.29 16 27 04 -33 17 25	246.74 -33.43 16 26 58 -33 25 44	245.84 -33.31 16 23 22 -33 18 35	.106	4U 1625-33 XRS16256-333				
1H1626-245	246.60 -24.55 16 26 24 -24 32 58	353.34 16.23 248.80 -2.81	244.63 -24.18 16 18 31 -24 10 49	248.60 -24.75 16 34 24 -24 45 16	248.58 -24.89 16 34 19 -24 53 35	244.61 -24.32 16 18 25 -24 19 06	.512	4U 1621-23 XRS16212-234	Rho Oph region (R)			
1H1626+058	246.64 5.82 16 26 32 05 49 20	20.69 34.12 243.68 27.16	245.66 6.06 16 22 38 06 03 35	247.64 5.71 16 30 32 05 42 18	247.62 5.58 16 30 27 05 34 59	245.64 5.94 16 22 32 05 56 16	.248	2A 1630+057 XRS16364+052	A2204 (R)			
1H1627-673	246.81 -67.35 16 27 13 -67 21 14	321.79 -13.09 257.64 -44.90	246.81 -67.35 16 27 13 -67 21 14	.000	2S 1627-673 4U 1626-67 CGS1627-673	2A 1627-673 1M 1626-67 XRS16272-673 (R)						
1H1627+302	246.88 30.20 16 27 31 30 12 16	50.07 42.51 237.32 51.06	245.90 30.57 16 23 35 30 34 05	247.94 30.10 16 31 45 30 06 13	247.85 29.83 16 31 24 29 50 01	245.82 30.30 16 23 16 30 17 48	.510	4U 1628+286 XRS16284+286				
1H1630+673	247.64 67.35 16 30 33 67 20 42	99.20 38.24 164.60 81.26	247.57 66.34 16 30 17 66 20 18	247.07 68.33 16 28 17 68 19 45	247.72 68.35 16 30 51 68 21 06	248.16 66.36 16 32 39 66 21 33	.476					

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		AREA	X-RAY
IH1631+394	248.00 39.48 16 31 58 39 28 35	62.74 42.71 234.38 60.23		249.18 39.06 16 36 42 39 03 24	246.71 39.66 16 26 50 39 39 22	246.80 39.88 16 27 11 39 53 02	249.27 39.28 16 37 05 39 16 57	246.04 72.57 16 24 09 72 34 28	.476	.0146 .0037	2A 1626+396 XRS16278+396	4U 1627+39 A2199 (R)
IH1632+736	248.05 73.64 16 32 11 73 38 08	106.35 35.60 126.56 79.82		244.93 72.82 16 19 43 72 49 29	250.33 74.67 16 41 18 74 40 29	251.47 74.40 16 45 53 74 23 45	246.04 72.57 16 24 09 72 34 28	.988	.0020 .0006			
IH1634-281	248.70 -28.15 16 34 48 -28 08 59	351.81 12.45 251.21 -6.08		247.59 -27.94 16 30 21 -27 56 26	249.83 -28.23 16 39 19 -28 13 51	249.81 -28.35 16 39 15 -28 21 00	247.57 -28.06 16 30 16 -28 03 33	.240	.0056 .0006		IH1645-284	
IH1634+117	248.51 11.74 16 34 03 11 44 38	28.12 35.20 244.59 33.31		247.52 11.98 16 30 04 11 58 43	249.53 11.63 16 38 06 11 37 47	249.51 11.51 16 38 01 11 30 21	247.50 11.85 16 29 58 11 51 16	.252	.0039 .0004			MC2 1635+119? (R)
IH1635-642	248.83 -64.29 16 35 20 -64 17 35	324.70 -11.69 257.88 -41.74		246.60 -64.07 16 26 23 -64 03 56	251.12 -64.45 16 44 28 -64 27 00	251.10 -64.49 16 44 25 -64 29 08	246.58 -64.10 16 26 18 -64 06 02	.072	.0184 .0005		2A 1631-644 1M 1632-64 XRS16315-643	4U 1631-64 XRS16315-643 (R)
IH1636-731	249.18 -73.14 16 36 43 -73 08 35	317.76 -17.45 260.70 -50.37		247.09 -72.85 16 28 21 -72 50 51	251.52 -73.20 16 46 04 -73 12 10	251.34 -73.42 16 45 21 -73 25 00	246.86 -73.06 16 27 27 -73 03 25	.295	.0061 .0009			(R)
IH1636-536	249.23 -53.65 16 36 56 -53 39 14	332.92 -4.82 255.77 -31.23		249.23 -53.65 16 36 56 -53 39 14	.000	.4709 .0054		2S 1636-536 MXB1636-53 XRS16364-536	4U 1636-53 CGS1636-536 (R)			
IH1639-109	249.79 -10.92 16 39 10 -10 54 59	6.64 22.38 249.78 11.12		248.72 -10.53 16 34 52 -10 31 51	250.94 -10.82 16 43 44 -10 49 28	250.87 -11.30 16 43 29 -11 17 54	248.65 -11.00 16 34 36 -11 00 15	1.051	.0056 .0019			Zeta Oph? (R)
IH1640+316	250.10 31.65 16 40 25 31 38 56	52.65 40.06 241.14 53.12		248.68 32.17 16 34 43 32 10 23	251.64 31.51 16 46 34 31 30 49	251.51 31.11 16 46 02 31 06 32	248.56 31.77 16 34 15 31 45 55	1.092	.0018 .0005			
IH1642-455	250.54 -45.52 16 42 10 -45 31 12	339.59 -08 255.31 -23.06		250.54 -45.52 16 42 10 -45 31 12	.000	.7523 .0090		2S 1642-455 1M 1642-45 ARA X-1 XRS16421-455	4U 1642-45 GX340+0 CGS1642-455 (R)			

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS		NON X-RAY
	RA DEC	GAL ECL	RA DEC		AREA	X-RAY							
IH1645-596	251.32 -59.67 16 45 17 -59 40 14	329.06 -9.60 258.32 -36.98	250.73 -59.58 16 42 55 -59 34 52	251.94 -59.76 16 47 46 -59 40 43	251.92 -59.76 16 47 46 -59 45 27	.050	H 1649-595	XRS16450-575	NGC6221? NGC6215? NGC6215A? (R)				
IH1645-519	251.32 -51.94 16 45 17 -51 56 22	335.05 -4.65 256.91 -29.34	249.74 -51.73 16 38 57 -51 43 53	252.94 -52.02 16 51 46 -52 01 23	252.92 -52.13 16 51 41 -52 07 35	.208							
IH1645-442	251.36 -44.25 16 45 25 -44 14 50	340.93 31 255.73 -21.72	249.98 -44.09 16 39 55 -44 05 25	252.74 -44.36 16 50 58 -44 21 50	252.74 -44.39 16 50 57 -44 23 16	.048	GX341+1		(R)				
IH1651+398	252.99 39.88 16 51 58 39 52 42	63.64 38.91 241.78 61.67	252.74 39.97 16 50 58 39 58 28	253.27 39.86 16 53 05 39 51 31	253.24 39.78 16 50 51 39 46 54	.034	4U 1651+39	XRS16518+399	Mkn 501 (R)				
IH1652-180	253.16 -18.07 16 52 38 -18 04 22	2.56 15.52 253.96 4.44	252.63 -17.93 16 50 30 -17 55 57	253.71 -18.05 16 54 50 -18 03 09	253.69 -18.21 16 54 46 -18 12 41	.166	H 1648-185?						
IH1653-083	253.40 -8.36 16 53 35 -08 21 52	11.07 20.91 253.05 14.11	252.22 -8.09 16 48 52 -08 05 34	254.61 -8.35 16 58 26 -08 21 15	254.58 -8.63 16 58 19 -08 37 57	.666			Wolf 630 (R)				
IH1653-062	253.36 -6.28 16 53 25 -06 16 31	12.92 22.09 252.76 16.18	252.65 -6.04 16 50 35 -06 02 29	254.10 -6.20 16 56 24 -06 12 00	254.07 -6.51 16 56 15 -06 30 30	.451	4U 1651-06	XRS16518-065					
IH1656+354	254.01 35.42 16 56 01 35 25 05	58.15 37.52 245.30 57.50	254.01 35.42 16 56 01 35 25 05	.000	2A 1655+353 1M 1656+35 XRS16560+354	4U 1656+35 Her X-1	HZ Her (R)						
IH1657-037	254.40 -3.77 16 57 36 -03 46 06	15.81 22.56 253.54 18.79	253.77 -3.61 16 55 05 -03 36 53	255.05 -3.76 17 00 11 -03 45 46	255.03 -3.92 17 00 07 -03 55 18	.205							
IH1658-298	254.73 -29.87 16 58 55 -29 52 27	353.83 7.27 256.69 -7.13	254.73 -29.87 16 58 55 -29 52 27	.000	4U 1704-30 CGS1658-298	MXB1659-29 XRS16590-298	(R)						

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	X-RAY			NON X-RAY					
1H1659-487	254.76 -48.72 16 59 01 -48 43 05	338.94 -4.33 258.89 -25.86		254.76 -48.72 16 59 01 -48 43 05	.000	.1683 .0030	4U 1658-48 GX339-4 XRS16589-487	1M 1658-48 CGS1659-487	(R)				
1H1659-317	254.82 -31.73 16 59 15 -31 43 45	352.39 6.08 256.96 -8.97		255.65 -31.58 16 54 36 -31 34 43	255.99 -31.79 17 03 57 -31 47 22	255.98 -31.87 17 03 55 -31 52 09	255.98 -31.87 17 03 55 -31 52 09	255.98 -31.87 17 03 55 -31 52 09	.160	.0066 .0004	4U 1705-32 XRS17056-322	XRS17056-322	
1H1702-437	255.54 -43.76 17 02 10 -43 45 47	343.20 -1.73 258.87 -20.87		254.17 -43.63 16 56 41 -43 38 01	256.92 -43.85 17 07 41 -43 50 46	256.92 -43.88 17 07 41 -43 52 33	256.92 -43.88 17 07 41 -43 52 33	256.92 -43.88 17 07 41 -43 52 33	.060	.0560 .0009	4U 1705-44 XRS17053-440	CGS1705-440	(R)
1H1702-363	255.60 -36.36 17 02 23 -36 21 26	349.10 2.75 258.11 -13.50		255.60 -36.36 17 02 23 -36 21 26	.000	1.6610 .0189	2S 1702-363 1M 1702-36 CGS1702-363	4U 1702-36 Sco XR-2 XRS17023-363	(R)				
1H1702+336	255.51 33.67 17 02 01 33 40 23	56.29 35.99 248.12 56.02		254.40 34.25 16 57 36 34 15 03	256.78 33.89 17 07 07 33 53 34	256.59 33.09 17 06 22 33 05 09	256.59 33.09 17 06 22 33 05 09	256.59 33.44 16 56 57 33 26 25	1.644	.0046 .0007	2A 1659+337 XRS16592+337	3U 1706+32	A2244 (R)
1H1702+456	255.63 45.69 17 02 32 45 41 32	71.19 37.38 242.72 67.78		254.33 46.17 16 57 18 46 10 01	257.10 45.64 17 08 24 45 38 34	256.92 45.20 17 07 40 45 12 10	256.92 45.20 17 07 40 45 12 10	254.17 45.72 16 56 39 45 43 22	.916	.0012 .0005			(R)
1H1703-013	255.99 -1.34 17 03 57 -01 20 08	18.96 22.46 254.93 21.38		255.52 -1.22 17 02 04 -01 12 56	256.47 -1.32 17 05 53 -01 18 59	256.46 -1.46 17 05 50 -01 27 21	256.46 -1.46 17 05 50 -01 27 21	255.50 -1.35 17 02 00 -01 21 17	.134	.0068 .0006	4U 1716-016 XRS17166-016	UGC 106838	(R)
1H1704-198	256.04 -19.88 17 04 09 -19 52 35	2.70 12.26 256.87 2.93		254.99 -19.73 16 59 56 -19 43 45	257.10 -19.92 17 08 24 -19 55 17	257.09 -20.02 17 08 22 -20 01 01	257.09 -20.02 17 08 22 -20 01 01	254.98 -19.82 16 59 54 -19 49 29	.192	.0056 .0004			(R)
1H1704+605	256.08 60.53 17 04 18 60 31 31	89.73 36.39 217.78 81.38		257.45 59.78 17 09 47 59 47 01	254.32 61.06 16 57 17 61 03 28	254.64 61.25 16 58 34 61 15 08	254.64 61.25 16 58 34 61 15 08	257.77 59.97 17 11 05 59 58 15	.496	.0045 .0010	2A 1705+609 XRS17052+609	3C351?	
1H1705-250	256.29 -25.03 17 05 10 -25 01 38	358.59 9.06 257.59 -2.17		256.29 -25.03 17 05 10 -25 01 38	.000	4.2110 .0668	CGS1705-250 XRS17051-250	Nova Oph 1977 V2107 Oph	(R)				

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS		NON X-RAY
	RA DEC	GAL ECL	RA DEC	X-RAY		AREA						
1H1706+241	256.66 24.12 17 06 37 24 07 09	45.43 32.55 252.10 46.74	256.03 24.29 17 04 07 24 17 25	257.31 24.12 17 09 14 24 07 24	257.28 23.95 17 09 07 23 56 43	256.00 24.11 17 04 00 24 06 43	256.00 24.11 17 04 00 24 06 43	.0049 .0006	2A 1704+241 XRS17040+241	.212	4U 1700+24	HD154791 (R)
1H1706+786	256.52 78.68 17 06 03 78 40 48	110.99 31.80 102.02 77.30	255.85 78.65 17 03 24 78 39 07	257.06 78.76 17 08 13 78 45 41	257.18 78.71 17 08 43 78 42 24	255.98 78.60 17 03 55 78 35 52	255.98 78.60 17 03 55 78 35 52	.0108 .0004	2A 1705+786 1M 1706+78 XRS1707+786	.016	4U 1707+78 XRS1707+786	A2256 (R)
1H1708-405	257.22 -40.58 17 08 51 -40 34 58	346.49 -81 259.85 -17.59	257.11 -40.56 17 08 27 -40 33 44	257.32 -40.58 17 09 17 -40 34 40	257.32 -40.60 17 09 16 -40 36 13	257.11 -40.59 17 08 26 -40 35 17	257.11 -40.59 17 08 26 -40 35 17	.0870 .0015	4U 1708-40 XRS17083-407	.004	1M 1709-40	(R)
1H1709+105	257.27 10.59 17 09 04 10 35 39	31.21 26.95 254.97 33.38	256.26 10.76 17 05 03 10 45 37	258.29 10.55 17 13 09 10 33 01	258.27 10.43 17 13 05 10 25 30	256.25 10.64 17 05 00 10 38 06	256.25 10.64 17 05 00 10 38 06	.0044 .0005		.252		
1H1710-387	257.63 -38.79 17 10 32 -38 47 27	348.12 -00 260.01 -15.77	256.36 -38.68 17 05 26 -38 41 00	258.92 -38.86 17 15 39 -38 51 37	258.91 -38.88 17 15 39 -38 53 04	256.36 -38.71 17 05 25 -38 42 26	256.36 -38.71 17 05 25 -38 42 26	.0634 .0005	4U 1715-39	.048		
1H1712-337	258.20 -33.74 17 12 49 -33 44 41	352.48 2.59 260.04 -10.71	257.01 -33.61 17 08 02 -33 36 52	259.41 -33.78 17 17 37 -33 46 47	259.40 -33.86 17 17 36 -33 51 49	257.00 -33.70 17 08 00 -33 41 53	257.00 -33.70 17 08 00 -33 41 53	.0425 .0108	A 1710-34 XRS17108-340	.168		(R) A2252
1H1712+490	258.24 49.03 17 12 57 49 01 58	75.44 35.76 245.14 71.47	257.20 49.35 17 08 48 49 20 56	259.37 48.94 17 17 29 48 56 14	259.27 48.71 17 17 04 48 42 28	257.10 49.12 17 08 24 49 07 02	257.10 49.12 17 08 24 49 07 02	.0024 .0004		.355		A2255 (R)
1H1712+641	258.10 64.13 17 12 23 64 07 40	93.94 34.93 200.55 84.49	258.30 63.93 17 13 10 63 55 54	257.69 64.25 17 10 46 64 14 57	257.90 64.32 17 11 36 64 19 24	258.50 64.01 17 14 00 64 00 18	258.50 64.01 17 14 00 64 00 18	.0041 .0003		.048		A2255 (R)
1H1714+424	258.68 42.41 17 14 43 42 24 32	67.37 34.92 249.89 65.07	257.14 42.84 17 08 33 42 50 15	260.32 42.31 17 21 16 42 18 35	260.20 41.96 17 20 48 41 57 36	257.04 42.48 17 08 09 42 29 05	257.04 42.48 17 08 09 42 29 05	.0018 .0006		.864		
1H1715-321	258.88 -32.12 17 15 31 -32 07 16	354.13 3.07 260.48 -9.04	258.88 -32.12 17 15 31 -32 07 16	.0450 .0029	2S 1715-321 1M 1716-31 XRS17155-321	.000	4U 1704-30 CGS1715-321	(R)				

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		X-RAY	NON X-RAY
1H1718-010	259 62 -1 05 17 18 28 -01 03 06	21.17 19.46 258.80 21.99		258.63 -1.08 17 14 30 -01 04 37	260.62 -1.18 17 22 28 -01 10 50	260.61 -1.03 17 22 26 -01 01 34	258.62 -1.03 17 14 28 -01 01 34	258.62 -1.03 17 14 28 -01 01 34	.208	4U 1716-01	XRS17166-016 3C353?	
1H1718+242	259 56 24 27 17 18 13 24 15 54	46.57 30.09 255.92 47.20		258.49 24.54 17 13 56 24 32 36	260.67 24.33 17 22 40 24 19 51	260.63 23.98 17 22 30 23 58 45	258.45 24.19 17 13 47 24 11 28	.708		V396 Her B2 1719+24? (R)		
1H1719+033	259 98 3 34 17 19 55 03 20 39	25.46 21.27 258.82 26.40		258.99 3.46 17 15 56 03 27 42	260.98 3.31 17 23 56 03 18 26	260.98 3.23 17 23 54 03 13 32	258.98 3.38 17 15 55 03 22 48	.164	4U 1715+02	XRS17154+028		
1H1720-669	260 20 -66 91 17 20 48 -66 54 44	325.34 -17.02 264.71 -43.65		259.19 -66.82 17 16 46 -66 49 23	261.24 -66.89 17 24 56 -66 53 35	261.22 -67.00 17 24 52 -66 55 29	259.17 -66.92 17 16 40 -66 55 29	.082		NGC6362?		
1H1720+117	260 20 11 79 17 20 48 11 47 26	33.78 24.85 258.29 34.84		259.58 11.94 17 18 18 11 56 10	260.84 11.82 17 23 21 11 49 23	260.82 11.64 17 23 17 11 38 38	259.56 11.76 17 18 14 11 45 25	.223	4U 1722+11?	XRS17228+119		
1H1720+269	260 21 26 90 17 20 50 26 54 13	49.68 30.35 256.39 49.89		259.28 27.11 17 17 06 27 06 33	261.17 26.91 17 24 41 26 54 36	261.14 26.69 17 24 34 26 41 30	259.25 26.89 17 17 00 26 53 26	.374		A2263 (R)		
1H1720+573	260 01 57 34 17 20 02 57 20 06	85.60 34.66 238.49 79.68		258.34 57.78 17 13 21 57 47 03	261.76 57.01 17 27 03 57 00 44	261.64 56.86 17 26 34 56 51 52	258.23 57.63 17 12 54 57 37 59	.324				
1H1726-058	261 61 -5 86 17 26 25 -05 51 41	17.85 15.33 261.25 17.33		260.30 -5.57 17 21 11 -05 34 19	262.94 -6.15 17 31 46 -05 44 55	262.92 -6.15 17 31 40 -06 08 52	260.27 -5.97 17 21 04 -05 58 15	1.056				
1H1727+308	261 91 30 82 17 27 39 30 48 57	54.52 30.05 258.16 53.93		261.27 30.96 17 25 05 30 57 20	262.57 30.85 17 30 17 30 51 08	262.55 30.67 17 30 12 30 40 23	261.26 30.78 17 25 01 30 46 34	.202				
1H1728-334	262 16 -33 49 17 28 37 -33 29 06	354.56 .03 263.36 -10.22		261.78 -33.46 17 27 06 -33 27 30	262.54 -33.49 17 30 09 -33 29 26	262.54 -33.51 17 30 09 -33 30 38	261.77 -33.48 17 27 05 -33 28 42	.013	MXB1728-34	Grindlay 1 (R)		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						AREA	FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY			NON X-RAY						
1H1728-247	262.15 -24.70 17 28 36 -24 42 13	1.90 4.87 262.87 -1.45	261.05 -24.63 17 33 00 -24 38 00	263.25 -24.74 17 33 00 -24 44 31	.048	.0574 .0006	2S 1728-247 GX1+4 XRS17289-247	4U 1728-24 CGS1728-247	V2116 Oph (R)				
1H1728-213	262.15 -21.40 17 28 36 -21 23 48	4.68 6.67 262.69 1.85	261.98 -21.37 17 27 55 -21 22 05	262.33 -21.39 17 29 18 -21 23 07	.013	.0209 .0006			Kepler SNR (R)				
1H1728-169	262.21 -16.92 17 28 50 -16 55 19	8.52 9.04 262.50 6.32	262.21 -16.92 17 28 50 -16 55 19	.000	.8652 .0127	2S 1728-169 1M 1728-16 XRS17288-169	4U 1728-16 GX9+9	(R)					
1H1730+500	262.74 50.03 17 30 57 50 01 40	76.85 32.90 253.82 73.07	261.24 50.37 17 24 58 50 21 55	264.32 50.02 17 37 16 50 01 08	.708	.0014 .0004			I Zw 186 (R)				
1H1731-075	262.94 -7.54 17 31 45 -07 32 08	17.06 13.34 262.73 15.73	261.36 -7.28 17 25 25 -07 17 01	264.54 -7.44 17 38 09 -07 26 18	1.088	.0029 .0007			(R)				
1H1732+439	263.19 44.00 17 32 45 43 59 52	69.80 31.89 257.31 67.14	261.82 44.23 17 27 17 44 13 45	264.59 43.99 17 38 21 43 59 09	.476	.0018 .0003	3U 1736+43						
1H1733+356	263.48 35.66 17 33 54 35 39 18	60.31 30.03 259.71 58.87	262.64 35.89 17 30 33 35 53 37	264.36 35.68 17 37 26 35 40 52	.387	.0035 .0006							
1H1735-444	263.83 -44.42 17 35 19 -44 25 18	346.05 -6.99 265.28 -21.08	263.83 -44.42 17 35 19 -44 25 18	.000	.3694 .0051	2S 1735-444 MXB1735-44 XRS17353-444	4U 1735-44 CGS1735-444	V926 Sco (R)					
1H1735+388	263.94 38.83 17 35 46 38 49 59	63.99 30.38 259.89 62.07	262.54 39.18 17 30 10 39 10 39	265.41 38.79 17 41 37 38 47 11	.723	.0022 .0005							
1H1735+400	263.81 40.06 17 35 14 40 03 29	65.35 30.74 259.42 63.28	263.06 40.23 17 32 14 40 13 38	264.59 40.06 17 38 21 40 03 44	.212	.0031 .0004			A2278? (R)				

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	AREA		X-RAY	NON X-RAY					
1H1736+173	264.16 17.37	41.07 23.61	263.51 17.50	264.81 17.43	264.80 17.25	263.50 17.32	264.80 17.39	263.50 17.34	.223	.0042 .0005		
1H1739-126	264.75 -12.66	13.50 9.18	264.25 -12.57	265.26 -12.60	265.25 -12.75	264.25 -12.72	265.25 -12.45	264.25 -12.42	.147	.0064 .0006	4U 1807-10 XRS18079-108	H 1734-127
1H1739+744	264.93 74.42	105.61 30.95	264.04 74.64	266.07 74.52	265.79 74.20	263.80 74.32	265.79 74.32	263.80 74.32	.184	.0027 .0004		
1H1740+329	265.13 32.99	57.77 28.02	264.33 33.15	265.95 33.04	265.93 32.84	264.31 32.95	265.93 32.84	264.31 32.95	.272	.0033 .0005		1742+33?
1H1741-322	265.44 -32.21	357.13 -1.61	265.44 -32.21	265.44 -32.21	265.44 -32.21	265.44 -32.21	265.44 -32.21	265.44 -32.21	.000	1.4930 .0296	H 1743-322	
1H1741+586	265.46 58.62	87.10 31.76	264.98 58.83	266.08 58.58	265.94 58.41	264.84 58.65	265.94 58.41	264.84 58.65	.116	.0028 .0003		
1H1744-293	266.24 -29.38	359.89 -.71	266.11 -29.37	266.37 -29.38	266.37 -29.40	266.11 -29.39	266.37 -29.40	266.11 -29.39	.004	.2582 .0056	2S 1742-267 MXB1743-29 XRS17436-285	4U 1743-29 CGS1743-288
1H1744-265	266.21 -26.55	2.29 .79	266.21 -26.55	266.21 -26.55	266.21 -26.55	266.21 -26.55	266.21 -26.55	266.21 -26.55	.000	.8754 .0155	2S 1744-265 1M 1744-26 CGS1744-26	4U 1744-26 GX3+1 Sgr XR-1
1H1744+007	266.19 .79	26.18 14.59	265.19 .89	267.19 .83	267.19 .70	265.19 .76	267.19 .70	265.19 .76	.272	.0034 .0004		
1H1746-370	266.70 -37.04	353.53 -5.00	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	.000	.1271 .0024	2S 1746-370 1M 1746-37	4U 1746-37 XRS17468-370
	266.70 -37.04	267.29 -13.63	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	.000			NGC6441
	266.70 -37.04	267.29 -13.63	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	266.70 -37.04	.000			(R)

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		AREA	X-RAY
1H1746+475	266.55 47.53 17 46 11 47 31 34	74.28 30.11 262.87 70.89	97.52 31.05 141.13 88.42	265.62 47.65 17 42 27 47 38 42	267.49 47.60 17 49 58 47 35 58	267.48 47.40 17 49 54 47 23 59	265.61 47.45 17 42 25 47 26 42		.0021 .0003	.253		
1H1747+675	266.77 67.52 17 47 05 67 30 59	97.52 31.05 141.13 88.42	97.52 31.05 141.13 88.42	266.18 67.42 17 44 43 67 25 25	267.00 67.74 17 48 00 67 44 41	267.37 67.61 17 49 28 67 36 24	266.55 67.29 17 46 11 67 17 15		.0023 .0002	.088		
1H1748+685	267.23 68.51 17 48 54 68 30 42	98.67 30.83 117.16 87.77	98.67 30.83 117.16 87.77	263.19 68.98 17 32 45 68 58 46	268.08 70.02 17 52 18 70 01 02	271.08 67.95 18 04 19 67 57 04	266.48 67.00 17 45 55 67 00 09		.0030 .0013	4.660		Mkn 507? (R)
1H1752+081	268.02 8.19 17 52 05 08 11 16	33.87 16.35 267.70 31.62	33.87 16.35 267.70 31.62	267.43 8.29 17 49 43 08 17 09	268.62 8.27 17 54 28 08 16 15	268.62 8.09 17 49 42 08 05 19	267.43 8.10 17 49 42 08 06 14		.0056 .0008	.214		
1H1752+289	268.21 28.98 17 52 49 28 58 58	54.40 24.29 267.43 52.41	54.40 24.29 267.43 52.41	266.88 29.17 17 47 31 29 10 16	269.55 29.05 17 58 11 29 02 56	269.53 28.78 17 58 06 28 46 53	266.87 28.90 17 47 28 28 54 13		.0038 .0010	.625	4U 1745+29	XRS17456+292
1H1754-338	268.74 -33.80 17 54 56 -33 48 04	357.17 -4.80 268.93 -10.36	357.17 -4.80 268.93 -10.36	268.59 -33.79 17 54 21 -33 47 23	268.88 -33.79 17 55 31 -33 47 32	268.88 -33.81 17 55 31 -33 48 44	268.59 -33.81 17 54 21 -33 48 35		.3431 .0064	.005	2S 1755-338 1M 1755-33 CGS1755-338	4U 1755-33 Sco XR-6 XRS17553-338 (R)
1H1758-482	269.63 -48.27 17 58 30 -48 16 28	344.68 -12.38 269.73 -24.83	344.68 -12.38 269.73 -24.83	268.13 -48.18 17 52 30 -48 10 30	271.13 -48.18 18 04 30 -48 10 50	271.13 -48.35 18 04 31 -48 21 17	268.12 -48.35 17 52 28 -48 20 56		.0053 .0008	.348		
1H1758-250	269.51 -25.08 17 58 03 -25 04 38	5.08 -1.02 269.56 -1.63	5.08 -1.02 269.56 -1.63	269.51 -25.08 17 58 03 -25 04 38		2.2860 .0954	.000	2S 1758-250 1M 1758-25 CGS1758-250	4U 1758-25 GX5-1 XRS17580-250 (R)			
1H1758-205	269.64 -20.53 17 58 33 -20 31 56	9.07 1.15 269.66 2.91	9.07 1.15 269.66 2.91	269.64 -20.53 17 58 33 -20 31 56		1.5230 .0243	.000	2S 1758-205 1M 1758-20 CGS1758-205	4U 1758-20 GX9+1 Sgr XR-3 (R)			
1H1759+099	269.79 9.92 17 59 09 09 55 16	36.28 15.54 269.75 33.37	36.28 15.54 269.75 33.37	268.77 10.06 17 55 05 10 03 34	270.81 10.06 18 03 13 10 03 21	270.81 9.78 18 03 13 09 46 48	268.78 9.78 17 55 06 09 47 01		.0035 .0008	.552		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY				
1H1801+579	270.38 57.97 18 01 30 57 58 11	86.54 29.14 271.34 81.41	268.48 58.06 17 53 55 58 03 29	272.27 58.09 18 09 02 58 05 35	272.26 57.85 18 09 02 57 51 12	273.71 69.67 17 52 03 69 40 21	268.01 57.82 17 54 00 57 49 06	268.50 57.82 17 54 00 57 49 06	.480			
1H1803+696	270.90 69.66 18 03 36 69 39 28	99.95 29.49 84.24 86.88	268.05 69.83 17 52 10 69 49 34	273.78 69.60 18 15 06 69 35 46	273.71 69.44 18 14 49 69 26 38	268.01 69.67 17 52 03 69 40 21	268.01 69.67 17 52 03 69 40 21	.308		H1801+698	3C371	
1H1810+182	272.67 18.21 18 10 40 18 12 48	45.33 16.51 273.39 41.63	271.55 18.37 18 06 12 18 22 29	273.79 18.37 18 15 08 18 21 55	273.78 18.05 18 15 07 18 02 44	271.55 18.05 18 06 12 18 03 17	271.55 18.05 18 06 12 18 03 17	.678			(R)	
1H1811-171	272.91 -17.17 18 11 37 -17 10 14	13.52 .11 272.79 6.25	272.91 -17.17 18 11 37 -17 10 14	.000		2S 1811-171 1M 1811-17 CGS1811-171	4U 1811-17 GX13+1 Sgr XR-2					
1H1811+670	272.81 67.08 18 11 15 67 04 55	97.02 28.72 26.77 88.77	273.63 66.13 18 14 30 67 07 52	271.51 67.95 18 06 01 67 57 09	271.94 68.03 18 07 44 68 01 42	274.03 66.20 18 16 07 66 12 06	274.03 66.20 18 16 07 66 12 06	.356			1803+676	
1H1812-182	273.13 -18.23 18 12 31 -18 13 56	12.69 -5.9 272.98 5.18	272.08 -18.24 18 08 18 -18 14 10	274.18 -18.19 18 16 43 -18 13 31	274.18 -18.22 18 16 43 -18 13 21	272.08 -18.27 18 08 18 -18 15 58	272.08 -18.27 18 08 18 -18 15 58	.060		A 1805-18		
1H1813-140	273.29 -14.05 18 13 10 -14 03 13	16.43 1.28 273.24 9.35	273.29 -14.05 18 13 10 -14 03 13	.000		2S 1813-140 1M 1813-14 CGS1813-140	4U 1813-14 GX17+2 Ser XR-2					
1H1814+498	273.74 49.85 18 14 58 49 50 49	77.86 25.88 278.37 73.18	273.74 49.85 18 14 58 49 50 49	.000		2A 1815+500 (1M)1814+49	4U 1813+500 XRS18149+498					
1H1815-121	273.81 -12.17 18 15 14 -12 09 56	18.33 1.74 273.80 11.23	273.66 -12.15 18 14 37 -12 08 58	273.96 -12.14 18 15 51 -12 08 29	273.96 -12.18 18 15 51 -12 10 53	273.66 -12.19 18 14 37 -12 11 22	273.66 -12.19 18 14 37 -12 11 22	.012		4U 1812-12	1M 1812-12?	
1H1815+538	273.99 53.89 18 15 56 53 53 08	82.30 26.55 280.64 77.18	273.29 54.08 18 13 09 54 04 31	274.73 53.98 18 18 56 53 58 54	274.68 53.69 18 18 42 53 41 30	273.24 53.78 18 12 57 53 47 05	273.24 53.78 18 12 57 53 47 05	.249				

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS		
	RA DEC	GAL ECL	RA DEC		AREA	X-RAY	NON X-RAY						
1H1820-303	275.12 -30.39 18 20 27 -30 23 10	2.79 -7.91 274.44 -7.02	275.12 -30.39 18 20 27 -30 23 10	.000	2S 1820-303 MXB1820-30 XRS18204-303	4U 1820-30 CGS1820-303 (R)	NGC6624						
1H1820+303	275.21 30.30 18 20 50 30 18 04	57.98 19.03 277.59 53.61	274.53 30.34 18 18 07 30 20 31	275.87 30.42 18 23 29 30 25 00	275.89 30.26 18 23 32 30 15 25	.186							
1H1820+643	275.17 64.39 18 20 41 64 23 31	94.07 27.53 317.17 86.95	274.80 64.42 18 19 11 64 24 59	275.32 64.54 18 21 17 64 32 32	275.55 64.37 18 22 11 64 22 00	.052	H 1824+644		(R)				
1H1822-371	275.60 -37.13 18 22 22 -37 08 01	356.85 -11.29 274.59 -13.78	275.60 -37.13 18 22 22 -37 08 01	.000	2A 1822-371 1M 1822-37 XRS18222-371	4U 1822-37 CGS1822-371 (R)	V691 C+A						
1H1822+000	275.70 -04 18 22 48 -00 02 23	29.94 5.79 276.21 23.28	275.70 -04 18 22 48 -00 02 23	.000	2S 1822-000 1M 1822-00 XRS18228-000	4U 1823-00 CGS1822-000 (R)							
1H1828-593	277.24 -59.32 18 28 56 -59 19 03	335.96 -20.87 274.56 -35.99	275.27 -59.28 18 21 05 -59 16 51	279.17 -59.16 18 36 41 -59 09 26	279.20 -59.32 18 36 48 -59 19 28	.336	H1829-591						
1H1828-105	277.20 -10.60 18 28 48 -10 35 43	21.29 -45 277.26 12.67	276.95 -10.57 18 27 46 -10 34 29	277.46 -10.55 18 29 50 -10 32 52	277.46 -10.62 18 29 50 -10 36 57	.034	A 1829-10?	XRS18310-109	MSH18-113				
1H1831+114	277.87 11.44 18 31 28 11 26 06	41.24 9.07 279.38 34.62	276.84 11.58 18 27 20 11 34 39	278.87 11.71 18 35 29 11 42 36	278.90 11.29 18 35 36 11 17 20	.844							
1H1832-652	278.09 -65.21 18 32 21 -65 12 40	330.02 -23.00 274.55 -41.89	275.70 -65.21 18 22 48 -65 12 40	280.44 -65.06 18 41 46 -65 03 20	280.48 -65.18 18 41 54 -65 10 44	.248	H 1834-653		ESO 103-G25				
1H1832-076	278.18 -7.61 18 32 42 -07 36 43	24.37 .09 278.42 15.59	277.17 -7.65 18 28 40 -07 39 02	279.18 -7.53 18 36 44 -07 31 59	279.19 -7.57 18 36 44 -07 34 15	.076	A 1829-06 H1833-077	Set X-1	(R)				

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC		AREA	X-RAY				
1H1835+326	278.85 32.62 18 35 24 32 37 29	61.46 17.00 283.29 55.66		278.36 32.66 18 33 26 32 39 30	279.33 32.73 18 37 23 32 43 43	279.35 32.59 18 37 23 32 35 21	278.38 32.52 18 33 30 32 31 08	275.71 -78.79 18 22 50 -78 47 15	.115	.0076 .0006	H 1832+325 4U 1823+33?	3C382 (R)
1H1836-786	279.09 -78.63 18 36 21 -78 38 00	315.67 -26.20 273.13 -55.29		275.67 -78.57 18 22 40 -78 34 03	282.37 -78.44 18 49 28 -78 26 31	282.54 -78.66 18 50 08 -78 39 34	275.71 -78.79 18 22 50 -78 47 15	.295	.0061 .0009	H 1846-786 1M 1849-77	STR1839-787 (R)	
1H1837+049	279.37 4.99 18 37 29 04 59 21	36.12 4.84 280.60 28.09		279.37 4.99 18 37 29 04 59 21	.000	.5869 .0066	2S 1837+049 MXB1837+049 CGS1837+049	4U 1837+04 Ser XR-1 XRS18374+049 (R)				
1H1840-050	280.13 -5.06 18 40 30 -05 03 40	27.53 -.45 280.61 18.01		279.12 -5.09 18 36 29 -05 05 17	281.13 -4.94 18 44 30 -04 56 27	281.13 -5.03 18 44 31 -05 01 57	279.13 -5.18 18 36 31 -05 10 47	.184	.0088 .0007	4U 1832-05 XRS18325-051	SNR 1838-05 (R)	
1H1840+729	280.19 72.96 18 40 46 72 57 52	103.87 26.70 65.90 82.71		277.47 73.60 18 29 52 73 35 43	283.17 72.48 18 52 40 72 28 54	282.73 72.30 18 50 53 72 17 58	277.06 73.40 18 28 14 73 24 05	.452	.0027 .0005	2A 1854+683 XRS18543+683	4U 1859+69 A2310? (R)	
1H1844+291	281.25 29.13 18 44 59 29 07 40	58.95 13.74 286.04 51.95		280.10 29.07 18 40 24 29 03 59	282.37 29.32 18 49 29 29 19 06	282.39 29.18 18 49 34 29 10 46	280.12 28.93 18 40 29 28 55 40	.280	.0048 .0006			
1H1845-024	281.42 -2.48 18 45 40 -02 28 32	30.42 -.40 282.19 20.49		281.42 -2.48 18 45 40 -02 28 32	.000	.0285 .0017	2S 1845-024 4U 1850-03 XRS18456-024	A 1845-02 CGS1845-024 (R)				
1H1849+379	282.26 37.93 18 49 03 37 55 31	67.68 16.42 289.91 60.53		281.41 37.90 18 45 37 37 53 51	283.03 38.24 18 52 06 38 14 15	283.12 37.95 18 52 29 37 56 49	281.51 37.61 18 46 01 37 36 30	.396	.0082 .0018	4U 1852+370 XRS1852+370		
1H1850-087	282.59 -8.77 18 50 20 -08 46 00	25.36 -4.32 282.83 14.12		282.59 -8.77 18 50 20 -08 46 00	.000	.0151 .0007	2S 1850-087 MXB1850-08 XRS18503-087	4U 1850-08 CGS1850-087 (R)				
1H1850+263	282.59 26.38 18 50 20 26 22 48	56.90 11.53 287.34 49.07		281.02 26.24 18 44 05 26 14 11	284.10 26.76 18 56 24 26 45 32	284.15 26.51 18 56 36 26 30 24	281.08 25.99 18 44 19 25 59 08	.718	.0043 .0012			

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC		X-RAY	NON X-RAY					
1H1851+100	282.76 10.08	42.20 4.17	281.71 10.12	283.78 10.33	283.81 10.05	281.74 9.83	283.81 10.05	281.74 9.83	.0037 .0007		
1H1852+015	18 51 02 10 05 05	285.01 32.87	18 46 50 10 07 06	18 55 07 10 20 02	18 55 07 10 02 51	18 46 57 09 49 55	18 55 07 10 02 51	18 46 57 09 49 55			W44?
1H1853-312	283.29 -31.24	5.06 -14.62	282.12 -31.29	284.45 -31.11	284.45 -31.18	282.12 -31.36	284.45 -31.18	282.12 -31.36	.0088 .0005	4U 1849-31 XRS18492-312	(R) V1223 Sgr
1H1858+031	284.67 3.19	36.94 -.68	283.67 3.12	285.66 3.34	285.67 3.26	283.68 3.03	285.67 3.26	283.68 3.03	.0036 .0005	4U 1901+03 XRS19017+031	
1H1858+797	18 58 40 03 11 20	286.31 25.81	18 54 40 03 07 13	19 02 37 03 20 39	19 02 37 03 20 39	18 54 42 03 01 58	19 02 37 03 20 39	18 54 42 03 01 58		4U 1847+78 XRS18476+789	3C390.3
1H1903+689	285.94 68.94	99.86 24.14	286.43 67.96	285.07 69.89	285.41 69.92	286.75 67.98	285.41 69.92	286.75 67.98	.0049 .0005	2A 1854+683 4U 1859+69 XRS18543+683	(R) A2315?
1H1905+000	286.48 .09	35.03 -3.71	286.48 .09	286.48 .09	286.48 .09	286.48 .09	286.48 .09	286.48 .09	.0365 .0008	2S 1905+000 MXB1906+00 XRS19059+000	(R)
1H1905+550	286.37 55.03	85.55 19.91	285.26 54.83	287.32 55.42	287.50 55.21	285.44 54.63	287.50 55.21	285.44 54.63	.0035 .0006		
1H1907+074	286.85 7.47	41.75 -62	286.53 7.47	287.16 7.56	287.17 7.48	286.54 7.39	287.17 7.48	286.54 7.39	.0186 .0011	4U 1909+07 XRS19092+076	(R)
1H1908+047	287.02 4.75	39.42 -2.03	286.55 4.76	287.47 4.88	287.49 4.75	286.57 4.62	287.49 4.75	286.57 4.62	.0099 .0009	4U 1908+05 XRS19094+047	SS433 W50 V1343 Aql (R)

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	AREA		X-RAY	NON X-RAY					
1H1909+096	287.38 9.66 19 09 30 09 39 36	43.93 -06 290.29 31.89	287.28 9.67 19 09 06 09 39 55	287.48 9.69 19 09 54 09 41 40	287.48 9.65 19 09 55 09 39 17	287.28 9.63 19 09 07 09 37 33	.008	4U 1907+09 XRS19078+095	1M 1906+09 (R)			
1H1909+304	287.42 30.49 19 09 41 30 29 31	62.54 9.47 295.04 52.43	286.25 30.46 19 04 58 30 27 36	288.53 30.85 19 14 06 30 51 05	288.60 30.51 19 14 23 30 30 48	286.33 30.12 19 05 18 30 07 24	.688					
1H1911-589	287.93 -58.94 19 11 43 -58 56 24	337.86 -26.08 281.35 -36.20	285.99 -59.02 19 03 58 -59 01 08	289.82 -58.72 19 19 16 -58 42 58	289.86 -58.83 19 19 25 -58 49 56	286.02 -59.14 19 04 05 -59 08 10	.236	2A 1914-589 XRS19146-589	4U 1924-59 STR1914-588 (R)			
1H1911-389	287.95 -38.99 19 11 46 -38 59 10	358.93 -20.98 284.46 -16.44	286.65 -39.01 19 06 36 -39 00 52	289.20 -38.76 19 16 48 -38 45 33	289.24 -38.94 19 16 56 -38 56 36	286.68 -39.20 19 06 43 -39 11 57	.372					
1H1913-193	288.48 -19.35 19 13 54 -19 21 17	18.24 -14.09 287.42 2.98	287.65 -19.32 19 10 35 -19 19 19	289.27 -19.13 19 17 04 -19 07 34	289.30 -19.38 19 17 12 -19 23 02	287.68 -19.58 19 10 43 -19 34 48	.400					
1H1914+335	288.69 33.57 19 14 45 33 34 09	65.82 9.87 297.91 55.22	287.48 33.50 19 09 54 33 30 16	289.82 33.95 19 19 17 33 57 08	289.91 33.62 19 19 37 33 37 19	287.57 33.18 19 10 17 33 10 33	.676	4U 1920+34 XRS19202+340				
1H1916-053	289.04 -5.33 19 16 08 -05 19 50	31.36 -8.46 289.83 16.81	289.04 -5.33 19 16 08 -05 19 50	.000	2S 1916-053 MXB1916-05 XRS19167-053	4U 1915-05 CGS1916-053 (R)						
1H1917+141	289.38 14.15 19 17 30 14 09 04	48.81 .33 293.44 36.03	288.83 14.14 19 15 18 14 08 36	289.90 14.32 19 19 36 14 19 03	289.93 14.16 19 19 42 14 09 28	288.86 13.98 19 15 25 13 59 01	.171					
1H1918-481	289.57 -48.20 19 18 16 -48 11 55	349.71 -24.74 284.35 -25.72	288.02 -48.05 19 12 05 -48 02 50	290.97 -47.75 19 23 53 -47 45 12	291.12 -48.33 19 24 28 -48 19 44	288.14 -48.63 19 12 32 -48 37 35	1.168		STR1922-483			
1H1919+438	289.85 43.88 19 19 22 43 53 05	75.70 13.56 305.25 64.92	289.62 43.86 19 18 29 43 51 36	290.04 43.96 19 20 10 43 57 49	290.07 43.91 19 20 16 43 54 32	289.65 43.81 19 18 35 43 48 18	.019	2A 1919+438 1M 1921+43 XRS19197+436	4U 1919+44 XRS19197+436 (R)			

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC		AREA	X-RAY					
1H1922+154	290.55 15.47 19 22 12 15 28 20	50.51 -04 295.11 37.14		289.50 15.47 19 17 59 15 28 11	291.54 15.82 19 26 09 15 49 13	291.60 15.47 19 26 25 15 28 11	291.60 15.47 19 26 25 15 28 11	289.56 15.12 19 18 15 15 07 10	289.56 15.12 19 18 15 15 07 10	.712	4U 1918+15 XRS19185+146	A 1918+14 (R)
1H1922+746	290.58 74.60 19 22 18 74 36 12	106.26 24.18 59.04 79.55		288.94 75.22 19 15 46 75 13 09	292.69 74.12 19 30 46 74 07 10	292.08 73.98 19 28 20 73 58 35	292.08 73.98 19 28 20 73 58 35	288.33 75.07 19 13 18 75 03 57	288.33 75.07 19 13 18 75 03 57	.326		
1H1926+182	291.62 18.25 19 26 27 18 14 49	53.43 .39 297.04 39.68		290.56 18.14 19 22 15 18 08 17	292.63 18.52 19 30 31 18 31 09	292.67 18.35 19 30 39 18 21 00	292.67 18.35 19 30 39 18 21 00	290.60 17.97 19 22 24 17 58 10	290.60 17.97 19 22 24 17 58 10	.344		
1H1926+650	291.71 65.09 19 26 49 65 05 40	96.61 20.85 .71 81.04		291.33 64.81 19 25 18 64 48 30	291.84 65.42 19 27 21 65 25 02	292.09 65.38 19 28 22 65 22 46	292.09 65.38 19 28 22 65 22 46	291.58 64.77 19 26 18 64 46 16	291.58 64.77 19 26 18 64 46 16	.072		
1H1926+713	291.69 71.31 19 26 45 71 18 33	102.93 22.91 41.21 80.94		292.43 70.33 19 29 43 70 19 55	290.17 72.20 19 20 40 72 11 45	290.87 72.28 19 23 29 72 16 58	290.87 72.28 19 23 29 72 16 58	293.08 70.41 19 32 19 70 24 40	293.08 70.41 19 32 19 70 24 40	.464		
1H1927-516	291.90 -51.62 19 27 37 -51 37 13	346.36 -26.95 285.41 -29.34		290.14 -51.66 19 20 32 -51 39 48	293.59 -51.30 19 34 20 -51 17 44	293.67 -51.55 19 34 40 -51 33 03	293.67 -51.55 19 34 40 -51 33 03	290.20 -51.92 19 20 47 -51 55 14	290.20 -51.92 19 20 47 -51 55 14	.567		
1H1929+509	292.27 50.92 19 29 04 50 55 24	83.00 15.06 316.54 70.79		290.72 50.64 19 22 53 50 38 10	293.60 51.50 19 34 24 51 30 06	293.83 51.19 19 35 18 51 11 24	293.83 51.19 19 35 18 51 11 24	290.97 50.33 19 23 51 50 19 49	290.97 50.33 19 23 51 50 19 49	.685	H 1926+503	
1H1930-589	292.71 -58.96 19 30 50 -58 57 29	338.25 -28.52 284.37 -36.64		290.77 -59.05 19 23 04 -59 02 48	294.56 -58.67 19 38 15 -58 39 54	294.64 -58.84 19 38 33 -58 50 26	294.64 -58.84 19 38 33 -58 50 26	290.82 -59.22 19 23 17 -59 13 27	290.82 -59.22 19 23 17 -59 13 27	.360		
1H1930+302	292.59 30.28 19 30 21 30 16 56	64.42 5.42 302.00 51.25		291.45 30.09 19 25 48 30 05 40	293.70 30.58 19 34 47 30 34 59	293.73 30.46 19 34 55 30 27 38	293.73 30.46 19 34 55 30 27 38	291.49 29.97 19 25 56 29 58 21	291.49 29.97 19 25 56 29 58 21	.252		G65.2+5.7 (R)
1H1931+362	292.86 36.25 19 31 27 36 14 50	69.81 8.06 305.06 56.94		291.63 36.08 19 26 31 36 04 49	294.01 36.65 19 36 03 36 38 53	294.10 36.40 19 36 23 36 24 06	294.10 36.40 19 36 23 36 24 06	291.72 35.84 19 26 53 35 50 09	291.72 35.84 19 26 53 35 50 09	.512	4U 1933+36 XRS19336+361	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY				
1H1934-063	293.65 -6.37 19 34 35 -06 21 56	32.53 -13.03 294.39 15.10	292.96 -6.16 19 31 49 -06 23 28	294.31 -6.34 19 37 13 -06 09 42	294.34 -6.34 19 37 20 -06 20 20	293.17 -6.57 19 31 57 -06 34 07	292.99 -6.57 19 31 57 -06 34 07	292.99 -6.57 19 31 57 -06 34 07	.245		HD185510 (R)	
1H1936+541	294.17 54.12 19 36 41 54 07 17	86.51 15.39 324.98 72.96	292.93 53.78 19 31 42 53 46 57	295.20 54.66 19 40 48 54 39 53	295.44 54.45 19 41 45 54 26 51	293.17 53.57 19 32 41 53 34 11	293.17 53.57 19 32 41 53 34 11	.412				
1H1937-106	294.26 -10.65 19 37 01 -10 38 43	28.84 -15.46 294.27 10.78	293.38 -10.67 19 33 31 -10 40 13	295.09 -10.38 19 40 20 -10 22 53	295.13 -10.62 19 40 30 -10 37 04	293.42 -10.91 19 33 41 -10 54 25	293.42 -10.91 19 33 41 -10 54 25	.408	2A 1938-105	XRS19386-105	NGC6814 (R)	
1H1937+233	294.44 23.35 19 37 46 23 21 06	59.18 .59 301.95 44.12	293.35 23.24 19 33 24 23 14 21	295.47 23.70 19 41 53 23 41 54	295.53 23.46 19 42 08 23 27 23	293.42 23.00 19 33 39 22 59 54	293.42 23.00 19 33 39 22 59 54	.496				
1H1939-405	294.87 -40.56 19 39 28 -40 33 25	358.96 -26.53 289.73 -18.80	293.74 -40.57 19 34 56 -40 34 09	295.93 -40.26 19 43 43 -40 15 33	296.00 -40.53 19 44 00 -40 32 02	293.80 -40.85 19 35 11 -40 50 42	293.80 -40.85 19 35 11 -40 50 42	.476				
1H1940+212	295.00 21.23 19 40 00 21 13 48	57.60 -92 301.98 41.94	293.94 21.08 19 35 45 21 05 04	296.03 21.54 19 44 07 21 32 13	296.07 21.37 19 44 16 21 22 09	293.98 20.92 19 35 55 20 55 02	293.98 20.92 19 35 55 20 55 02	.344				
1H1942+607	295.65 60.79 19 42 36 60 47 11	93.14 17.53 345.06 77.37	294.27 60.05 19 37 05 60 02 53	296.80 61.63 19 47 11 61 37 33	297.10 61.51 19 48 22 61 30 35	294.57 59.94 19 38 15 59 56 15	294.57 59.94 19 38 15 59 56 15	.368				
1H1948+276	297.04 27.62 19 48 09 27 36 55	64.04 .72 306.74 47.67	295.54 27.47 19 42 08 27 28 23	298.46 28.08 19 53 51 28 04 58	298.55 27.74 19 54 12 27 44 29	295.63 27.13 19 42 31 27 08 00	295.63 27.13 19 42 31 27 08 00	.932				
1H1950-552	297.50 -55.27 19 50 00 -55 15 59	342.76 -30.75 288.41 -33.57	295.73 -55.32 19 42 54 -55 19 26	299.14 -54.88 19 56 33 -54 53 05	299.27 -55.18 19 57 04 -55 11 00	295.83 -55.63 19 43 20 -55 37 33	295.83 -55.63 19 43 20 -55 37 33	.616				
1H1950+366	297.74 36.64 19 50 56 36 38 32	72.10 4.84 312.05 56.11	296.39 36.69 19 45 33 36 41 25	298.75 37.36 19 55 00 37 21 28	299.08 36.58 19 56 19 36 34 45	296.74 35.92 19 46 57 35 55 06	296.74 35.92 19 46 57 35 55 06	1.644	4U 1943+36	XRS19434+364		

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC		X-RAY	NON X-RAY				
IH1953+654	298.32 65.42 19 53 17 65 25 25	98.09 18.44 7.49 78.52	297.24 64.52 19 48 57 64 31 15	298.74 66.42 19 54 58 66 25 16	299.48 66.32 19 57 56 66 19 05	299.94 64.29 19 51 44 64 25 29	299.94 64.29 19 51 44 64 25 29	.0021 .0006	3U 1956+65		
IH1954+575	298.73 57.57 19 54 54 57 34 11	90.89 14.68 339.65 74.04	297.61 57.15 19 50 25 57 08 57	299.55 58.16 19 58 11 58 09 47	299.87 57.98 19 59 29 57 58 48	297.94 56.97 19 51 44 56 58 16	297.94 56.97 19 51 44 56 58 16	.0038 .0008			
IH1956+115	299.25 11.57 19 56 59 11 34 18	51.30 -9.32 304.20 31.61	299.16 11.56 19 56 39 11 33 52	299.32 11.60 19 57 17 11 36 07	299.33 11.58 19 57 18 11 34 43	299.17 11.54 19 56 40 11 32 28	299.17 11.54 19 56 40 11 32 28	.1116 .0018	2S 1957+115 CGS1957+115	4U 1957+11 XRS19570+115 (R)	
IH1956+350	299.04 35.05 19 56 09 35 02 54	71.29 3.12 312.86 54.26	299.00 35.04 19 55 59 35 02 40	299.07 35.07 19 56 17 35 03 56	299.08 35.05 19 56 00 35 03 08	299.00 35.03 19 56 00 35 01 53	299.00 35.03 19 56 00 35 01 53	1.1710 .0112	4U 1956+35 CGS1956+350	Cyg X-1 XRS19564+350 (R) HDE226868	
IH1958+325	299.51 32.58 19 58 02 32 34 41	69.39 1.48 312.15 51.79	298.38 32.28 19 53 30 32 16 58	300.65 32.92 20 02 30 32 55 00	298.40 32.86 20 02 35 32 13 48	298.40 32.23 19 53 35 32 13 48	298.40 32.23 19 53 35 32 13 48	.0144 .0006	4U 1954+31		
IH1958+406	299.59 40.67 19 58 22 40 40 09	76.32 5.69 317.29 59.35	299.21 40.59 19 56 51 40 35 21	299.93 40.82 19 59 43 40 49 12	299.97 40.75 19 59 52 40 44 53	299.25 40.52 19 57 01 40 31 03	299.25 40.52 19 57 01 40 31 03	.0173 .0010	4U 1957+40	XRS19572+406 Cyg A Cluster (R)	
IH2003+511	300.99 51.19 20 03 57 51 11 12	85.89 10.36 330.46 68.22	299.72 50.79 19 58 52 50 47 33	302.07 51.78 20 08 15 51 46 41	302.29 51.57 20 09 08 51 33 59	299.94 50.59 19 59 46 50 35 08	299.94 50.59 19 59 46 50 35 08	.0033 .0006			
IH2004+729	301.18 72.95 20 04 42 72 56 49	105.74 20.82 44.69 77.67	301.49 71.94 20 05 57 71 56 10	299.62 73.86 19 58 29 73 51 35	300.83 73.96 20 03 18 73 57 25	302.58 72.02 20 10 18 72 01 24	302.58 72.02 20 10 18 72 01 24	.0028 .0008			
IH2005+162	301.36 16.26 20 05 26 16 15 28	56.43 -8.64 307.95 35.66	299.95 16.09 19 59 48 16 05 20	302.66 16.80 20 10 39 16 47 46	302.77 16.42 20 11 04 16 25 03	300.06 15.71 20 10 14 15 42 41	300.06 15.71 20 10 14 15 42 41	.0046 .0015			
IH2006+646	301.62 64.66 20 06 27 64 39 46	98.05 16.85 6.43 76.95	300.45 63.79 20 01 49 63 47 17	302.23 65.64 20 08 54 65 38 22	302.85 65.53 20 11 24 65 31 40	301.05 63.68 20 11 24 63 41 02	301.05 63.68 20 11 24 63 41 02	.0024 .0006	4U 2003+64	XRS20036+643	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC		AREA	X-RAY						
IH2010-697	302.50 -69.77 20 10 00 -69 46 22	325.63 -32.55 286.17 -48.15	299.67 -70.01 19 58 40 -70 00 40	305.13 -69.37 20 20 31 -69 22 22	303.82 -56.77 20 10 08 -56 45 59	303.87 -56.67 20 10 19 -56 39 55	305.13 -56.57 20 10 19 -56 51 40	303.70 -56.86 20 10 19 -56 51 40	303.70 -56.86 20 10 19 -56 51 40	.252	4U 1955-68	
IH2012-567	303.20 -56.72 20 12 49 -56 43 03	341.17 -33.98 291.73 -35.75	302.54 -56.77 20 10 08 -56 45 59	303.82 -56.77 20 10 08 -56 45 59	303.87 -56.67 20 10 19 -56 39 55	305.13 -56.57 20 10 19 -56 51 40	303.70 -56.86 20 10 19 -56 51 40	303.70 -56.86 20 10 19 -56 51 40	.072		XRS20091-569	STR2008-569 (R)
IH2016+616	304.24 61.66 20 16 56 61 39 49	95.98 14.32 357.90 74.50	303.37 61.21 20 13 28 61 12 25	304.79 62.22 20 19 10 62 13 22	305.13 62.11 20 20 31 62 06 52	303.70 61.10 20 14 48 61 06 07	303.70 61.10 20 14 48 61 06 07	303.70 61.10 20 14 48 61 06 07	.234			
IH2016+772	304.17 77.29 20 16 39 77 17 38	110.28 22.09 60.82 75.33	303.02 78.03 20 12 04 78 02 01	306.13 76.65 20 24 30 76 39 06	305.19 76.55 20 20 45 76 32 58	302.00 77.92 20 08 00 77 55 12	302.00 77.92 20 08 00 77 55 12	302.00 77.92 20 08 00 77 55 12	.370			
IH2017-021	304.46 -2.12 20 17 50 -02 06 58	41.67 -20.63 306.27 17.09	303.46 -2.23 20 13 49 -02 13 33	305.40 -1.76 20 21 36 -01 45 18	305.46 -2.01 20 21 51 -02 00 20	303.52 -2.48 20 14 04 -02 28 36	303.52 -2.48 20 14 04 -02 28 36	303.52 -2.48 20 14 04 -02 28 36	.516			
IH2018-529	304.61 -52.97 20 18 26 -52 58 22	345.71 -34.81 293.89 -32.36	303.17 -53.06 20 12 40 -53 03 18	305.92 -52.60 20 23 39 -52 36 17	306.05 -52.87 20 24 10 -52 52 24	303.28 -53.33 20 13 07 -53 19 35	303.28 -53.33 20 13 07 -53 19 35	303.28 -53.33 20 13 07 -53 19 35	.482			STR2018-531
IH2018+366	304.53 36.69 20 18 07 36 41 12	75.09 .29 320.98 54.19	303.36 36.34 20 13 26 36 20 30	305.66 37.11 20 22 39 37 06 47	305.71 37.02 20 22 50 37 01 13	303.41 36.25 20 13 38 36 15 00	303.41 36.25 20 13 38 36 15 00	303.41 36.25 20 13 38 36 15 00	.200		4U 2019+39? 4U 2028+42	SNR 2015+36 (R)
IH2018+439	304.73 43.90 20 18 55 43 54 11	81.12 4.27 326.93 60.67	304.38 43.81 20 17 30 43 48 41	305.04 44.06 20 20 09 44 03 39	305.09 43.99 20 20 21 43 59 36	304.43 43.74 20 17 42 43 44 39	304.43 43.74 20 17 42 43 44 39	304.43 43.74 20 17 42 43 44 39	.041			
IH2020-043	305.02 -4.39 20 20 05 -04 23 41	39.80 -22.21 306.28 14.75	304.02 -4.52 20 16 05 -04 30 56	305.97 -4.04 20 23 52 -04 02 36	306.03 -4.27 20 24 06 -04 16 22	304.08 -4.75 20 16 18 -04 44 42	304.08 -4.75 20 16 18 -04 44 42	304.08 -4.75 20 16 18 -04 44 42	.472			
IH2030+407	307.52 40.76 20 30 04 40 45 33	79.76 .77 327.72 56.93	307.48 40.75 20 29 55 40 45 06	307.55 40.78 20 30 11 40 46 39	307.55 40.77 20 30 13 40 46 00	307.49 40.74 20 29 56 40 44 27	307.49 40.74 20 29 56 40 44 27	307.49 40.74 20 29 56 40 44 27	.001		4U 2030+40 CGS2030+407	Cy8 X-3 XRS20305+407 V1521 Cy8 (R)

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
IH2031-330	307.76 -33.05 20 31 02 -33 02 59	10.20 -34.85 20 28 00 -13.69	307.00 -33.13 20 33 52 -32 48 31	308.47 -32.81 20 33 52 -32 48 31	308.52 -32.97 20 34 04 -32 57 54	307.05 -33.29 20 28 11 -33 17 13	.206		.0102 .0015		AT Mic (R)	
IH2032-358	308.09 -35.83 20 32 22 -35 49 49	6.92 -35.67 301.44 -16.45	306.94 -35.94 20 27 45 -35 56 14	309.16 -35.46 20 36 37 -35 27 43	309.24 -35.71 20 36 57 -35 42 45	307.02 -36.19 20 28 04 -36 11 22	.484		.0063 .0012			
IH2034+493	308.61 49.31 20 34 26 49 18 49	87.08 5.28 337.85 63.94	307.27 48.82 20 29 05 48 49 26	309.81 49.96 20 39 13 49 57 22	309.98 49.79 20 39 54 49 47 15	307.45 48.66 20 29 47 48 39 33	.404	4U 2056+49	.0037 .0006			
IH2034+734	308.52 73.43 20 34 05 73 25 51	107.29 19.21 44.85 75.49	308.70 72.43 20 34 47 72 25 40	307.63 74.40 20 30 31 74 24 16	308.32 74.43 20 30 31 74 26 01	309.32 72.45 20 37 16 72 27 14	.376		.0052 .0008			
IH2036+170	309.23 17.04 20 36 56 17 02 39	61.36 -14.49 317.06 34.30	307.45 16.65 20 29 48 16 38 46	310.90 17.79 20 43 34 17 47 32	311.03 17.43 20 44 06 17 25 36	307.59 16.28 20 30 20 16 16 58	1.345		.0029 .0011			
IH2041-108	310.49 -10.88 20 41 57 -10 52 41	36.06 -29.96 309.99 7.12	309.95 -10.93 20 39 48 -10 56 01	310.98 -10.66 20 43 56 -10 39 40	311.03 -10.82 20 44 06 -10 49 17	310.00 -11.09 20 39 59 -11 05 38	.174	2A 2040-115 XRS20407-115	.0105 .0012		Mkn 509 (R)	
IH2041+352	310.40 35.23 20 41 36 35 13 57	76.75 -4.40 327.20 50.96	309.14 35.09 20 36 32 35 05 31	311.38 35.91 20 45 29 35 54 49	311.67 35.36 20 46 41 35 21 36	309.44 34.54 20 37 46 34 32 38	1.208		.0011 .0005			
IH2041+756	310.47 75.62 20 41 51 75 36 54	109.53 19.97 52.75 74.55	310.92 74.61 20 43 40 74 36 48	308.87 76.55 20 35 29 76 32 52	309.95 76.62 20 39 47 76 36 56	311.87 74.67 20 47 27 74 40 22	.516	3U 2041+75	.0035 .0007		VW Cep (R)	
IH2044-032	311.15 -3.25 20 44 35 -03 15 04	44.11 -27.03 312.69 14.31	309.64 -3.43 20 38 33 -03 25 31	312.53 -2.64 20 50 08 -02 38 06	312.65 -3.07 20 50 37 -03 04 28	309.76 -3.87 20 39 02 -03 51 54	1.365		.0038 .0013			
IH2045-733	311.26 -73.31 20 45 02 -73 18 50	320.71 -34.36 288.10 -52.46	308.47 -73.54 20 33 51 -73 32 34	313.59 -72.84 20 54 21 -72 50 13	313.97 -73.05 20 55 53 -73 02 55	308.80 -73.76 20 35 12 -73 45 48	.394		.0043 .0007		STR2038-736	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H2048-224	312.09 -22.43 20 48 20 -22 25 57	23.99 -35.73 308.42 -4.43	311.01 -22.59 20 44 17 -22 35 25	313.10 -22.06 20 52 22 -22 03 21	313.16 -22.27 20 52 38 -22 16 03	311.07 -22.80 20 44 17 -22 48 10	.440	.0042 .0008				
1H2050-558	312.62 -55.86 20 50 28 -55 51 22	341.71 -39.26 298.22 -36.51	310.88 -56.10 20 43 30 -56 05 54	314.23 -55.43 20 56 54 -55 25 46	314.34 -55.59 20 57 20 -55 35 24	310.97 -56.26 20 43 53 -56 15 42	.344	.0052 .0007				
1H2050-006	312.71 -65 20 50 49 -00 38 48	47.52 -27.08 314.98 16.38	312.06 -74 20 48 14 -00 44 41	313.30 -38 20 53 12 -00 22 40	313.35 -55 20 53 24 -00 32 54	312.11 -92 20 48 26 -00 54 55	.230	.0063 .0008				
1H2050+310	312.54 31.09 20 50 10 31 05 23	74.63 -8.39 327.18 46.45	312.49 31.08 20 49 57 31 04 45	312.59 31.12 20 50 21 31 07 00	312.60 31.10 20 50 23 31 06 01	312.50 31.06 20 49 59 31 03 46	.002	.1873 .0021	4U 2046+31	XRS20467+319	Cygnus Loop (R)	
1H2100-526	315.06 -52.69 21 00 15 -52 41 12	345.55 -41.12 301.17 -34.01	312.89 -53.03 20 51 33 -53 01 58	317.02 -52.04 21 08 05 -52 02 39	317.20 -52.30 21 08 48 -52 18 05	313.05 -53.30 20 52 11 -53 17 46	.756	.0049 .0010				
1H2102-796	315.64 -79.63 21 02 34 -79 38 04	313.29 -32.72 284.24 -58.48	310.18 -79.96 20 40 43 -79 57 43	319.42 -78.89 21 17 41 -78 53 41	320.73 -79.22 21 22 55 -79 13 15	311.31 -80.32 20 45 14 -80 19 24	.820	.0018 .0006				
1H2102+392	315.63 39.22 21 02 30 39 13 22	82.50 -5.01 336.10 52.72	314.44 38.82 20 57 46 38 49 26	316.72 39.76 21 06 53 39 45 50	316.83 39.61 21 07 18 39 36 34	314.55 38.67 20 58 11 38 40 17	.348	.0041 .0006				
1H2105+460	316.49 46.05 21 05 57 46 02 45	87.98 -88 343.20 58.28	315.27 45.52 21 01 03 45 31 29	317.68 46.62 21 10 41 46 37 22	317.74 46.55 21 10 57 46 33 13	315.33 45.46 21 01 19 45 27 25	.164	.0105 .0007	4U 2048+44			
1H2107-097	316.84 -9.73 21 07 20 -09 43 42	40.54 -35.06 316.35 6.50	315.84 -9.94 21 03 22 -09 56 33	317.78 -9.36 21 11 07 -09 21 31	317.83 -9.51 21 11 19 -09 30 41	315.89 -10.10 21 03 33 -10 05 44	.320	.0045 .0006				
1H2108+019	317.14 1.96 21 08 34 01 57 43	52.70 -29.46 320.22 17.57	316.50 1.85 21 05 59 01 51 16	317.73 2.25 21 10 54 02 15 08	317.79 2.07 21 11 08 02 04 10	316.56 1.67 21 06 13 01 40 18	.248	.0079 .0011				

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H2109+818	317.35 81.89 21 09 25 81 53 33	115.82 22.56 71.29 71.13	316.29 82.38 21 05 10 82 22 35	319.39 81.48 21 17 34 81 28 57	318.30 81.41 21 13 11 81 24 23	318.30 81.41 21 13 11 81 24 23	315.10 82.29 21 00 24 82 17 29	.179	.0029 .0004		(R)
1H2116-005	319.12 -56 21 16 29 -00 33 32	51.49 -32.49 321.37 14.56	317.90 -77 21 11 35 -00 46 25	320.23 -01 21 20 56 -00 00 21	320.35 -34 21 21 22 -00 20 38	318.01 -111 21 12 02 -01 06 42	.875	.0037 .0009			
1H2118-342	319.52 -34.26 21 18 05 -34 15 26	10.73 -44.70 311.28 -17.64	318.34 -34.50 21 13 22 -34 29 49	320.63 -33.86 21 22 32 -33 51 45	320.69 -34.01 21 22 46 -34 00 22	318.40 -34.64 21 13 35 -34 38 30	.304	.0047 .0006			
1H2120-101	320.08 -10.14 21 20 19 -10 08 10	41.89 -38.10 319.29 5.16	319.04 -10.23 21 16 10 -10 13 50	320.98 -9.62 21 23 54 -09 37 05	321.12 -10.04 21 24 27 -10 02 18	319.18 -10.65 21 16 43 -10 39 05	.884	.0015 .0005			
1H2120+184	320.02 18.47 21 20 05 18 27 54	69.19 -21.72 329.21 32.21	318.71 18.17 21 14 51 18 10 15	321.22 19.06 21 24 53 19 03 23	321.34 18.75 21 25 21 18 45 01	318.84 17.87 21 15 20 17 51 58	.827	.0036 .0008		II Zw 122 RNGC7056	
1H2121-584	320.38 -58.48 21 21 32 -58 28 53	337.06 -42.76 301.98 -40.50	317.26 -58.96 21 09 02 -58 57 53	323.11 -57.60 21 32 27 -57 36 08	323.42 -57.92 21 33 39 -57 55 27	317.52 -59 30 21 10 04 -59 17 59	1.211	.0062 .0023			STR2126-580
1H2124-529	321.10 -52.98 21 24 24 -52 58 30	344.24 -44.65 305.19 -35.59	319.50 -53.27 21 18 00 -53 15 59	322.57 -52.51 21 30 16 -52 30 23	322.68 -52.66 21 30 43 -52 39 44	319.60 -53.43 21 18 25 -53 25 30	.340	.0044 .0006			
1H2128+120	322.05 12.02 21 28 11 12 01 04	65.19 -27.39 328.69 25.49	321.81 11.97 21 27 15 11 58 19	322.26 12.13 21 29 01 12 07 46	322.28 12.06 21 29 07 12 03 49	321.84 11.91 21 27 21 11 54 22	.032	.0181 .0008		2A 2127+120 CGS2127+119	4U 2129+12 XRS21275+119
1H2129-624	322.41 -62.48 21 29 39 -62 29 01	331.50 -42.28 300.91 -44.55	320.35 -62.82 21 21 23 -62-49 04	324.22 -61.94 21 36 53 -61 56 10	324.43 -62.12 21 37 43 -62 07 11	320.54 -63.01 21 22 09 -63 00 25	.416	.0045 .0008			STR2133-624
1H2131+473	322.88 47.33 21 31 30 47 19 49	91.99 -3.06 351.30 56.86	321.67 46.76 21 26 41 46 45 38	324.08 47.92 21 36 18 47 55 17	324.11 47.89 21 36 26 47 53 13	321.71 46.73 21 26 49 46 43 37	.084	.0207 .0007		4U 2129+47 XRS21296+471	CGS2129+470 V1727 Cyg

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H2132-277	323.03 -27.74 21 32 07 -27 44 25	20.61 -46.67 31 36 40 -12.43	321.92 -27.92 21 27 40 -27 55 12	324.03 -27.28 21 36 07 -27 16 48	324.14 -27.55 21 36 33 -27 33 06	324.03 -27.28 21 36 07 -27 16 48	324.14 -27.55 21 36 33 -27 33 06	324.03 -27.28 21 36 07 -27 16 48	.570			
1H2138+579	324.68 57.92 21 38 42 57 55 18	99.86 4.12 7.29 64.10	323.31 57.23 21 33 14 57 14 02	325.83 58.72 21 43 19 58 43 21	326.09 58.59 21 44 22 58 35 38	325.83 58.72 21 43 19 58 43 21	326.09 58.59 21 44 22 58 35 38	325.83 58.72 21 43 19 58 43 21	.376	4U 2135+57 XRS21370+567	HR 8281?	
1H2140+433	325.02 43.31 21 40 04 43 18 38	90.43 -7.06 349.56 52.68	324.75 43.23 21 38 59 43 13 36	325.24 43.45 21 40 57 43 27 00	325.29 43.39 21 41 08 43 23 39	325.24 43.45 21 40 57 43 27 00	325.29 43.39 21 41 08 43 23 39	324.80 43.17 21 39 11 43 10 15	.028	CGS2140+433 XRS21407+433	SS Cyg (R)	
1H2140+460	325.15 46.09 21 40 37 46 05 14	92.34 -5.03 352.30 54.94	323.90 45.59 21 35 35 45 35 33	326.27 46.73 21 45 05 46 43 51	326.43 46.57 21 45 43 46 34 05	326.27 46.73 21 45 05 46 43 51	326.43 46.57 21 45 43 46 34 05	324.06 45.43 21 36 14 45 25 58	.392		(R)	
1H2142+248	325.54 24.87 21 42 08 24 52 12	77.97 -21.02 337.90 36.16	324.20 24.51 21 36 48 24 30 41	326.73 25.53 21 46 54 25 32 03	326.88 25.22 21 47 31 25 32 01	326.73 25.53 21 46 54 25 32 03	326.88 25.22 21 47 31 25 32 01	324.36 24.20 21 37 26 24 11 48	.867			
1H2142+380	325.63 38.09 21 42 30 38 05 06	87.31 -11.31 345.98 47.96	325.55 38.07 21 42 13 38 03 54	325.69 38.12 21 42 45 38 07 21	325.70 38.11 21 42 47 38 06 18	325.69 38.12 21 42 45 38 07 21	325.70 38.11 21 42 47 38 06 18	325.57 38.05 21 42 15 38 02 51	.002	2A 2142+381 Cyg X-2 XRS21426+380	V1341 Cyg (R)	
1H2148-200	327.09 -20.00 21 48 22 -20 00 05	33.11 -48.22 322.54 -6.36	326.04 -20.21 21 44 10 -20 12 43	328.05 -19.54 21 52 11 -19 32 25	328.14 -19.78 21 52 33 -19 47 05	328.05 -19.54 21 52 11 -19 32 25	328.14 -19.78 21 52 33 -19 47 05	326.14 -20.46 21 44 32 -20 27 27	.520		A2384 (R)	
1H2150+171	327.55 17.17 21 50 12 17 10 28	73.54 -27.84 336.37 28.35	326.55 16.88 21 46 11 16 52 42	328.48 17.64 21 53 56 17 38 30	328.56 17.47 21 54 14 17 27 56	328.48 17.64 21 53 56 17 38 30	328.56 17.47 21 54 14 17 27 56	326.63 16.70 21 46 30 16 42 11	.380		A2390 (R)	
1H2156-304	329.04 -30.45 21 56 10 -30 27 07	17.76 -52.29 320.54 -16.77	328.90 -30.48 21 55 35 -30 28 35	329.17 -30.39 21 56 41 -30 23 17	329.19 -30.43 21 56 45 -30 25 38	329.17 -30.39 21 56 41 -30 23 17	329.19 -30.43 21 56 45 -30 25 38	328.92 -30.52 21 55 39 -30 30 57	.011	H 2154-304	PKS2155-304 (R)	
1H2158-602	329.57 -60.22 21 58 17 -60 13 02	332.20 -46.35 306.63 -44.12	328.28 -60.46 21 53 08 -60 27 34	330.67 -59.81 22 02 41 -59 48 52	330.84 -59.96 22 03 22 -59 57 44	330.67 -59.81 22 02 41 -59 48 52	330.84 -59.96 22 03 22 -59 57 44	328.44 -60.61 21 53 46 -60 36 37	.230	2A 2155-609 XRS21554-609	1M 2140-60 4U 2126-60 (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	AREA		X-RAY	NON X-RAY					
1H2158-150	329.53 -15.05 21 58 06 -15 02 46	41.34 -48.53 326.42 -2.48	328.51 -15.28 21 54 03 -15 16 48	330.46 -14.59 22 02 09 -14 35 38	330.58 -14.81 22 02 18 -14 48 28	.456	2155-152 (R) 2201+044?					
1H2158+046	329.58 4.60 21 58 19 04 36 05	64.16 -37.86 333.37 15.93	328.59 4.39 21 54 21 04 23 39	330.46 5.11 22 01 51 05 06 29	330.58 4.81 22 02 18 04 48 25	.644	(R)					
1H2159+642	329.78 64.23 21 59 07 64 13 46	105.78 7.45 22.75 65.96	328.43 63.42 21 53 43 63 25 20	330.89 65.11 22 03 34 65 06 44	331.21 65.02 22 04 50 65 01 25	.320	(R)					
1H2200+609	330.04 60.95 22 00 10 60 56 45	103.89 4.76 16.59 63.96	329.20 60.60 21 56 48 60 35 54	330.61 61.41 22 02 25 61 24 38	330.90 61.29 22 03 36 61 17 16	.199						
1H2202+501	330.71 50.18 22 02 49 50 10 36	97.80 -4.13 1.86 56.03	329.41 49.62 21 57 38 49 37 09	331.86 50.86 22 07 26 50 51 45	332.03 50.72 22 08 07 50 43 11	.360						
1H2205+538	331.33 53.90 22 05 18 53 53 48	100.29 -1.34 6.85 58.62	330.02 53.38 22 00 05 53 22 49	332.32 54.62 22 09 16 54 37 23	332.66 54.40 22 10 38 54 23 55	.550	4U 2206+54 XRS22063+544 (R) A2415					
1H2206-052	331.68 -5.22 22 06 42 -05 13 07	55.43 -45.52 331.82 6.00	330.36 -5.52 22 01 26 -05 31 00	332.87 -4.58 22 11 28 -04 34 45	333.00 -4.92 22 11 59 -04 55 04	.966	(R)					
1H2207+268	331.81 26.83 22 07 13 26 49 58	83.94 -23.28 345.24 35.58	330.73 26.54 22 02 54 26 32 07	332.75 27.40 22 10 59 27 23 56	332.90 27.12 22 11 34 27 07 18	.612	4U 2209+26 XRS22092+261					
1H2207+455	331.78 45.60 22 07 08 45 35 48	95.69 -8.27 358.21 51.91	330.87 45.28 22 03 28 45 16 36	332.54 46.08 22 10 09 46 05 00	332.71 45.91 22 10 49 45 54 34	.298	AR Lac (R) A2387?					
1H2207+829	331.78 82.96 22 07 05 82 57 41	118.08 21.96 72.47 69.00	331.46 83.51 22 05 50 83 30 21	333.23 82.45 22 12 56 82 26 52	333.04 82.42 22 08 10 82 24 59	.173	(R)					

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	X-RAY		NON X-RAY						
1H2209-470	332.33 -47.06	349.87 -53.20	331.34 -47.23	333.18 -46.69	333.31 -46.88	333.46 -47.43	331.46 -47.43	331.46 -47.43	.0065 .0009	2A 2209-471 H 2209-471	NGC7213 STR22206-474 (R)	
1H2213+484	333.38 48.47	98.24 -6.54	332.14 47.91	334.55 49.11	334.65 49.02	332.24 47.82	332.24 47.82	332.24 47.82	.0054 .0005			
1H2214-358	333.66 -35.84	8.71 -56.31	332.63 -36.04	334.55 -35.38	334.68 -35.62	332.76 -36.28	332.76 -36.28	332.76 -36.28	.0044 .0008			
1H2214-313	333.54 -31.40	16.71 -56.22	332.22 -31.71	334.73 -30.80	334.86 -31.07	332.35 -31.98	332.35 -31.98	332.35 -31.98	.0037 .0008	2A 2151-316		
1H2214+589	333.58 58.91	104.16 2.07	331.97 58.32	334.57 59.81	335.24 59.48	332.64 58.01	332.64 58.01	332.64 58.01	.0024 .0009	4U 2238+60 XRS22389+607		
1H2217-392	334.39 -39.28	2.41 -56.50	333.14 -39.57	335.51 -38.77	335.62 -38.97	333.25 -39.78	333.25 -39.78	333.25 -39.78	.0031 .0006		STR2220-389	
1H2218+197	334.55 19.79	81.18 -30.34	333.52 19.51	335.46 20.32	335.58 20.07	333.64 19.25	333.64 19.25	333.64 19.25	.0033 .0007			
1H2219-527	334.78 -52.73	340.20 -52.46	333.48 -52.99	335.88 -52.23	336.07 -52.45	333.66 -53.21	333.66 -53.21	333.66 -53.21	.0042 .0007		STR2218-528	
1H2221-017	335.35 -1.79	62.54 -46.38	334.36 -2.01	336.23 -1.28	336.34 -1.56	334.47 -2.29	334.47 -2.29	334.47 -2.29	.0027 .0007	2A 2220-022 XRS22204-022	A2440 3C445? (R)	
1H2226-269	336.73 -26.94	25.48 -58.50	335.63 -27.20	337.71 -26.45	337.82 -26.68	335.74 -27.44	335.74 -27.44	335.74 -27.44	.0031 .0006	2A 2237-256 XRS22204-022	NGC7313 NGC7314 (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	AREA		X-RAY	NON X-RAY					
1H2229-542	337.39 -54.21 22 29 33 -54 12 29	336.80 -53.07 315.58 -40.90	335.96 -54.53 22 34 20 -54 31 58	338.59 -53.66 22 34 20 -53 39 31	338.80 -53.87 22 35 10 -53 52 00	336.16 -54.75 22 24 37 -54 44 43	338.80 -53.87 22 35 10 -53 52 00	336.16 -54.75 22 24 37 -54 44 43	.429	.0059 .0012		
1H2229+156	337.35 15.69 22 29 24 15 41 10	80.61 -35.21 345.33 23.30	336.36 15.37 22 25 26 15 22 22	338.26 16.17 22 33 03 16 10 22	338.34 15.99 22 33 22 15 59 41	336.44 15.20 22 25 45 15 11 44	338.34 15.99 22 33 22 15 59 41	336.44 15.20 22 25 45 15 11 44	.388	.0046 .0008		
1H2232+405	338.09 40.54 22 32 22 40 32 33	96.78 -15.02 359.88 45.17	337.05 40.22 22 29 34 40 13 00	338.96 41.09 22 35 50 41 05 25	339.14 40.86 22 36 33 40 51 33	337.24 39.99 22 28 56 39 59 19	339.14 40.86 22 36 33 40 51 33	337.24 39.99 22 28 56 39 59 19	.453	.0066 .0013		
1H2233+518	338.48 51.89 22 33 54 51 53 25	102.84 -5.36 10.40 54.29	337.39 51.48 22 29 34 51 29 01	339.37 52.46 22 37 27 52 27 21	339.58 52.29 22 38 19 52 17 13	337.61 51.32 22 30 26 51 19 05	339.58 52.29 22 38 19 52 17 13	337.61 51.32 22 30 26 51 19 05	.333	.0048 .0007		
1H2236-372	339.01 -37.30 22 36 03 -37 17 46	5.01 -60.41 325.92 -26.27	338.33 -37.45 22 33 18 -37 27 08	339.61 -36.98 22 38 26 -36 58 56	339.70 -37.14 22 38 48 -37 08 11	338.41 -37.61 22 33 39 -37 36 26	339.61 -36.98 22 38 26 -36 58 56	338.41 -37.61 22 33 39 -37 36 26	.191	.0061 .0007	H 2233-378	
1H2236+497	339.07 49.75 22 36 17 49 44 46	102.11 -7.41 8.66 52.37	337.79 49.19 22 31 09 49 11 18	340.25 50.41 22 40 59 50 24 25	340.38 50.29 22 41 32 50 17 23	337.93 49.07 22 31 43 49 04 26	340.25 50.41 22 40 59 50 24 25	337.93 49.07 22 31 43 49 04 26	.292	.0042 .0005		
1H2238-123	339.60 -12.34 22 38 24 -12 20 31	52.71 -55.96 336.54 -3.48	338.36 -12.79 22 33 26 -12 47 07	340.81 -11.81 22 43 13 -11 48 50	340.84 -11.89 22 43 21 -11 53 36	338.39 -12.87 22 33 34 -12 51 54	340.81 -11.81 22 43 13 -11 48 50	338.39 -12.87 22 33 34 -12 51 54	.222	.0035 .0009		
1H2239-454	339.85 -45.44 22 39 24 -45 26 40	349.24 -58.63 322.51 -33.89	338.49 -45.77 22 33 56 -45 46 07	341.03 -44.87 22 44 06 -44 52 14	341.20 -45.10 22 44 48 -45 06 16	338.65 -46.01 22 34 36 -46 00 22	341.03 -44.87 22 44 06 -44 52 14	341.20 -45.10 22 44 48 -45 06 16	.528	.0023 .0005	STR2242-453	
1H2239+294	339.99 29.46 22 39 57 29 27 40	92.07 -25.30 354.58 34.73	338.93 29.07 22 35 43 29 04 23	340.98 29.98 22 43 54 29 59 01	341.06 29.84 22 44 14 29 50 26	339.01 28.93 22 36 03 28 55 53	340.98 29.98 22 43 54 29 59 01	341.06 29.84 22 44 14 29 50 26	.320	.0048 .0006	B2 2240+29	
1H2240-480	340.14 -48.08 22 40 34 -48 05 00	344.58 -57.65 321.25 -36.33	338.66 -48.35 22 34 38 -48 20 50	341.30 -47.42 22 45 12 -47 25 18	341.61 -47.80 22 46 26 -47 48 03	338.95 -48.73 22 35 48 -48 43 59	341.30 -47.42 22 45 12 -47 25 18	341.61 -47.80 22 46 26 -47 48 03	.864	.0014 .0005	STR2247-472	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL		RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC		X-RAY	NON X-RAY
1H2245-646	341.40 -64.69 22 45 35 -64 41 14	322.09 -47.89 309 89 -50.81		339.93 -65.01 22 39 42 -65 00 49	342.54 -64.18 22 50 08 -64 10 46	342.84 -64.35 22 51 20 -64 20 48	340.22 -65.19 22 40 52 -65 11 09		.296		STR2246-647	
1H2245-600	341.43 -60.00 22 45 42 -60 00 11	327.15 -51.24 314.00 -46.99		339.13 -60.52 22 36 30 -60 31 15	343.28 -59.17 22 53 07 -59 10 20	343.65 -59.45 22 54 36 -59 26 48	339.48 -60.81 22 37 54 -60 48 23		.830		STR2254-590	
1H2251-710	342.85 -71.04 22 51 23 -71 02 23	315.67 -43.36 303.77 -56.05		339.58 -71.79 22 38 18 -71 47 09	345.06 -69.99 23 00 14 -69 59 33	345.87 -70.24 23 03 28 -70 14 25	340.39 -72.06 22 41 32 -72 03 28		.938		STR2242-716	
1H2251-179	342.92 -17.97 22 51 41 -17 57 56	46.03 -61.43 337.37 -9.90		341.60 -18.32 22 46 24 -18 19 05	344.11 -17.31 22 56 25 -17 18 51	344.24 -17.60 22 56 57 -17 36 16	341.73 -18.61 22 46 55 -18 36 36		.817	2A 2251-179	XRS22514-178 (R)	
1H2251-035	342.99 -3.59 22 51 57 -03 35 39	68.27 -53.31 342.94 3.36		342.32 -3.76 22 49 16 -03 45 30	343.58 -3.24 22 54 18 -03 14 22	343.66 -3.43 22 54 37 -03 25 47	342.40 -3.95 22 49 35 -03 56 55		.280	H 2252-035	AO Fsc (R)	
1H2251+167	342.97 16.80 22 51 53 16 47 59	86.85 -37.47 351.17 22.13		342.40 16.64 22 49 35 16 38 15	343.48 17.11 22 53 54 17 06 35	343.55 16.96 22 54 11 16 57 37	342.47 16.49 22 49 52 16 29 19		.186	4U 2259+16	XRS22591+161 (R)	
1H2251+450	342.91 45.07 22 51 38 45 04 17	102.22 -12.75 7.70 47.06		341.99 44.73 22 47 57 44 43 40	343.70 45.56 22 54 47 45 33 18	343.84 45.41 22 55 21 45 24 26	342.14 44.58 22 48 32 44 34 56		.260		EV Lac? (R)	
1H2252+621	343.16 62.17 22 52 39 62 10 28	109.87 2.57 27.02 59.90		341.78 61.56 22 47 06 61 33 21	344.24 62.93 22 56 56 62 55 39	344.61 62.78 22 58 26 62 46 44	342.15 61.41 22 48 35 61 24 50		.404			
1H2253-810	343.43 -81.01 22 53 43 -81 00 51	308.28 -35.17 289.04 -62.68		337.97 -81.87 22 31 52 -81 52 12	346.42 -79.94 23 05 40 -79 56 33	347.92 -80.09 23 11 40 -80 05 31	339.66 -82.06 22 38 37 -82 03 18		.702			
1H2256+057	344.13 5.75 22 56 29 05 45 11	79.42 -47.13 347.63 11.55		342.99 5.43 22 51 58 05 25 48	345.15 6.33 23 00 36 06 19 43	345.26 6.07 23 01 01 06 04 26	343.10 5.18 22 52 24 05 10 33		.642		A2507? (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	RA DEC	AREA		X-RAY	NON X-RAY
1H2258+585	344.71 58.52	109.03 -1.06	343.34 57.83	346.07 59.24	346.13 59.20	343.40 57.80	346.07 59.24	346.13 59.20	0.92	H 2309+59 XRS23086+597	G109.1-1.0	
1H2301+086	345.35 8.68	83.35 -45.50	344.77 8.52	345.86 8.98	345.93 8.84	344.83 8.38	345.86 8.98	345.93 8.84	.183	2A 2259+085 XRS22595+085	4U 2300+08 NGC7469	
1H2303-089	-8.96 23 03 00 -08 57 24	13.76 08 31 10	345.75 64.36	346.66 -8.50	346.71 -8.64	344.85 -9.41	346.66 -8.50	346.71 -8.64	.288	2A 2302-088 XRS23022-088	4U 2305-07	
1H2303+039	345.86 3.94	79.81 -49.63	344.79 3.65	346.82 4.51	346.94 4.23	344.91 3.37	346.82 4.51	346.94 4.23	.670			
1H2307-222	346.90 -22.22	40.08 -66.46	345.78 -22.36	347.76 -21.56	348.01 -22.08	346.03 -22.88	347.76 -21.56	348.01 -22.08	1.144		A2550	
1H2308-309	347.00 -30.91	17.86 -67.72	345.84 -31.14	347.95 -30.30	348.16 -30.68	346.05 -31.53	347.95 -30.30	348.16 -30.68	.856		(R) PKS2306-312?	
1H2313+783	348.34 78.34	118.10 16.66	349.53 78.80	347.97 77.83	347.24 77.88	348.75 78.85	347.97 77.83	347.24 77.88	.163			
1H2314+285	348.51 28.56	99.00 -29.59	347.29 28.16	349.58 29.19	349.73 28.94	347.44 27.91	349.58 29.19	349.73 28.94	.640			
1H2315-423	348.97 -42.39	348.55 -65.86	347.73 -42.82	350.12 -41.87	350.18 -41.96	347.79 -42.90	350.12 -41.87	350.18 -41.96	.192	2A 2315-428 XRS23153-428	NGC7582	
1H2315+257	348.79 25.70	97.89 -32.29	346.94 25.06	350.47 26.68	350.67 26.32	347.14 24.71	350.47 26.68	350.67 26.32	1.405		(R) Mkn 322 3C463?	
	23 15 51 -42 23 33	331.24 -34.22	23 10 56 -42 48 57	23 20 28 -41 52 19	23 20 43 -41 57 22	23 11 10 -42 54 04	23 20 28 -41 52 19	23 20 43 -41 57 22			(R)	
	23 15 10 25 42 16	.77 27.88	23 07 45 25 03 41	23 21 53 26 40 38	23 22 40 26 19 25	23 08 33 24 42 45	23 21 53 26 40 38	23 22 40 26 19 25			(R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC		AREA	X-RAY					
1H2318+417	349.58 41.76 23 18 18 41 45 25	105.43 -17.74 10.89 41.66	348.38 41.30 23 13 31 41 18 01	350.67 42.35 23 22 40 42 20 56	350.79 42.20 23 23 08 42 12 04	348.50 41.16 23 14 00 41 09 18	348.50 41.16 23 14 00 41 09 18	348.50 41.16 23 14 00 41 09 18	.0038 .0005	.344		
1H2319-582	349.80 -58.24 23 19 12 -58 14 07	323.74 -55.41 320.72 -47.98	347.07 -58.96 23 08 17 -58 57 49	351.94 -57.12 23 27 45 -57 07 17	352.42 -57.45 23 29 39 -57 27 05	347.53 -59.31 23 10 06 -59 18 40	347.53 -59.31 23 10 06 -59 18 40	347.53 -59.31 23 10 06 -59 18 40	.0027 .0008	1.323		STR2323-581
1H2319+188	350.00 18.87 23 19 59 18 52 21	95.56 -38.95 358.64 21.23	349.42 18.71 23 17 40 18 42 25	350.50 19.19 23 22 00 19 11 13	350.58 19.04 23 22 18 19 02 11	349.49 18.56 23 17 57 18 33 24	349.49 18.56 23 17 57 18 33 24	349.49 18.56 23 17 57 18 33 24	.0071 .0008	.188		A2572?
1H2320+084	350.11 8.47 23 20 27 08 27 55	88.99 -48.22 354.30 11.69	349.21 8.22 23 16 49 08 13 07	350.92 8.95 23 23 40 08 57 01	351.02 8.71 23 24 05 08 42 35	349.31 7.98 23 17 14 07 58 42	349.31 7.98 23 17 14 07 58 42	349.31 7.98 23 17 14 07 58 42	.0050 .0011	.483		(R) NGC7615? NGC7623?
1H2320+146	350.02 14.60 23 20 03 14 36 17	93.07 -42.78 356.78 17.34	349.01 14.33 23 16 02 14 19 47	350.90 15.15 23 23 34 15 09 05	351.02 14.88 23 24 05 14 52 31	349.14 14.06 23 16 33 14 03 18	349.14 14.06 23 16 33 14 03 18	349.14 14.06 23 16 33 14 03 18	.0025 .0006	.604		A2593
1H2321+585	350.31 58.56 23 21 13 58 33 46	111.75 -2.11 26.73 54.86	350.25 58.55 23 21 00 58 32 44	350.35 58.59 23 21 22 58 35 26	350.36 58.58 23 21 27 58 34 49	350.27 58.54 23 21 04 58 32 07	350.27 58.54 23 21 04 58 32 07	350.27 58.54 23 21 04 58 32 07	.3214 .0028	.001	4U 2321+58 XRS23212+585	Cas A (R)
1H2322-269	350.61 -26.96 23 22 26 -26 57 44	29.30 -70.77 340.36 -20.98	348.67 -27.49 23 14 39 -27 29 10	352.28 -25.95 23 29 08 -25 56 52	352.54 -26.41 23 30 09 -26 24 43	348.91 -27.96 23 15 38 -27 57 23	348.91 -27.96 23 15 38 -27 57 23	348.91 -27.96 23 15 38 -27 57 23	.0050 .0026	1.854		(R) A2609
1H2323+165	350.85 16.55 23 23 23 16 33 04	95.21 -41.40 358.40 18.78	350.18 16.38 23 20 44 16 22 36	351.43 16.92 23 25 42 16 55 07	351.52 16.72 23 26 04 16 43 24	350.28 16.18 23 21 06 16 10 56	350.28 16.18 23 21 06 16 10 56	350.28 16.18 23 21 06 16 10 56	.0060 .0009	.280	2A 2322+166 XRS23221+166 4U 2315+15	A2589 (R)
1H2327-170	351.92 -17.02 23 27 39 -17 01 20	57.68 -68.55 345.78 -12.42	350.32 -17.52 23 21 17 -17 31 12	353.37 -16.23 23 33 28 -16 13 59	353.50 -16.51 23 34 00 -16 30 43	350.45 -17.80 23 34 00 -17 48 03	350.45 -17.80 23 34 00 -17 48 03	350.45 -17.80 23 34 00 -17 48 03	.0033 .0011	.976		
1H2336-864	354.15 -86.41 23 36 36 -86 24 37	304.30 -30.81 278.79 -65.94	346.94 -87.21 23 07 45 -87 12 20	355.43 -85.53 23 41 42 -85 31 30	358.71 -85.58 23 54 50 -85 34 44	352.05 -87.29 23 28 11 -87 17 32	352.05 -87.29 23 28 11 -87 17 32	352.05 -87.29 23 28 11 -87 17 32	.0038 .0008	.458		

TABLE 4—Continued

CATALOG ENTRY	POSITION			ERROR BOX						FLUX ERROR	IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC		AREA	X-RAY				
1H2336+462	354.07 46.26 23 36 15 46 15 34	110.12 -14.52 17.88 43.73	352.96 45.86 23 31 50 45 51 31	355.03 46.82 23 40 06 46 48 55	355.19 46.65 23 40 44 46 38 58	353.12 45.70 23 32 29 45 41 44	353.36 45.70 23 33 27 45 41 44	353.36 45.70 23 33 27 45 41 44	.0083 .0015	.340		Lambda And (R)
1H2337+701	354.44 70.18 23 37 45 70 10 44	116.98 8.41 45.56 61.18	352.57 69.64 23 30 16 69 38 15	355.60 70.93 23 42 23 70 55 33	356.41 70.70 23 45 38 70 42 00	353.36 69.43 23 33 27 69 25 30	353.36 69.43 23 33 27 69 25 30	353.36 69.43 23 33 27 69 25 30	.0077 .0018	.575		
1H2343+090	355.87 9.04 23 43 28 09 02 38	97.18 -50.25 359.84 9.93	354.90 8.72 23 39 36 08 43 26	356.76 9.53 23 47 01 09 31 47	356.83 9.36 23 47 19 09 21 41	354.98 8.56 23 39 55 08 33 21	354.98 8.56 23 39 55 08 33 21	.0056 .0010	.368	4U 2344+08 XRS23440+086	A2657	
1H2348-281	357.08 -28.15 23 48 19 -28 08 56	26.27 -76.57 345.43 -24.52	356.02 -28.51 23 44 04 -28 30 44	358.06 -27.64 23 52 14 -27 38 22	358.14 -27.78 23 52 32 -27 46 39	356.09 -28.65 23 44 22 -28 39 05	356.09 -28.65 23 44 22 -28 39 05	.0048 .0006	.308	2A 2344-285 XRS23448-285 4U 2344-27	Klemola 44 STR2345-284 (R)	
1H2351-315	357.79 -31.59 23 51 42 -31 35 10	10.99 -76.86 344.46 -27.92	356.79 -31.89 23 47 09 -31 53 14	358.88 -30.99 23 55 32 -30 59 20	359.06 -31.27 23 56 13 -31 16 29	356.96 -32.18 23 47 49 -32 10 34	356.96 -32.18 23 47 49 -32 10 34	.0024 .0006	.644	4U 0009-33		
1H2352+109	358.07 10.95 23 52 17 10 56 57	101.38 -49.26 2.64 10.80	357.09 10.65 23 48 21 10 39 12	358.96 11.46 23 55 49 11 27 48	359.05 11.24 23 56 13 11 14 30	357.19 10.43 23 48 46 10 25 57	357.19 10.43 23 48 46 10 25 57	.0031 .0006	.484		A2675 (R)	
1H2353-177	358.37 -17.75 23 53 28 -17 45 02	67.12 -73.98 351.27 -15.60	357.45 -17.99 23 49 47 -17 59 06	359.16 -17.25 23 56 38 -17 15 04	359.28 -17.51 23 57 08 -17 30 41	357.57 -18.25 23 50 16 -18 14 47	357.57 -18.25 23 50 16 -18 14 47	.0060 .0013	.512			
1H2353+471	358.44 47.14 23 53 46 47 08 32	113.35 -14.42 22.00 42.83	357.15 46.67 23 48 35 46 39 59	359.62 47.75 23 58 29 47 45 09	359.76 47.60 23 59 02 47 36 12	357.29 46.52 23 49 09 46 31 13	357.29 46.52 23 49 09 46 31 13	.0035 .0005	.352			
1H2354+285	358.70 28.56 23 54 49 28 33 28	108.87 -32.56 11.08 26.52	357.66 28.16 23 50 37 28 09 53	359.70 29.05 23 58 47 29 03 15	359.76 28.94 23 59 02 28 56 34	357.72 28.05 23 50 52 28 03 15	357.72 28.05 23 50 52 28 03 15	.0060 .0006	.248	4U 2345+27 XRS23465+273 A 0000+28	II Peg (R)	
1H2355-350	358.85 -35.03 23 55 23 -35 01 40	356.00 -76.25 343.44 -31.34	357.73 -35.44 23 50 55 -35 26 10	359.89 -34.51 23 59 33 -34 30 19	359.96 -34.61 23 59 49 -34 36 33	357.80 -35.54 23 51 10 -35 32 28	357.80 -35.54 23 51 10 -35 32 28	.0072 .0007	.236	4U 0009-33	2357-348 (R)	

TABLE 4—Continued

CATALOG ENTRY	POSITION		ERROR BOX				FLUX		IDENTIFICATIONS	
	RA DEC	GAL ECL	RA DEC	RA DEC	RA DEC	RA DEC	AREA	ERROR	X-RAY	NON X-RAY
1H2357-126	359.41	81.35	357.62	.95	1.19	357.86	2.079	.0030		
	-12.63	-70.96	-13.07	-11.64	-12.17	-13.60		.0012		A2704
	23 57 38	354.37	23 50 29	00 03 47	00 04 45	23 51 26				(R)
1H2358+484	-12 37 31	-11.33	-13 04 02	-11 38 13	-12 10 17	-13 36 17				
	359.68	114.47	358.35	.88	1.03	358.51	.368	.0033		
	48.48	-13.29	48.00	49.10	48.94	47.85		.0005		
	23 58 43	23.95	23 53 25	00 03 31	00 04 07	23 54 02				
	48 28 38	43.50	47 59 53	49 05 47	48 56 28	47 50 45				

TABLE 6
 SUPPLEMENTARY INFORMATION ON CATALOG SOURCES

1H0003+200 Mkn 335	Seyfert galaxy; type 1, $z = 0.025$ (WEED77).
1H0007+731 CTA1	Supernova remnant; distance = 1.6 kpc (ILOV72).
1H0010-515 STR0012-515 ?	Cluster of galaxies; optical (ROSE76).
1H0011-239 A14 ?	Cluster of galaxies; X-ray (JOHN83,ULME81a); $z = 0.064$ (SARA82), $z = 0.113$ (LEIR77).
1H0014+111 III Zw 2	Seyfert galaxy; X-ray (PICC82); type 1, $z = 0.090$ (WEED77); X-ray image (KRIS80); X-ray and radio (SCHN78); optical (PUET81).
1H0016-257 A15	Cluster of galaxies; $z = 0.213$ (SARA82).
1H0018+280 A21	Cluster of galaxies; X-ray (JOHN83); $z = 0.090$ (LEIR77).
1H0022+638 Ceph XR-1 Tycho SNR	Supernova remnant; distance = 5 kpc (ILOV72); X-ray spectrum (COLE73,DAVI76c); EINSTEIN SSS spectrum (BECK80); Si,S,Fe line emission (PRAV80a); X-ray image; circular 8 arc min diameter open shell of emission (REID82,FABB80); radio (DUIN75); optical (KAMP78); early X-ray (FRIE67,GORE70).
1H0024-296 A33	Cluster of galaxies; X-ray (JOHN83); $z = 0.280$ (LEIR77).
1H0025+588 A0026+59 4U0027+59	Variable X-ray source (CARP77).
1H0039+408 M31 NGC 224	Galaxy; distance = 670 kpc, magnitude = 3.5 (ALLE73); X-ray (BOWY74); soft X-ray (MARG74); X-ray image: 69 unresolved sources and 7 diffuse or confused regions (SPEY79).
1H0042-093 A85	Cluster of galaxies; $z = 0.079$ (LEIR77), $z = 0.0518$ (SARA82); EINSTEIN image (JONE79,FORE82); other X-ray (JOHN83,ULME81a,MCKE80,PICC82,MURR76).
1H0048+250	Quasar, $z = 0.155$ (SCHM83).
1H0052-015 A119 3C29	Cluster of galaxies; X-ray (JOHN83,MCKE80,PICC82); $z = 0.045$ (LEIR77), $z = 0.0416$ (NOON81); radio (PACH78)

TABLE 6—Continued

1H0053+604 4U0054+60 2S0053+604 Gamma Cas	Star, Gamma Cas (DOWE78); distance = 300 pc (BRAD77); Type B0.5(II-V)E, variable (HUTC70,MOFF73); Periodicity searched, comparison with X-Persei (WHIT82a); optical (BRAD77).
1H0054-729 SMC X-3	Transient stellar source in SMC (LI77b); X-ray spectrum: photon power law index = 2.0 (CLAR78b); variability (CLAR79); optical (ALLE77,SAND77,CRAM78a).
1H0056-150 A131	Cluster of galaxies; X-ray (JOHN83); $z = 0.123$ (LEIR77).
1H0101-241 A140	Cluster of galaxies; $z = 0.181$ (LEIR77), $z = 0.149$ (SARA82).
1H0101-221 A133 4U0103-21	Cluster of galaxies; $z = 0.06$ (REIC81); $kT = 1$ keV (REIC81).
1H0102+017 A147 ?	Cluster of galaxies; X-ray (JOHN83); $z = 0.0438$ (NOON81), $z = 0.040$ (LEIR77).
1H0106+324 NGC 383 3CR 31 A156 ?	Cluster of galaxies; $z = 0.0163$ (HUMA56), $z = 0.130$ (JOHN83); optical (CASW67,FANT73); radio (PACH78).
1H0113-148 A159 ?	Cluster of galaxies; $z = 0.143$ (LEIR77); other HEAO-1 (PICC82).
1H0115+635 4U0115+63	Binary pulsar, recurrent transient; distance = 3 kpc (HUTC81a); period 3.6 s (COMI78b,ROSE79); 24 d binary period (RAPP78b); orbital elements (RAPP78a); pulse profile (JOHN78b); flares (CLAR78a,FORM76a,HOLT77); X-ray spectrum: photon power law index = 0.6 and varies with phase in pulsar cycle (ROSE79); Fe line (ROSE79); cyclotron absorption feature at 20 keV (WHEA78); position (COMI78b,JOHN78b,JOHN78d); other X-ray (KRIS83); optical spectroscopy (HUTC81a).
1H0121-353 NGC 526A	Seyfert galaxy; $z = 0.018$ (PICC82); X-ray spectrum: photon power law index = 1.5 (MUSH82).
1H0122-590 Fairall 9	Seyfert galaxy; $z = 0.0461$ (PICC82), $z = 0.045$ (HEWI80).
1H0123+075 HD8357	RS CVn binary system (GARC80); distance ≈ 70 pc (AMBR83); binary period 12.3 days (HALL82); variable in optical (HALL82); X-ray flaring (AMBR83).

TABLE 6—Continued

1H0128-139 A209	Cluster of galaxies; $z = 0.213$ (SARA82).
1H0129+303 M33 NGC 598	Galaxy; distance = 730 kpc, magnitude = 5.7 (ALLE73); X-ray map: 11 point sources, brightest coincident with nucleus (LONG81); EINSTEIN image (MARK83).
1H0132+607 4U0142+61	X-ray and possible optical candidate (DOWE78,REID80); optical candidate unlikely (BRAD83).
1H0136-681 HO136-68 3A0143-681	Cataclysmic variable X-ray source (NUGE83,AGRA83); distance = 0.180 kpc (PATT84); AM Her type, orbital period = 0.0764 d (VISV82).
1H0151+359 A262	Cluster of galaxies; $z = 0.0164$ (JOHN83), $z = 0.015$ (LEIR77); EINSTEIN image (FORE82).
1H0155+740	Possibly confused.
1H0203+513 1E02063+5212	Seyfert galaxy, $z = 0.05$ (HERT83).
1H0215-007 Mkn 590 NGC 863	Seyfert galaxy (PICC82,MARS79b); type 1, $z = 0.027$ (WEED77); annular structure, poorly resolved spiral arms (ADAM77); other HEAO-1 (DOWE80).
1H0219+625 HB3	Supernova remnant; distance > 2 kpc (ILOV72,CLAR76b, GALA80); soft X-ray spectrum, $kT = 0.18$ keV (GALA80); other HEAO-1 (SHUL79a,NUGE83).
1H0227-094 NGC 985 VV 285	Seyfert galaxy; $z = 0.043$ (DEVA75); type 1 (DEVA75), type 2 (WEED77); disturbed galaxy, annular main body structure (ADAM77).
1H0240+621 2S0241+622 4U0241+61	Quasar; $z = 0.0438$ (MARG78b); variable over months (WORR80); X-ray spectrum: photon power law index = 1.93 (WORR80); X-ray variability (MARS81b); other HEAO-1 (SHAR79a); other X-ray (APPA78b,MARA78,TANA79); radio (TZAN78); optical (SOIF79); gamma-ray (HERM77,MARA78, PERO80).
1H0241+364 A376	Cluster of galaxies (JOHN83); $z = 0.0489$ (NOON81).
1H0244+001 NGC 1068 3C71.0	Seyfert galaxy; type 2, $z = 0.0036$ (WEED77); X-ray (ELVI78); IR, optical, UV (LACY82,WEED77,ADAM77); IR (TELE80); radio (WEED77,PACH78).
1H0246+275 A377 ? A387 ?	Cluster of galaxies (JOHN83); $z(A377) = 0.2070$ (JOHN83).

TABLE 6—Continued

1H0251+414 AWM 7	Compact group of galaxies; X-ray identification (COOK78, SCHW80a,b); $z = 0.017$ (STAU80b); X-ray spectrum $kT = 4.0$ keV plus Fe line (SCHW80a,MUSH78d); optical identification (SCHW80a); group includes NGC1129,1130, 1131, I265; other HEAO-1 (NUGE83)
1H0253+058 A400 ? 3C75.0 ?	Cluster of galaxies (JOHN83); $z(A400) = 0.0232$ (NOON81), $z(3C75) = 0.0217$ (WEST69); 3C75 a db galaxy in A400, radio and optical (PACH78); X-ray image (FORM82).
1H0253+130 A401/A399	Cluster of galaxies (JOHN83,PICC82); $z(A401) = 0.0748$, $z(A399) = 0.0715$ (NOON81); X-ray spectrum: $kT(A401) = 5.3-7.6$ keV (MITC77,MITC79,MUSH78d), Fe line (MUSH78d); X-ray structure: diffuse emission (ULME79a), structure (A401) by lunar occultation (ULME79a,b), by EINSTEIN (ULME81b); radio (SLIN74,DULD79); optical (CART80).
1H0258-126 A415 PKS0304-12	Cluster of galaxies; $z = 0.093$ (LEIR77).
1H0311-227 EF Eri 2A0311-227	Degenerate dwarf in a binary system; optical identification, 15th mag blue star (GRIF78d,BOLE79, HILT79); optical period of 81 min and flaring in V and B (WILL79,BOND79,HUTC82,YOUN82); optical quasi-periods of 13.7 and 20.2 min (WILL82); optical spectrum (WILL79, GRIF79c,SCHN80,CRAM81); complex line structure (YOUN82, CRAM81); optical polarization (TAPI79); magnetic cataclysmic variable (CHAR79e); X-ray flares and light curve (PATT81b,WHIT81c); X-ray spectrum: $kT = 18$ keV with Fe line (WHIT81c); 1/4 keV eclipse (PATT81b); X-ray image (VIAI81); IR light curve (ALLE81).
1H0315-445 2A0316-443 PKSO316-443	Cluster of galaxies; $z = 0.09$ (MACC78); X-ray (PICC82).
1H0316+413 Perseus Cluster A426	Cluster of galaxies including NGC1275; $z = 0.0177$ (BURB79); $z = 0.0183$ (HINT79); X-ray (JOHN83); optical identification (BAHC74); X-ray image: compact source coincident with NGC1275, and a 15 arc min extended emission region (MUSH81,BRAN81); X-ray halo extending to 2.5 degrees (ULME80c); X-ray spectrum: two-components, $kT = 1.0$ and $kT = 6.7$ keV, plus line emission from Si,S,Fe (MUSH81), hard X-ray spectrum (PRIM81); radio (ERIC780); infrared (RIEK75,RUDY82); early X-ray (FRIT71a).

TABLE 6—Continued

1H0327+000 HR 1099 V711 Tau	Transient, RS CVn system; distance = 33 pc (SPAN77); period = 2.8 d (BOPP76); X-ray transient (WHIT78a, WALT81a); 1/4 keV emission (WALT78); SSS: emission components with different temperatures required to account for lines and continuum (SWAN81); coordinated ultraviolet, optical and radio observations (WEIL78); radio flare (SPAN77, WEIL78).
1H0332+317 NRAO 140	Quasar (MARS81a); $z = 1.258$ (HEWI80); X-ray image (MARS79a); optical magnitude 17.5, radio (PACH78).
1H0334+098 2A0335+096 4U0334+11	Compact groups of galaxies; $z = 0.04$ (SCHW80b); X-ray (PICC82).
1H0334+291	Possibly confused with UX Ari.
1H0335-357 H0335-35 NGC 1399 ?	X-ray (NUGE83). The identification proposed by Nugent et al. is NGC 1365 which lies outside the 1H error box.
1H0338-543	Confused with 1H0341-537.
1H0340+392 4C39.12 ?	Active galactic nucleus; $z = 0.0209$ (BURB79).
1H0341-537 CA0342-538 2A0343-543	Cluster of galaxies; $z = 0.052$ (MELN75), $z = 0.0576$ (HINT79); X-ray spectrum: $kT = 17.2$ keV (HINT79); optical (MELN75); X-ray (PICC82).
1H0343+237 Pleiades	Star cluster; X-ray (NUGE83).
1H0352+308 X Per	Binary Pulsar; distance = 350 pc (BRUC72); Be star (BRUC72); period, 13.9 min, $P/(dP/dt) = -5880$ yrs (WHIT77b, MASO77); period, 581 d (HUTC74a, WHIT77b, HUTC75); period at various epochs (WHIT82a); X-ray spectrum: $kT = 12$ keV hardening to 20 keV near X-ray minimum for $E > 20$ keV, no evidence for Fe line emission (BECK79a); energy power law index approximately -0.3 for $E > 2$ keV (MUSH77, WORR81a); polarization about 1% in V band (BARB78); ultraviolet (HAMM80, BERN81).
1H0409-078 40 Eri	K1 dwarf, DA white dwarf, dwarf M4 flare star in triple system; distance = 5 pc (CASH79); IPC fluxes for 40 Eri A and 40 Eri BC (VAIA81); other HEAO-1 (NUGE83, SHUL79b).

TABLE 6—Continued

1H0409+102 A478	Cluster of galaxies; $z = 0.09$ (BAHC77c); includes cD galaxy (SCHN77b); 2.3 arcmin in X-ray (SCHW79c); EINSTEIN image (JONE79); X-ray spectrum: $kT = 6$ keV (MITC79); radio (SCHN77b); other HEAO-1 (NULS79,PICC82;JOHN83).
1H0413-116 A483	Cluster of galaxies; X-ray (JOHN83); $z = 0.292$ (LEIR77).
1H0413+009 A480	Cluster of galaxies; $z = 0.18$ (ULME80a); $z = 0.0473$ (SARA82).
1H0414+380 3CR111.0	N-galaxy; $z = 0.0350$ (BURB79); $z = 0.0485$ (SMIT76); X-ray (MARS78); radio (ERIC78).
1H0426+051 3C120	Seyfert galaxy, N-galaxy (MARS78); $z = 0.0334$ (BURB79); variable on timescale of days (AMBR79); X-ray spectrum: (SCHN77a); other X-ray (MARS81b,ELVI78); radio (KELL71); infrared (RIEK72); optical (SHIE72,OSTE77); other HEAO-1 (MARS78,DOWE80).
1H0429-616 Sers 40/6 STR0431-616	Cluster of galaxies (PICC82); $z = 0.079$ (LUGG78); $z = 0.0601$ (VIDA75).
1H0430-133 A496	Cluster of galaxies; $z = 0.042$ (LEIR77); $z = 0.057$ (LUGG78); probably includes E-galaxy, with $z = 0.036$ (BURB79); X-ray (SCHW79c,MCKE80); radio (FELD77); other HEAO-1 (NULS79,PICC82).
1H0441-207 PKS0446-206 ? A514 ?	PKS 0446-206, N-galaxy; $z = 0.0732$ (BURB79); A514, cluster of galaxies; $z = 0.0353$ (LEIR77).
1H0445-060 NGC 1681 ?	Galaxy; explosion suspected (SULE73).
1H0446+450 3C129 cluster	Cluster of galaxies; $z(3C129) = 0.0208$, $z(3C129.1) = 0.0222$ (BURB79); X-ray spectrum: photon power law index = 2.5 or $kT = 5$ keV with Fe line (MUSH78d,MITC79); other X-ray (LUGG78); radio (ERIC78).
1H0448-041 MCG-01-13-025 H0447-037	X-ray (SHUL79,MARS79b).
1H0451-560 H0449-55	Transient; duration 1 min to 2 d (KALU78); X-ray spectrum is Crab-like (KALU78); optical identification with M dwarf system (GRIF79f).
1H0453-100 A521	Cluster of galaxies; X-ray (ULME80a,JOHN83); $z = 0.20$ (LEIR77).

TABLE 6—Continued

1H0455+276 3C133 ?	X-ray (SHAR79b).
1H0455+518 H0452+51	X-ray (NUGE83).
1H0458-367 4U0457-35	Possibly confused.
1H0459+248	X-ray (SHAR79b).
1H0501+592 12 Cam HR 1623	RS CVn System; distance = 0.18 kpc, orbital period = 80.17 days (HALL84).
1H0507-459 Pic A PKS0507-45	N-galaxy, $z = 0.035$ (BURB79).
1H0512-401 NGC 1851 MXB0513-40	Globular cluster; distance = 9.5 kpc (PETE75); high central density and small core radius (BAHC77a); X-ray burster (LEWI79); burst duration 25 s (FORM76b); X-ray spectrum: photon power law index = 1.4 (CLAR75); X-ray source 10 arc sec from center of globular cluster (SHAW80, GRIN81a).
1H0515-363 PKS0521-365	BL Lac object; $z = 0.055$ (HEWI80), $z = 0.0617$ (BURB79); X-ray (KINZ78); optical (DANZ79).
1H0516+063 A539 ?	Cluster of galaxies; $z = 0.0267$ (JOHN83).
1H0521-720 LMC X-2	X-ray; distance = 55 kpc (BOK66); X-ray variable (RAPL74, LEON71, MARK75, JOHN78c); early X-ray (MARK69).
1H0527-328 2A0526-328 TV Col	Cataclysmic variable, UX-UMa type (WARN80, WATT80); distance = 0.160 kpc (PATT84); orbital period 0.2286 d, rotation period 0.2163 d (HUTC81b); X-ray variability on the order of 1 min (WARN80); X-ray spectrum: $kT = 0.2$ keV (COE81); optical spectra (MOTC81).
1H0530-054 M42	Galactic Nebula; distance = 460 pc (ALLE73); X-ray (DENB78).
1H0531-070	X-ray active region in Orion; distance = 450 pc; X-ray image: 25 sources (KU79, PRAV81).
1H0531+219 Crab Nebula	Pulsar in supernova remnant; distance = 2.022 kpc (TRIM68); nebula X-ray size 0.5 to 2 arc min (BOWY64a,

TABLE 6—Continued

Crab Pulsar NP0532	HAWK74,DAVI75b,KEST75,WOLF75,STAU75,PALM75,RICK75a), size dependence on energy (KU76); pulsar period 33 ms (STAE68,COCK69,COME69,FRIT69a,NEUG69,LYND69,KURF71, KINZ71), slow-down rate = 36.5 ns per yr(RICH69); pulsar variability (RANK74,RYCK77); polarization 11% optical (FORM71), 19% X-ray (WEIS78a, LONG79), 50% radio (VAND73); X-ray spectrum, nebula: evidence for thermal $kT = 0.5$ keV for $E < 3$ keV (TOOR76), energy power law index = 1 for $E < 80$ keV (BOLD69,FRIT71b,STRI79), energy power law index = 1.4 for $E > 80$ keV (STRI79); X-ray spectrum, pulsar: energy power law index = 0.2 for $E < 10$ keV (FRIT71b,HENR72), energy power law index = 1 for $E > 10$ keV (DOLA77,STRI79), 73 keV line feature (MANC82, STRI82), hard X-ray spectrum (KNIG82); other radio (HOWA65); infrared (MORO64); IR observations of pulsar (PENN81); optical (ODEL62); UV spectrum (IUE) (DAVI82a); gamma-ray (FAZI72,GRIN72,THOM77,BENN77); early X-ray (BOWY64b,FRIE67).
1H0534-667 LMC X-4	Binary pulsar; distance = 55 kpc (BOK66); eclipsing binary (WHIT77a,WHIT78d); binary period = 1.41 d (CHEV77,HUTO78,LI78a); pulsar period = 13.5 s (KELL82), precession period = 30.5 d (LANG81); X-ray variability and flaring (WHIT78d,LI78a,EPST77b,SKIN80); position (EPST77b,COOK78,DELV76); optical counterpart (PAKU76, PESC76,BLAN77,HILT77,SAND76); ultraviolet (BONN81); early X-ray (MARK69).
1H0536+263 HDE 245770 4U0538+26 V725 Tau	Binary pulsar, recurrent transient, irregular variable variable Be star (LILL75,STIE76); distance = 1.8 kpc (WADE77); 16 d rise time (ROSE75), 30 d decay time (KALU75,RICK75b); periods: 104 s (ROSE75,CARP77), > 17 d (RAPP76), and 111 d (PRIE83); X-ray spectrum: $kT = 18$ keV (RICK76a), at maximum, $kT = 8$ keV (COE75); other X-ray (EYLE75b,CHAR77c); infrared (PERS79); transient outburst in 1980 (NAGA82), transient outburst in 1977 (VIOL82).
1H0538-641 LMC X-3	Black hole candidate (COWL83,WHIT83a); OB star (WARR75); distance = 55 kpc (BOK66); X-ray variable (RAPL74); other X-ray (JOHN79); other HEAO-1 (JOHN78c); early X-ray (MARK69,LEON71).
1H0540-697 LMC X-1	Black hole candidate (WHIT83a); optical and radio supernova remnant (MATH73) or star R148 (JOHN78c); distance = 55 kpc (BOK66); companion mass exceeds 3 solar masses (HUTC83); X-ray variable (GRIF77); complex structure X-ray spectrum, $kT = 1$ keV (EPST77a); other X-ray (RAPP75,JOHN79); early X-ray (MARK69, LEON71).

TABLE 6—Continued

1H0541-258 A548	Cluster of galaxies; $z = 0.0390$ (JOHN83).
1H0546-439 PKS0537-441 ?	Quasar; X-ray image (ZAMO81); optically variable, magnitude 13.8-15.5 (PACH78).
1H0548-322 PKS0548-322	BL Lac object (DISN74); $z = 0.069$ (FOSB76), $z = 0.042$ (LUGG78); X-ray spectrum, two component: photon power law index variable, ~ 2.8 (WORR81b); nonthermal component and elliptical galaxy (WEIS79); other X-ray (SCHW79a); other HEAO-1 (PICC82, MUSH78b).
1H0551-074 NGC 2110	Seyfert galaxy (MARS81b); $z = 0.071$ (BRAD78b); $z = 0.0076$ (SHUD80); X-ray (BRAD78b, GRIF79b, MARS81b); X-ray spectrum: photon power law index = 1.8 (MUSH82); X-ray variability (MUSH82).
1H0551+463 MCG 8-11-11	Seyfert galaxy; $z = 0.0205$ (MARS81b); includes compact radio source (COND77); X-ray variable (WARD77); X-ray spectrum: $kT = 28$ keV or energy power law index = 0.66 (MUSH80a, MUSH80b); other X-ray (ELVI78, FRON79, GRIF79a, MARS81a); optical (MILL79); IR, optical, UV (LACY82).
1H0555-384 4U0557-38	X-ray (PICC82).
1H0556+126	X-ray (SHAR79b).
1H0610+091 4U0614+09 V1055 Ori	Sco X-1 like, long term variable (MURD74), possible X-ray burster, burst duration ~ 50 s (SWAN78); distance = 4 - 8 kpc (DAVI74); optical identification 18th mag B star, UV excess (MURD74, DAVI74), variable star V1055 Ori (BRAD83); X-ray spectrum: $kT = 2.4 - 3.2$ keV or energy power law index = 1.6 - 1.7, correlated intensity and spectral slope, variability on 1 hour timescale (PARS78), $kT = 2.5 - 6$ keV (MASO76), burst spectrum, $kT = 1.1-2.5$ keV (SWAN78); X-ray binary period 5.2 days (MARS81d); other X-ray (GREE79a, DOWE78); radio (DULD79).
1H0612+226 IC443	Supernova remnant; distance = 1-2 kpc (ILOV72, WOLT72); X-ray spectrum: $kT \sim 0.9$ keV or photon power law index ~ 4.5 (PARK77); other X-ray (SHUL76, MALI76, LEVI79); radio (COLL71, HILL72b); early X-ray (GIAC72).
1H0613+479 3C153 ?	Active galaxy in cluster; $z = 0.2771$ (BURB79, PACH78); radio (PACH78, SMIT76).

TABLE 6—Continued

1H0623-539 STR0627-544 ?	Cluster of galaxies; $z = 0.05$ (VIDA75); X-ray spectrum: $kT = 4.4 - 6.3$ keV (MITC79,MUSH78d), $kT = 7.8$ keV plus Fe line (BERT79); other X-ray (MACC78, NULS79); other HEAO-1 (PICC82); X-ray image, double structure (FORM81, FORM82).
1H0633-752	Quasar; $z = 0.651$ (HEWI80).
1H0637+535 ANON 0636+53 PKS0637+535	Galaxy; suggested source identification: compact, paired with galaxy ANON 0637+53, and X-ray luminosity comparable to type 1 Seyfert (MARS79b).
1H0659+453 Mkn 376	Seyfert galaxy; type 1, $z = 0.056$ (WEED77); possible member of a cluster (ADAM77); IR,optical,UV (LACY82, WEED77); radio (WEED77); no radio emission detected (DEBR76); X-ray variability (MARS81b); other X-ray (ELVI78).
1H0712+558 A576	Cluster of galaxies; $z = 0.133$ (LEIR77); X-ray (NULS79, HINT79); X-ray structure (WHIT80b).
1H0717+714 1E0716+71	BL Lac object; flat UV and optical spectrum, variable and 14% polarized in optical (BIER81); radio variable (KUHR81); X-ray image (BIER82); optical (WING73).
1H0726-259 4U0728-25	Binary X-ray source, Be star, distance = 5.0 kpc, variability indicated (STEI84).
1H0729+316 A586 YY Gem ?	Cluster of galaxies; $z = 0.171$ (JOHN83); X-ray (ULME81a); the flare star YY Gem is also near this position and may be confused with this source (TSIK82, VAIA81).
1H0741+289 Sigma Gem	RS CVn binary system; distance = 0.059 kpc (HALL84).
1H0741+651 Mkn 78	Seyfert galaxy; type 2, $z = 0.038$ (WEED77,ADAM77).
1H0743+037 YZ CMI	Flare star; distance = 6 pc (PETT76); X-ray flaring (HEIS75,KAHN79,KAHL82); X-ray image (KAHL82); X-ray, optical,and radio observations (KARP77).
1H0743+184	Possibly confused.
1H0744+499 Mkn 79	Seyfert galaxy; $z = 0.0219$ (MARS81b); optical (ADAM75, OKE78); ultraviolet (OKE78); X-ray (MARS81b,STEI81b, ELVI78).

TABLE 6—Continued

1H0745-191 4U0739-19 PKS0745-19	N-Galaxy, $z = 0.1028$ (BURB79).
1H0759-490 4U0750-49 HD64740?	X-ray (BACH75,SEWA76b); optical candidates discussed (GROO78).
1H0802-469 1E08083-4275	Variable object, seen in EINSTEIN IPC, $V > 15$ (HERT83).
1H0811+625	Cataclysmic variable, U Gem type (PATT84); orbital period = 0.0763 d (WADE82); EINSTEIN image (CORD84).
1H0814-073 A644	Cluster of galaxies (JOHN83); $z = 0.084$ (LEIR77).
1H0815-571 4U0814-56	X-ray (SEWA76b).
1H0816+017 PKS0812+02 A653	Quasar; $z = 0.402$ (BURB77).
1H0820-426 Pup A SNR	Supernova remnant (BURG73b,GORE74); estimated distance = 1.2 kpc (MILN70); X-ray line emission (ZARN78); spatial structure (CHAR78,LEVI79,HEAR80); EINSTEIN HRI image (PETR82); Spectrum: O VII, O VIII lines (WINK81a,WINK81b).
1H0823+561 A652	Cluster of galaxies; $z = 0.1938$ (SARA82).
1H0833+153 A689	Cluster of galaxies, $z = 0.1430$ (JOHN83).
1H0833+654 A665 PI(1) UMa	Cluster of galaxies (A665), $z = 0.1816$ (JOHN83); or PI(1) UMa, a main sequence, type G, rapidly rotating dwarf (VIAI81).
1H0846+519 0846+51W1 2A0859+509 ?	BL Lac object, highly variable; $z = 1.86$ (ARP80).
1H0859-403 Vela X-1 HD77581	Binary pulsar; distance = 1.2 kpc (HILT72); orbital period 8.97 days (FORM73,ULME72); pulse period 283 s (MCCL76); other measurements of pulsar spin period (RAPP77,OGEL77,BECK78); orbital elements and mass estimate (RAPP76); X-ray spectrum: power law with adsorption and Fe line (BECK78), high-energy spectrum (DOLA81,STAU80a), EINSTEIN SSS spectrum (KALL82).

TABLE 6—Continued

1H0900-375 PKS 0902-38	Supernova remnant, distance = 4.3 kpc (ILOV72).
1H0906-095 A754	Cluster of galaxies; $z = 0.0539$ (PICC82,JOHN83); $z = 0.052$ (LEIR77).
1H0917-121 A780	Cluster of galaxies; $z = 0.0522$ (JOHN83).
1H0918-548 4U0919-54	X-ray, position (REID80,DOWE78); other X-ray (SEWA76b).
1H0919-312 4U0923-31	X-ray (SEWA76b).
1H0920-629 H0921-631	Binary X-ray source; position (LI78b); orbital period 9 days (COWL82b); distance = 8 kpc (PATT84).
1H0922-810	Possibly confused.
1H0929+122 A803 ? AKN 202 ?	Cluster of galaxies; note the Seyfert galaxy AKN202, $z = 0.028$ (WEED78), lies well outside this HEAO A-1 error box (see DOWE80).
1H0946-309 MCG-5-23-16	Seyfert galaxy; X-ray spectrum: photon power law index = 1.84 (MUSH82).
1H0946-144 NGC 2992	Seyfert galaxy; $z = 0.0062$ (PICC82), $z = 0.034$ (LUGG78), $z = 0.00752$ (SHUD80); X-ray spectrum: photon power law index = 1.84 (MUSH82).
1H0950+696 M82	Seyfert galaxy; $z = 0.0013$ (PICC82), $z = 0.00072$ (SHUD80).
1H1008+343 3C236	Galaxy in a cluster; $z = 0.0988$ (PACH78).
1H1012-574 RCW 48W A1014-57	Supernova remnant; distance = 8.6 - 12.3 kpc (DOWN71, ILOV72); X-ray (SEWA76b); possibly not a SNR (DOWN71, CLAR76b).
1H1012-098 A970 ? PKS1020-103?	Cluster of galaxies (JOHN83,ULME81a); $z = 0.115$ (LEIR77); possibly confused.
1H1013+498 A950	Cluster of galaxies, $z = 0.202$ (LEIR77).

TABLE 6—Continued

1H1017+202 NGC 3227 AD Leo ?	Seyfert galaxy, $z = 0.0033$ (WEED77); uncertain class: type 1 (MARS79b,ELVI78), type 2 (WEED77,ADAM77,PICC82); X-ray identification (ELVI78); X-ray variability (MARS81b); IR,optical,UV (LACY82); IR, radio summary (WEED77); alternate identification, the dMe star AD Leo (KAHN79).
1H1023+513 A1004	Cluster of galaxies; $z = 0.117$ (LEIR77); Abell cluster is in HEAO-1 error box, an alternate identification very near error box is Mkn 142 (MARS79b,ELVI78), Seyfert galaxy, type 1, $z = 0.045$ (WEED77,ADAM77).
1H1033-273 A1060 STR1034-272	Cluster of galaxies (JOHN83,PICC82), $z = 0.0114$ (NOON81); X-ray spectrum: $kT = 3.1-3.5$ keV (MUSH78d, MITC77,MITC79), two temperature components plus 6.7 keV Fe line, $kT = 1.8-2.2$ keV and $kT = 14.4-11.9$ keV (MITC80).
1H1045-597 Eta Carina NGC 3372	Star formation region, historical Nova; X-ray (BECK76, SEWA76b), low energy survey (HILL72a); X-ray image and spectra; star Eta Car, several O stars, and diffuse nebula (SEWA79); UV (WALB82,DAVI82b); IR (THAC78).
1H1051+607 2A1052+606 BD +61 1211 DM UMa	RS CVn binary system; distance = 0.16 kpc (SCHW79a); other HEAO-1 X-ray (plus optical) (WALT80,CHAR79b, SCHW79a); EINSTEIN X-ray (WALT81a,WALT81b); optical (CRAM79,KIMB81).
1H1059+566 A1132	Cluster of galaxies; $z = 0.1363$ (NOON81).
1H1104+382 Mkn 421 A1103+38	BL Lac object; $z = 0.031$ (ULRI75); optical identification (MILL75,MILL77a); optical spectrum (MAZA78,ULRI78); optical polarization (RIEK77,BAIL81); optical and radio (MARG78a,ULRI75); X-ray spectrum (MUFS80,MUSH78b,MUSH79); X-ray transient, Mkn 421 proposed as identification (COOK76a); other X-ray (BOKS78,HEAR79,RICK76c,SCHW79a).
1H1118-602 Cen X-3	Binary pulsar; distance = 8 kpc (KRZE74); optical identification (MARG72a,KRZE74,GIAC74); X-ray periods: 4.85 s (GIAC71,TUOH76,ULME74b), 2.09 d (SCHR72); period changes (FABB77,HENR77,VAND80); orbit, from X-ray (SCHR72,FABB77); mass limit (AVNI74,WEED72,WILS72); hi-low states, dips (POUN75, SCHR76,CARL79); long term behavior (BENN76,SCHR76); X-ray spectra (COE76,BLEE73, BAIT74,HAYA73); other X-ray (BRAD79,CHES78,HOLT79b, LONG75, LONG77, CARP77, MAUD75, PARK74); infrared (GLAS79).

TABLE 6—Continued

1H1120+423 A1250/A1237	Cluster of galaxies; $z(\text{A1250}) = 0.165$ (LEIR77), $z(\text{A1237}) = 0.149$ (LEIR77); X-ray (A1237) (JOHN83).
1H1121-591 MSH 11-54 H1122-59	Supernova remnant; distance = 10 kpc (AGRA80); X-ray image (TUOH82); other X-ray (SHAR78b,AGRA80).
1H1129+495 A1314 Mkn 178	Cluster of galaxies; $z = 0.0341$ (SARA82).
1H1135-372 NGC 3783	Seyfert galaxy; $z = 0.0085$ (BURB79); X-ray (COOK76b, ELVI78,MUSH80a,PICC82).
1H1137-649 4U1137-65 HD101379	RS CVn binary system; distance = 75 pc (GARC80); radio (GARC80); optical (WEIL79); X-ray (SEWA76b,BRAD83).
1H1137+699 Mkn 180	Active galactic nucleus; $z = 0.046$ (MUFS81); EINSTEIN observation (MUFS81); coordinated observations, radio, optical, UV, X-ray (MUFS83).
1H1142+199 A1367	Cluster of galaxies; $z = 0.019$ (LEIR77), $z = 0.0213$ (JOHN83); Einstein image (JONE79,FORE82,BECH83); X-ray spectrum: two components, $kT = 1.3$ keV and 2.8 keV plus Fe line (MUSH78d), $kT = 1.3$ keV (HINT79); steep spectrum radio source (BALD73); other X-ray (ULME81a).
1H1144-617 HD102567 HEN 715 1E11451-6141 2S1145-619	Binary pulsar(s); two pulsars spatially unresolved in HEAO A-1; distance(1145-614) = 1.50 kpc (BRAD77, WHIT78b); optical identification (SOFI74); optical spectral types B1 Vne (1145-619) (FEAS61) and B1I (1145-614) (HUTC81c); X-ray flux (JERN78a,BRAD79, FORM76c); X-ray periods, 292 s and 297 s (WHIT78b); X-ray spectrum: photon power law index = 1.5 and Fe line (WHIT80c); X-ray flares (WATS81b); two X-ray pulsars resolved (WHIT80c,LAMB80); other X-ray (BRAD79,DOWE78, SEWA76b).
1H1150+738 A1412	Cluster of galaxies; $z = 0.0839$ (SARA82).
1H1152+237 A1413	Cluster of galaxies; $z = 0.121$ (LEIR77), $z = 0.1427$ (JOHN83,SARA82); EINSTEIN image (JONE79); X-ray spectrum: $kT = 8.1$ keV (PERR81); other HEAO-1 (ULME81a).

TABLE 6—Continued

1H1154+294 4C 29.45	Quasar; $z = 0.729$ (BURB77).
1H1205+440 NGC4051	Seyfert galaxy; type 1, $z = 0.0023$ (WEED77); X-ray image and rapid variability, (MARSH83).
1H1208-518 PKS 1208 G296.5+10.0	Supernova remnant, distance = 1.9 kpc(ILOV82); spectral index $\alpha = 0.5$ in radio (WHIT68); radio polarization map (MILN75).
1H1210+393 NGC 4151	Seyfert galaxy; $z = 0.0033$ (WEED77); X-ray spectrum: photon power law index = 1.43 (MUSH80a,FRON79,BAIT75); EINSTEIN SSS and HEAO A-2 (HOLT80); 0.02 to 19 Mev photon power law spectral index = 1.3 (PERO81); simultaneous spectrum from radio to X-ray (BEAL81); X-ray variability (IVES76,ELVI78,ULME77,MUSH78c,MEEG79); variable absorbing column (BARR77); other X-ray (PICC82); early X-ray (GURS71a); Radio jets (JOHN82).
1H1211+762 Mkn 205	Quasar; $z = 0.070$ (HEWI80); Einstein X-ray images (TANA79,ZAMO81)
1H1219+301 2A1219+301	BL Lac object (WILS79a;SCHW79b); z estimated 0.13 (WEIS81); hard X-ray spectrum (WORR81b); X-ray variability (WILS79a); other X-ray (PICC82); optical and infrared (LEDD81).
1H1221-623 GX301-2 WRAY 977 BP Cru	Binary pulsar; distance = 2 kpc (BRAD77); pulse period 699 s; star WRAY 977 (GIAC74,MAUD76,BRAD77); distance = 2 kpc (VIDA73); hard X-ray spectrum and variability (LEWI71a,MCCL71,RICK76b); orbit parameters (KELL80); hard X-ray flaring (MAUR82); radio (SEAQ77).
1H1226+022 3C273	Quasar; $z = 0.158$ (BURB79); X-ray spectrum (MARG72b, WORR80); EINSTEIN observation (BLUM82); supraluminal expansion in radio (COHE77,PEAR81); early X-ray (BOWY70,BYRA71); other X-ray (PICC82,TANA79).
1H1226+128 Virgo Cluster M87	Cluster of galaxies; $z = 0.0037$ (JOHN83); 1.1 keV Fe line (LEA82), spectrum (MUSH78d,JONE78); shows two spectral components (REIC81,ULME80c); FPCS spectrum, O VIII Lyman alpha (CANI82); EINSTEIN SSS spectrum and temperature gradients (LEA82); other X-ray (PICC82, ULME81a); extended emission (LAWR78,ULME80c); X-ray image: (FORM82), high resolution observations (SCHR82); mass determined from extent of X-ray emission (FABR80); early X-ray (BYRA66,FRIE67,BYRA71b).
1H1226+505	Possibly confused.

TABLE 6—Continued

1H1229+199 TON 1542	Quasar; $z = 0.064$ (BURB77).
1H1238-599 2S1239-599	Binary pulsar; pulse period 191 s (HUCK77); X-ray position (DOWE78); hard spectrum (HUCK77); other X-ray (CARP77).
1H1238-050 NGC 4593	Seyfert galaxy (PICC82); $z = 0.48$ (BURB79).
1H1244-588 4U1246-58	X-ray (SEWA76b,CARP77).
1H1244-409 Centaurus Cluster	Cluster of galaxies, X-ray (GURS71c,PICC82); $z = 0.0118$ (JONE78); X-ray spectrum: $kT = 3.6$ keV (JONE78), other spectra (MUSH78d,MITC80), two spectral components (REIC81), Fe line (MITC77).
1H1247+755 A1607	Cluster of galaxies; $z = 0.131$ (LEIR77).
1H1249-637 A1250-66	X-ray (SEWA76b).
1H1251-291 EX Hya	Cataclysmic variable; U Gem type, orbital period = 0.454 days (GILL82); position and identification (JOHN78a); soft X-ray survey (CORD79); EINSTEIN observation (CORD81).
1H1254-690 4U1254-69	Binary X-ray source; X-ray spectrum: photon power law index = 1.6 (COE76), $kT = 3 - 7$ keV (JONE77); other X-ray (GRIF78a, DOWE78).
1H1255-172 A1644	Cluster of galaxies, X-ray (PICC82,MCKE80); $z = 0.061$ (LEIR77), $z = 0.0453$ (SARA82).
1H1257-610 GX304-1	Binary pulsar; optical counterpart (GIAC74,BRAD77); pulse period = 272 s (MCCL77a); optical counterpart Be star (PARK80); distance = 1 - 3 kpc, hard X-ray spectrum and variability (RICK73); radio (SEAQ77).
1H1257+281 Coma Cluster	Cluster of galaxies; $z = 0.023$ (NOON73); X-ray spectrum (MALI78), Fe line (JOHN81a); X-ray structure (GORE79); upper limit on extended halo (ULME80c); early X-ray (MEEK71,GURS71c); other X-ray (JOHN83,MCKE80).
1H1303-047 A1651?	Cluster of galaxies; X-ray (PICC82,MCKE80); $z = 0.094$ (LEIR77); $z = 0.0825$ (SARA82); A1651 is outside 1H error box
1H1305+466 A1682/A1697 ?	Cluster of galaxies; $z(A1682) = 0.069$, $z(A1697) = 0.197$ (LEIR77); other HEAO-1 (A1697) (JOHN83).

TABLE 6—Continued

1H1322-309 SC1329-314	Cluster of galaxies; $z = 0.073$ (PICC82); X-ray spectrum: two component, $kT = 1 - 6$ keV and $kT \sim 15$ keV (REIC81); Fe line emission (MUSH78d).
1H1323-428 Cen A NGC 5128	Active galactic nucleus, elliptical galaxy; $z = 0.0016$ (BURB79); X-ray variable on timescale of days (DAVI75, MUSH78a, WINK75, BEAL78); X-ray spectrum: photon power law index = 1.4 - 2.4 and variable (DAVI75c, GRIN75b, LAMP72, MUSH78a, STAR76, TUCK73), two components, photon power law index = 1.6 for 2 to 140 keV and = 2.0 for 0.14 to 2.3 MeV (BAIT81), Fe line (MUSH78a, STAR76); X-ray structure: i. point source, ii. emission coincident with inner radio lobes and with dust lane, iii. 4 arc min extended region, iv. X-ray jet (SCHR79, DELV78, FEIG81, MARS81c); optical structure (BLAN75, DUFO78, GRAH79, GRAH80, GRAH81, OSME78); radio (BEAL78, CHRI77, COOP65, FOGA75); gamma-ray (GRIN75a); early X-ray (BYRA71a, BOWY70).
1H1326-269 A1736	Cluster of galaxies; X-ray (JOHN83), $z = 0.0431$ (NOON81).
1H1326+174 VW Com 1331+170	Flare Star (VW Com), dist = 0.015 kpc (BUSK74, PETT84); or alternatively, quasar (1331+170), $z = 2.081$ (BURB77).
1H1328+113 MKW 11	Compact group of galaxies; $z = 0.023$ (SCHW80b).
1H1332-233 A1757	Cluster of galaxies; $z = 0.139$ (JOHN83).
1H1332+372 HR5110	RS CVn system, distance = .053 kpc (HALL84); possible alternate identification: Mkn 456.
1H1334-340 MCG 6-30-15	Seyfert galaxy; $z = 0.006$ (PICC82), $z = 0.0144$ (LUGG78); optical (PINE80).
1H1338-604 1E13405-6107 4U1344-60	Source identified with 8th magnitude object, variable (HERT83); other X-ray (SEWA76b, VILL76).
1H1338-144 A1768 ?	Cluster of galaxies; $z = 0.152$ (JOHN83).
1H1344-326 SC1344-32	Cluster of galaxies; $z = 0.0144$ (LUGG78); X-ray MARK76a, CANI75a); other HEAO-1 (PICC82).
1H1345-300 IC4329A	Seyfert galaxy (ELVI78); $z = 0.0138$ (WEED77); other HEAO-1 (PICC82).

TABLE 6—Continued

1H1348+267 A1795	Cluster of galaxies; $z = 0.0621$ (JOHN83), $z = 0.084$ (LEIR77); EINSTEIN image (JONE79); other X-ray (MURR76); other HEAO-1 (PICC82,MCKE80).
1H1350+696 Mkn 279	Seyfert galaxy (ELVI78); $z = 0.031$ (ADAM77).
1H1359-645 MX1353	X-ray (MARK77,SEWA76b).
1H1359-421 PKS1355-416	Quasar; $z = 0.31$ (BURB77).
1H1404-450 H1409-45 1M1402-45	Cataclysmic variable, AM Her type (MASO83); recurrent transient (JENS82); orbital period = 0.0706 days (BAIL83).
1H1408-031 NGC 5506	Seyfert galaxy or narrow emission line galaxy; $z = 0.0056$ (DEVA76), $z = 0.0061$ (ELVI78,SHUD80); X-ray identification (ELVI78); X-ray spectrum: photon power law index = 1.6 - 1.75 (MUSH82,STAR78), possible Fe feature (MUSH82); X-ray intensity variable, hours to days (MACC82,MUSH82,STAR78); optical (SHUD80).
1H1415+255 NGC 5548	Seyfert galaxy (PICC82), type 1, $z = 0.0166$ (WEED77, ADAM77); X-ray identification (ELVI78); X-ray spectrum: photon power law index = 1.56 (MUSH80a) to 1.9 (STAR78); X-ray variability (MARS81b); other HEAO-1 (DOWE80, MUSH80a); IR, optical, UV line emission (LACY82).
1H1419-774	Possibly confused.
1H1420+481 A1904 ? 2A1418+485	Cluster of galaxies; $z = 0.0714$ (HILL80).
1H1422+273 A1903	Cluster of galaxies; $z = 0.152$ (LEIR77).
1H1438-623 MSH 14-63 RCW 86 SNR 185 G315.4-2.3 PKS1439-62 Cen XR-1	Supernova remnant AD185 (HILL67), filamentary nebula; distance = 2.5 (WEST69) to 3.2 kpc (CLAR76b); X-ray spectrum: $kT = 0.22-0.52$ keV (NARA77), two components $kT = 0.22$ keV and $kT > 5$ keV (WINK78); other X-ray (VILL76, SEWA76b); early X-ray (FRIE67,HILL72a); optical (LUCK79); radio (HILL67).
1H1439+393 A1947	Cluster of galaxies (JOHN83); $z = 0.163$ (LEIR77).

TABLE 6—Continued

1H1448+415 4U1444+43	X-ray (MURR76).
1H1449+316 A1968	Cluster of galaxies; $z = 0.289$ (LEIR77).
1H1450+190 A1991	Cluster of galaxies; $z = 0.0589$ (HOES80); X-ray image (FORM82).
1H1458-416 SN1006 G327.5+14.6 PKS1456-41	Supernova remnant; distance = 4.0 (ILOV72) to 4.9 kpc (DOWN71); X-ray spectrum: $kT = 4$ keV or energy power law index = 1.3 (WINK76); other X-ray (MARK77,TOOR80); optical (VAND76); radio (DOWN71).
1H1504+473 A2024/A2018	Cluster of galaxies; $z(A2018) = 0.1120$ (JOHN83).
1H1508+060 A2029	Cluster of galaxies; $z = 0.0782$ (JOHN83); $kT = 6.2$ keV (HINT79,PERR81,MITC79); X-ray (PICC82,MCKE80); photon power law index = 2.2 (MUSH78d,MITC79); steep radio spectrum (MILL77c).
1H1510+335 A2034	Cluster of galaxies; $z = 0.151$ (JOHN83).
1H1511-589 MSH 15-52 RCW 89 G320.4-1.2	Supernova remnant/pulsar; distance = 4.2 kpc, radio counterpart is MSH 15-52 (CLAR76b,ILOV72); pulsar period 150 ms (SEWA82).
1H1514+072 A2052 MX 1514+06 3C317	Cluster of galaxies; $z = 0.0345$ (JOHN83); X-ray MARK76b,PICC82,MCKE80).
1H1516-569 Cir X-1 BR Cir	Black hole candidate (FORM76c); distance > 8 kpc (GOSS77); highly variable 100 ms to days (JONE74); random 10 ms pulsations (TOOR77); semi-periodic bursts (SADE79a,SADE79b); period 16.59 d (KALU76,GLAS78,THOM78, KOCH79); X-ray spectrum: two component $kT > 15$ keV and $kT < 3$ keV (JONE77); other X-ray (GURS78,WILS76); radio (DULD79); infrared (GLAS79); optical (MAY076,WHEL77); early X-ray (MARG71,HILL72a,FRIE67).
1H1518+282 A2065 H1521+282 ?	Cluster of galaxies; $z = 0.0721$ (JOHN83,SPIN77); X-ray spectrum: $kT = 2.4 - 4.5$ keV (HINT79); X-ray (PICC82, HINT79,MCKE80); X-ray identification (MCKE81).
1H1521+083 A2063	Cluster of galaxies; $z = 0.0337$ (JOHN83); EINSTEIN image (JONE79,FORE82).

TABLE 6—Continued

1H1521+308 A2061	Cluster of galaxies; X-ray (MCKE80,JOHN83); $z = 0.0768$ (SARA82,JOHN83).
1H1530+585 Mkn 290 ?	Seyfert galaxy, $z = 0.03$ (ADAM77).
1H1538-522 2S1538-522 QV Nor	Binary pulsar; distance = 7 kpc, orbital element (CRAM78b); periods: 529 sec and 3.75 d (DAVI77b,DAVI77d, BECK77b); X-ray spectrum: $kT = 6$ keV or photon power law index = 2.1 (CRUD72); other X-ray (SEWA76b,APPA78a, WILS79b); infrared (GLAS79); optical (COWL77b,COWL78, PARK78,ILOV79a); early X-ray (FRIE67).
1H1543-624 Nor XR-2	Optical candidate, UV excess (MCCL78b); X-ray spectrum: $kT = 3 - 7$ keV (JONE77); other X-ray (SEWA76b,APPA78a, WILS79b); other HEAO-1 (GRIFF78c); early X-ray (FRIE67).
1H1544+360 A2124	Cluster of galaxies; $z = 0.0671$ (JOHN83); X-ray (MCKE80).
1H1555-552 MX1553-54	Pulsar/recurrent transient; early X-ray (WALT76); transient nature (APPA78a); 9.3 s X-ray pulsations and hard X-ray spectrum (KELL82); no optical identification.
1H1556-605 1M1556-602	X-ray (APPA78a,REID80); optical identification (CHAR79c); infrared (GLAS79); early X-ray (FRIE67).
1H1556+273 A2142	Cluster of galaxies; $z = 0.0904$ (JOHN83); X-ray spectrum: $kT = 10.3$ keV (HINT79,MITC79), photon power law index = 1.37 (MUSH78d); X-ray (PICC82,MCKE80); steep radio spectrum (ERIC78).
1H1604+158 A2147	Cluster of galaxies; $z = 0.0365$ (JOHN83); EINSTEIN image (JONE79); X-ray spectrum: $kT = 7.2$ Kev (MUSH78d); other HEAO-1 (PICC82); other X-ray (COOK77,MITC79, NULS79,MCKE80).
1H1608-522 Norma Burster Norma Transient QX Nor	X-ray burster; distance < 3 kpc (MURA80); two burst modes: bright mode < 2s rise and 5-10 s decay, weak mode > 2 s rise and > 10 s decay, ~10 h between bursts, time averaged burst luminosity/steady luminosity = 1/70 to 1/500, bright source recurrence quasi period ~600 d (MURA80); X-ray spectrum: steady component $kT = 4 - 10$ keV, burst component $kT = 2 - 12$ keV (TANA76), average $kT = 8$ keV (FABB78); other X-ray (MARK77, APPA78a); optical (GRIN78a); other HEAO-1 (SHAR79a); early X-ray (HILL72a).
1H1613-097	X-ray (SHUL79b).

TABLE 6—Continued

1H1613-060 A2163	Cluster of galaxies; $z = 0.180$ (ULME80a), $z = 0.1698$ (SARA82); X-ray (ULME80a); other HEAO-1 (SHUL79b, JOHN83).
1H1617-155 Sco X-1 V818 Sco	Binary, probable old nova (SAND66); estimated distance: 0.5 kpc (PATT84), 1.0 kpc upper limit (HILT70); correlated X-ray and optical, X-ray variability is highest when optically bright and X-ray spectrum is hard (CANI73, MATS74, CANI75a, MOOK75, BRAD75); variability, timescales minutes to hours (BURG70, LEWI70, PELL73, HOLT76a, WHIT76a); 0.1 - 1 s oscillations (ANGE71); orbital period, 0.787 d seen in optical (GOTT75, WRIG75, COWL75); X-ray spectrum: variable, $kT = 4 - 12$ keV (FRIT68, CHOD68, HILL68, MEEK69, GRAD70a, TOOR70, PARS78); Fe line (PARS78); polarization $\sim 1\%$ (LONG79); 1 s time structure in X-ray flares (PETR81); O absorption, 0.5 - 0.7 keV (KAHN81); other X-ray (GURS66, FRIT69b); radio (HJEL71a, WADE71); optical (MOOK71); infrared (GLAS79); gamma-ray (HAYM72); early X-ray (GIAC62, BOWY64b, CHOD65, FISH66).
1H1624-490 Nor XR-1 G334.9-0.3	X-ray spectrum: $kT = 2.3$ keV, Fe line (PARS78); other X-ray (SEWA76b, WILS77, APPA78a, REID80); radio (SAND74); early X-ray (FRIE67, HILL72a).
1H1626-245 Rho Oph	Star Cluster, Rho Ophiuchi Dark Cloud, distance = 0.160 kpc (MONT83).
1H1626+058 A2204	Cluster of galaxies; X-ray (ULME81a); $z = 0.1524$ (JOHN83).
1H1627-673 4U1626-67 KZ TrA	Binary pulsar; orbital period = 0.0288 days (MIDD81); period = 7.7 sec (RAPP77, MCCL80), $P/(dP/dt) = -5300$ yrs (PRAV79b); X-ray spectrum: photon power law index = 0.22 - 0.56 and varies with phase (PRAV79b); other X-ray (SEWA76b, BRAD78); optical (MCCL77c).
1H1631+394 A2199	Cluster of galaxies; X-ray (PICC82, JOHN83); $z = 0.027$ (LEIR77), $z = 0.0305$ (NOON81); EINSTEIN image (FORE82); X-ray spectrum: $kT = 3.2$ keV with Fe line (MUSH78d, MITC79).
1H1634+117 MC2 1635+119	Quasar; $z = 0.146$ (ZAMO81); X-ray/optical energy power law index = 1.2 (TANA79); EINSTEIN flux substantially lower than the 1H flux.
1H1635-642 4U1631-64	Binary X-ray source; X-ray (COOK78, SEWA76a).

TABLE 6—Continued

1H1636-536 MXB1636-53 V801 Ara	X-ray burster (SWAN76a); orbital period = 0.148 days (PEDE81); burst duration ~50 s, time between bursts 9 - 12 h, time average burst luminosity/steady luminosity = 1/245 (HOFF77a); X-ray spectrum: burst kT = 3 keV (HOFF77a), average kT = 3 keV or power law index ~2 (PARS78); other X-ray (WILL74, SEWA76b, WILS77, GURS78, COMI80); optical bursts (PEDE82); optical (MCCL77b); radio (THOM79); early X-ray (FRIE67).
1H1639-109 Zeta Oph?	O star, distance = 190 pc; X-ray image (LONG80); X-ray (SHUL79b); possibly confused; identification with Zeta Oph is uncertain.
1H1642-455 Ara X-1 GX340+0 G339.6-0.1	Binary X-ray source; distance = 2 kpc (MARG71b, SEAQ77); H II region, probably O star (SEAQ77); X-ray variable ~1 d (FORM76c); X-ray spectrum: energy power law index = 1.6 - 2.6 or kT = 2.8 - 5 keV plus possible Fe line (PARS78), blackbody kT = 1.3 keV (MARG71b); other X-ray (SEWA76b, WILS77, APPA78a, GURS78); radio (SAND74); infrared (GLAS79); early X-ray (FRIE67, FISH68, RAPP71c, BRAD71, HILL72a).
1H1645-596 NGC 6221 ? NGC 6215 ? NGC 6215A ?	X-ray (MARS79b); proposed counterpart NGC 6221 questioned on spectroscopic grounds (PHIL79); NGC 6221 lies outside the 1H error region.
1H1645-442 GX 341+1	X-ray position (MAYE70); other X-ray (THOM75); possibly confused with 1H1642-455.
1H1651+398 Mkn 501	BL Lac object (SCHW78); $z = 0.0337$ (ULRI75); X-ray spectrum: variable, energy power law index 0.2 - 1.5 (MUSH78b, SNIJ79, KOND81, WORR81b); other X-ray (KINZ78, WOOD79); other HEAO-1 (ULME80a, PICC82).
1H1653-083 Wolf 630	Flare star; X-ray image (VAIA81, SWAN82).
1H1656+354 Her X-1 HZ Her	Binary pulsar; distance ~5 kpc (BAHC76a); X-ray periods 1.24 s, 1.7 d, and 35 d (TANA72a, DOXS73, GIAC73, JONE76, HOLT76, KEND77, JOSS78, HOLT79c); also seen in optical (BAHC72, DAVI72, JONE73, MARG76, NELS77) and ultraviolet (GURS80); X-ray spectrum: power law with Fe line, with dependence on 35 d cycle phase and on 1.24 s cycle phase (BECK77a, PRAV77a, PRAV77b, BUNN78, PRAV79a, GRUB80); other X-ray (CLAR72, ULME73a, SHUL75, FRIT76); optical (STJO76); hard X-ray and gamma-ray, including cyclotron features (COE77, TRUM78, PRAV78, GRUB80); cyclotron line (VOGE82), pulse timing (DEET81), pulse phase spectroscopy (MCCR82); periodicity in turnons (LEVI82, KATZ82); long term variability 13-80 keV (GORE82).

TABLE 6—Continued

1H1658-298 MXB1659-29	X-ray burster (LEWI76d); distance = 10 kpc (PATT84); orbital period = 0.296 d (COMI83); X-ray burst intervals 2 - 2.6 hrs (LEWI77c) with persistent X-ray emission (LEWI78, SHAR78a); other X-ray (DOXS79,COMI80); optical (DOXS79); early X-ray (GURS67,FISH68) (note, this is an earlier detection of the persistent emission from this source than that reported in LEWI78 and SHAR78a. The early rocket measurements and 4U1704-30 may represent still earlier detections).
1H1659-487 GX339-4	Black hole candidate (SAMI79); X-ray variability < 100 ms time scale (SAMI79); X-ray spectrum: $kT = 1.7$ keV, harder in low state (MARK73,JONE77); other X-ray (SEWA76b,MARK77,WILS77,PARS78,WILS79b); optical (GRIN79, DOXS79); hard X-ray spectra in 77-78 (NOLA82); rapid optical variability (MOTC82).
1H1702-437 4U1705-44	X-ray burster; surveys (HILL72a,THOM75,FORM76c); position (WILS77,JERN78b); bursts (MAKI82).
1H1702-363 Sco XR-2 Sco X-2 GX349+2	Sco X-1 type variable; correlated X-ray intensity and spectral slope ~ 1 h timescale variability (MASO76, GREE79); X-ray spectrum: variable, $kT = 5$ keV (PARS78), two component $kT = 6$ keV and $kT = 30$ keV (GREE79a); other X-ray (WILS77,JERN78b,GURS78,REID80); infrared (GLAS79); early X-ray (BOWY65a,BRAD71,FRIE67).
1H1702+336 A2244	Cluster, X-ray (JOHN83,ULME81a); $z = 0.0996$ (KOWA83).
1H1702+456	X-ray (SHUL79b).
1H1703-013 UGC106838	Seyfert galaxy; $z = 0.0308$ (WILS81); X-ray and optical (WILS81).
1H1704+605 3C351?	Active galactic nucleus (ZAMO81,BLUM82); EINSTEIN flux is substantially lower than that reported here.
1H1705-250 Nova Oph 1977 V2107 Oph	Transient and optical nova; distance = 3 kpc (GRIFF78b); 2 - 3 month decay (WATS78); X-ray spectrum: past maximum $kT \sim 3$ keV (GRIF78b,WATS78); other X-ray (KALU77b, KALU77c); optical (GRIF78b).
1H1706+241 HD154791	Binary X-ray source; distance = 0.083 kpc (GARC80).
1H1706+786 A2256	Cluster of galaxies; $z = 0.055$ (LEIR77), $z = 0.0603$ (LUGG78); note optical and radio galaxy NB78.26, $z = 0.0586$ (BURB79); EINSTEIN image (JONE79, FORE82); X-ray spectrum: $kT = 7$ keV and Fe line (MUSH78d,MITC79); other X-ray (NULS79,MCKE80); radio (COST72); other HEAO-1 (PICC82,JOHN83).

TABLE 6— *Continued*

1H1708-405 4U1708-40	X-ray (FISH68,MARK77).
1H1712-337 A1710-34	X-ray (FISH68,HILL72a,CARP77).
1H1712+490 A2251	Cluster of galaxies; $z = 0.1147$ (KOWA83), $z=0.1880$ (JOHN83); X-ray (SHUL79b,ULME80a).
1H1712+641 A2255	Cluster of galaxies; X-ray (MCKE80); $z = 0.062$ (LEIR77), $z = 0.0810$ (JOHN83); EINSTEIN image (FORE82).
1H1715-321 2S1715-321	X-ray burster; X-ray flare 5 - 10 m duration (MARK76b); fast transient event (HOFF78); other X-ray (MARK77, JERN78b,REID80,MAKI81); infrared (GLAS79).
1H1718+242 V396 Her 1720+249	Quasar, $z = 0.175$ (BURB77); X-ray (TANA79,ZAMO81,BLUM82); optical (PUET81).
1H1720+269 A2263	Cluster of galaxies; X-ray (JOHN83); $z = 0.118$ (LEIR77).
1H1728-334 MXB 1728-34 MXB 1730-335 ?	X-ray burster, bursting at 4-8 hour intervals (LEWI76a); enhanced soft X-ray emission during early part of burst (HOFF77b); bursts with double temporal structure (HOFF79); identification with globular cluster, distance = 10 kpc (GRIN81b); resolved risetimes for 4 bursts, evidence for a 12 ms period during one burst (SADE82a); early X-ray (FRIE67). MXB 1730-335, which was active when HEAO-1 scanned it in 1977 (DOXS78), is confused with MXB 1728-34 in the HEAO A-1 scan modules, hence the intensity shown in the catalog may include some contribution from that source.
1H1728-247 GX1+4 V2116 Oph	Binary pulsar, compact nebula surrounding central source (DAVI76a); $P \sim 135$ s (LEWI71b); period = 2 min (DOTY81), 4 min (STRI80); other X-ray (GLAS73,RICK73,THOM75, RICK76b,WHIT76b,DOXS77,BRAD79); distance = 10 kpc (DAVI77a); hard X-ray (MAUR82).
1H1728-213 Kepler's SNR	Supernova remnant; distance = 5 kpc upper limit, EINSTEIN SSS spectrum (BECK80).
1H1728-169 GX9+9 Oph XR-1	Sco X-1 type variable; distance = 4.4kpc (DAVI76a); correlated X-ray intensity and spectral slope (MASO76, CHAR77a,GREE79a); X-ray spectrum: variable, $kT = 4.5 - 7$ keV (MASO76,PARS78); other X-ray (WILL74,DOXS77a,WILS77, GURS78); radio (DULD79); infrared (GLAS79); early X-ray (BOWY65a,BOWY65b,FRIE67,BRAD68).

TABLE 6—Continued

1H1730+500 I ZW 186	Quasar; BL Lac object, $z = 0.055$ (OKE78); optical spectral index 0.97 (WEIS81); X-ray (CHUB78,SHUL79b).
1H1735-444 MXB1735-44 V926 Sco	X-ray burster; distance = 10 kpc upper limit (MCCL78a); estimated distance = 7 kpc, orbital period = .18 days (PATT84); X-ray burst duration 3 - 7 s (LEWI77a), and intervals 1 h - 2 d (LEWI77c), also in optical (GRIN78b); Sco X-1 type behavior (WHIT80a); X-ray spectrum: variable $kT = 5 - 8.5$ keV (PARS78,WHIT80a); other X-ray (WILS77,GURS78,LEWI79,LEWI80,COMI80); radio (DULD79); early X-ray (FRIE67).
1H1735+400 A2278	Cluster of galaxies; $z = 0.190$ (LEIR77).
1H1740+329 1742+33 ?	Active galactic nucleus; $z = 0.757$ (BURB79).
1H1741-322 H1743-322	Bright X-ray transient; duration ~ 200 d (KALU77a, KALU77c,DOXS77c,GURS78,WOOD78b).
1H1744-293 Sgr XR-1 GCX Region MXB1743-29	Galactic center region; includes a number of X-ray sources (CRUD78,PROC78,EYLE79), including X-ray bursters (WILS77,LEWI79) one of which (MXB1743-29) emits bursts of duration ~ 30 s at 35 h intervals (HOFF80); peak burst X-ray luminosity (INOUE81); X-ray map of region (WATS81a); X-ray spectrum: $3 \text{ keV} < kT < 7 \text{ keV}$ (JONE77); other X-ray (EYLE75a,CARP77,JERN78b); radio (DAVI76b); infrared (GLAS79); optical (MURD80); early X-ray (BOWY65a,FRIE67,FISH68).
1H1744-265 GX3+1 Sgr XR-1	X-ray variability ~ 1 d (FORM76c); X-ray spectrum: $kT = 3 - 5$ keV with Fe line (PARS78); other X-ray (JANE73, DOXS77a,REID80); early X-ray (ODA65,GURS67,BRAD68, FISH68,SCHN70); peak burst X-ray luminosity (INOUE81).
1H1746-370 NGC 6441	Globular cluster; distance = 9.3 kpc (ILLI76); X-ray emission highly variable (CLAR75,CARP77); burst reported (LI77a); X-ray spectrum: $kT = 4 - 7$ keV or energy power law index = 1.6 (JONE77); other X-ray (GRIN76b,WILS77, JERN79); radio (PURT77,SEAQ77); early X-ray (GURS67).
1H1748+685 Mkn 507?	Seyfert galaxy, $z = 0.056$ (ADAM77); possibly confused.
1H1754-338 Sco XR-6	Cataclysmic variable with orbital period = 0.182 (WHIT83B); X-ray spectrum $kT \sim 2$ keV (PARS78); other X-ray (WILS77, JERN78b); optical (MCCL78b), optical position (SHAW80).

TABLE 6—Continued

1H1758-250 GX5-1 Sgr XR-3	Sco X-1 type variable, correlated X-ray intensity and spectral slope ~ 1 h time scale variability (MASO76, GREE79a); X-ray spectrum: variable, $kT = 3 - 8$ keV or energy power law index ~ 2 and possible Fe line (PARS78, MASO76); other X-ray (HOFF73, WILL74, WILS77, JERN78b, REID80); optical (DAVI76a); infrared (GLAS79); early X-ray (GURS67, BRAD68, FISH68, SCHN70).
1H1758-205 GX9+1 Sgr XR-3	Variable X-ray source; 1 d time scale (FORM76c); X-ray spectrum: $kT \sim 4$ keV (PARS78); other X-ray (WILL74, DOXS77a, DAVI77c, WILS77, REID80); radio (ZAUM72) infrared (GLAS69); early X-ray (GURS67, FRIE67, BRAD68, FISH68, SCHN70).
1H1803+696 3C371	Quasar; $z = 0.0500$ (BURB79); 80 day X-ray light curve (SNYD82); EINSTEIN observation (BLUM82, SCHW83).
1H1811-171 Sgr XR-2 GX13+1	X-ray variability ~ 1 d timescale (FORM76c), no significant variability (WHIT78c); X-ray spectrum: $kT = 2.4 - 3.2$ keV with Fe line (PARS78); other X-ray (DOXS77a, WILS77); infrared (GLAS79); early X-ray (BOWY65a, BOWY65b, FRIE67, GURS67, FISH68, BRAD68).
1H1811+670 1803+676	Quasar; $z = 0.136$ (ZAMO81); X-ray image (ZAMO81); other HEAO-1 (SHUL79b).
1H1812-182	X-ray (MAYE70, DOLA70, BRAD71, CRUD72, SEWA72); optical (DAVI76a), confused with 1H1811-171.
1H1813-140 Ser XR-2 GX17+2	Sco X-1 type variable (GREE79a); G dwarf star (DAVI76a, HJEL78); distance = 1.4 kpc (MARG78e); X-ray variability ~ 6000 s (TANA71b); flaring ~ 1 h (WHIT78c); X-ray spectrum: variable, $kT = 9.3$ keV (KAST76), $kT = 4 - 5$ keV with Fe line (PARS78); other X-ray (DOXS77a, WILS77); radio (WHIT78c); infrared (GLAS79); early X-ray (FRIE67, BRAD68, FISH68).
1H1814+498 AM Her	Cataclysmic variable; distance estimates = .075 kpc (PATT84) and .300 kpc (CHAN77, SWAN77); orbital period = 186 min in X-ray, UV, optical, and IR (HEAR77, SZKO77, COWL77a, TAPI77, PRIE77, PRIE78a, JAME78, RAYM79); X-ray spectrum: soft component, $kT = 0.04$ keV (BUNN78, TUOH78, HAYA79), during soft X-ray eclipse $kT \sim 180$ keV (SWAN77), hard X-ray spectrum (ROTH81); other X-ray (SZKO80, FABB81); optical (BERG77, GREE77); eclipse in low state (FABB82); UV (SZKO82).
1H1815-121 4U1812-12	X-ray (VILL76).

TABLE 6—Continued

1H1820-303 NGC 6624 MXB1820-30	Globular cluster; distance = 8.3 kpc (LILL78); X-ray bursts ~ 3 min duration, ~ 0.14 d interval (GRIN75c, CANI75b, CLAR76a, GRIN76a, CLAR77, LEWI79); X-ray spectrum: energy power law index = 0.4 - 1.1 or $kT = 4.3 - 15$ keV plus possible Fe line (PARS78); other X-ray (CLAR75, WILS77, JERN79); optical (BAHC76b); optical position (SHAW80); early X-ray (FRIE67, GURS67).
1H1820+643 H1822+643	Quasar, $z = 0.297$, optical and EINSTEIN IPC (PRAV84)
1H1822-371 4U1822-37 V691 CrA	Binary X-ray source; distance > 0.6 kpc (MASO80); distance = 0.5 kpc (PATT84); period = 5.57 h in optical (CHAR80); X-ray spectrum: black body $kT \sim 2.4$ keV (CHAR80); other X-ray and optical (GRIF78a); X-ray period = 5.57 h (MASO80); IR, optical, UV (MASO82b); UV detection of disk bulge (MASO82a); orbital elements (COWL82a); X-ray flux modulated at 5.57 h (WHIT81b).
1H1822+000 4U1823-00	X-ray spectrum: 3 - 7 keV (JONE77); other X-ray (SEWA76a, DOXS77b, WILS79b, REID80).
1H1828-105 MSH 18-113	Supernova remnant; distance = 3.5 kpc (ILOV72); X-ray (SEWA76a, VILL76); X-ray image (BECK81).
1H1832-652 ESO 103-G25	Seyfert galaxy; X-ray (PICC82); $z = 0.013$ (WEED79).
1H1832-076 Sct X-1	X-ray (HILL74); X-ray position (REID80).
1H1835+326 3C382	Galaxy; $z = 0.058$ (SMIT78); X-ray (MARS78, DOWE80); optical classification D3 (BURB79).
1H1836-786 STR1839-787 ?	Cluster of galaxies; $z > 0.2$ (DUUS77); X-ray (PICC82).
1H1837+049 Ser XR-1 MXB1837+05	X-ray burster (SWAN76c, LI76b); distance = 7 kpc (VANP78); X-ray burst duration 3 - 10 s, burst interval ~ 6.3 h (LI77c); significant X-ray variability ~ 0.1 s timescale (LI77c, COE78); simultaneous X-ray and optical bursts (HACK79); X-ray spectrum: $kT \sim 4$ keV (PARS78); other X-ray (SEWA76a, DOXS77b, BERN79, COMI80); optical (DAVI75a, MARG78d, THOR78, THOR80); early X-ray (BOWY65a, FRIE67).
1H1840-050 4U1832-05 G27.3+0.0	Supernova remnant, distance = 3.2 kpc (ILOV72); X-ray observation (SEWA76a).

TABLE 6—Continued

1H1840+729 A2310	Cluster of galaxies; $z = 0.148$ (LEIR77); X-ray (SHUL79b).
1H1845-024 4U1850-03	X-ray (VILL76,SEWA76a,DOXS77b); infrared (GLAS79).
1H1849+379 4U1852+370	Possible confusion.
1H1850-087 NGC 6712 MXB1850-08	X-ray burster in globular cluster (SWAN76b); distance = 6.8 kpc (PETE75); multiple-peaked X-ray burst structure (HOFF80); other X-ray (SEWA76a,COMI77,DOXS77b); optical (JERN79).
1H1852+015 W44	Supernova remnant, distance = 3.0 kpc (DOWN71).
1H1853-312 V1223 Sgr	Cataclysmic variable, orbital period = 0.1408 days (PATT84); rotation period 13.2 min, distance < few hundred pc. (STEI81a).
1H1858+797 3C390.3	N-galaxy; $z = 0.0569$ (BURB79); X-ray (CHAR75a,MARS78, ELVI78); radio (SMIT76); optical (SHEN72,OSTE77).
1H1903+689 A2315 ? A2312 ?	Cluster of galaxies (JOHN83); $z(A2315) = 0.104$ (LEIR77).
1H1905+000 MXB1906+00	X-ray burster (LEWI76c); X-ray burst duration ~ 20 s, burst interval ~ 8.9 hr, time average burst luminosity/steady luminosity $\sim 1/80$ (LEWI76b); other X-ray (REID80, LEWI79,DOXS77b,VILL76,SEWA76a); early X-ray (FRIE67).
1H1907+074 4U1909+07 3A1907+074	X-ray (SEWA76a,REID80).
1H1908+047 SS433 W50 V1343 Aql	Compact binary source with high intensity optical line emission located in supernova remnant; distance = 3.3 - 5.5 kpc (RYLE78,HJEL81b); variable in X-rays, optical and radio (CLAR78c,SEAQ79,JOHN81b); X-ray image: extended X-ray emission aligned with jets (SEWA80); X-ray spectrum, $kT = 14$ keV with Fe line (MARS79c); period, 164 d (MILG79, MARG79,HJEL81b); 6.3 d short-term periodicity (due to "nodding" motions of precessing accretion disk) (KATZ82); simultaneous X-ray and radio (SEAQ82); other X-ray (SEWA76a); radio and optical (MARG79,KAPL80); radio image (GILM80,GILM81,HJEL81a,HJEL81b).

TABLE 6—Continued

1H1909+096 4U1907+09	Binary, OB supergiant? distance = 2 - 13 kpc (SCHW80c); period = 8.38 d (MARS80); X-ray spectrum: photon power law index = 0.73 (SCHW72); rapid variability (SADE82b); variability timescales down to 20 sec (SCHW80c; other X-ray (SEWA76a).
1H1911-589 ESO 141-G55	Seyfert galaxy (MARS81b); type 1, $z = 0.0368$ (WEED78); X-ray variability (MARS81b); X-ray spectrum: photon power law index = 1.8 (MUSH80a); other X-ray (ELVI78).
1H1916-053 MXB1916-05	X-ray burster (LEWI77b); burst duration = 8 s (BECK77b); 3 - 6 hours between recurrent bursts (SWAN84); 50 min binary period (absorption dips) (WHIT82b,WALT82); X-ray spectrum (BECK77); other X-ray (SEWA76a,DOXS77b); optical counterpart (WALT82); optical (CHAR79c).
1H1919+438 A2319	Cluster of galaxies (JOHN83,NUGE83); $z = 0.044$ (LEIR77), $z = 0.0529$ (NOON81); X-ray spectrum: $kT = 12.5$ keV (MUSH78d), soft X-ray $kT = 6.9$ keV (REIC81); X-ray image (JONE79,WHIT80b); other X-ray (ROWA75,GRIN77a,SCHW79c, NULS79,MITC79); radio (GRIN77a).
1H1922+154 4U1918+15 A1918+14	X-ray transient; UHURU position (FORM78) in better agreement with HEAO-1 than Ariel V (VILL76,SEWA76a); X-ray spectrum: energy power law index = 1.25, $kT = 6$ keV (COMI78a); early X-ray (GURS67).
1H1930+302 G65.2+5.7	Supernova remnant; distance = 1.2 kpc (GULL77); X-ray spectrum, $kT = 0.2 - 0.4$ keV with line emission near 0.8 keV (MASO79b); located near edge of X-ray superbubble in Cygnus (CASH80); other X-ray (SNYD78).
1H1934-063 HD185510	RS CVn system (HALL84).
1H1937-106 NGC 6814	Seyfert galaxy; type 1, $z = 0.0053$ (WEED77); X-ray spectrum: photon power law index = 1.74 or $kT = 26$ keV (MUSH80a); X-ray variability (MARS81b), 100 sec variability (TENN81), alternate interpretation assuming constant source (BEAL83); other X-ray (ELVI78).
1H1956+115 4U1957+11	X-ray (SEWA76a,DOXS77b).

TABLE 6—Continued

1H1956+350 Cyg X-1 HDE 226868	Black hole candidate; optical companion, orbital period 5.6 d (WEBS72,BOLT72); distance = 2.5 kpc (BREG73, MARG73) spectral type O9.7 Iab (WALB73); constraints on X-ray secondary (MARG73,HUTC73,HUTC74b,SHAF80) rapid X-ray variability, characterized as shot noise with timescales down to milliseconds (ODA71,ROTH74,ROTH77, WEIS78b,CANI77,MEEK79,GILE81,MEEK83); X-ray flares with durations 1-10 s (CANI77); high and low states (TANA72b, HOLT79a); low state power law spectral index 1.5 (MEEK69,ROTH77); high state spectrum softer (HOLT79a, DOLA79); EINSTEIN and IUE spectrum, UV to X-rays (PRAV80b); HEAO-1 hard X-ray spectrum (NOLA81); radio (HJEL71b); early X-ray (FRIE67,GIAC67b,ODA71,GURS71b).
1H1958+406 Cyg A Cluster 3C405	Cluster of galaxies (BRIN77,FABB79); $z = 0.0570$ (BURB79); X-ray spectrum: photon power law index = 1.1-1.3 (LONG74,BRIN77); optical (OSTE75).
1H2012-567 SC2008-569	Cluster of galaxies; $z = 0.06$ (BAHC77d); other HEAO-1 (PICC82).
1H2018+366 4U2019+39? G74.8+0.6	Supernova remnant; distance = 12.3 kpc (ILOV72); interpretation of source as SNR disputed (CLAR76b).
1H2030+407 Cyg X-3 V1521 Cyg	Binary X-ray source; distance = 10.5 kpc (LAUQ72); orbital period 4.8 hours (PARS72), change in orbital period (LAMB79); light curve modulations, apsidal motions (ELSN80,VAND82); Fe line (PARS76,SANF75, KEST77); optical counterpart(LAUQ72); radio outbursts (GREG72,HJEL72,LEDD76,GELD83); radio structure changes at near-relativistic velocities (GELD83); early X-ray (FRIE67).
1H2031-330 AT Mic	Flare star (TSIK82); X-ray flares, distance = 0.0082 kpc (KAHN79).
1H2041-108 Mkn 509	Seyfert galaxy; $z = 0.0355$ (WEED77); X-ray spectrum, 14-140 keV (DIL81); X-ray (ELVI78); other HEAO-1 (PICC82).
1H2041+756 VW Cep	W UMa star; X-ray (CARR80); X-ray image, spectrum (CRUD83).
1H2050+310 Cygnus Loop	Supernova remnant; distance = 800 pc (ILOV72); EINSTEIN image (TUOH79); low-energy spectrum as function of position within SNR (KAYA80); X-ray line emission, O and Fe in 0.6 - 0.9 keV, $kT = 0.3$ keV (KAHN80,GRAD70b,BUNN73).
1H2109+818	X-ray (SHUL79b).

TABLE 6—Continued

1H2128+120 M15 NGC 7078	Globular cluster; distance = 10 kpc (PETE75); X-ray position (GRIN81a,JERN79); cluster structure (BAHC76b, BAHC77b,NEWE76,PETE75); X-ray identified with cluster core (GIAC74,CLAR75,GRIN81a); X-ray highly variable (CLAR75); UV peaked in core (DUPR79); radio (JOHN76); optical (GRIN77b); other X-ray (PYE76,ULME76,BRAD79, LEWI81).
1H2131+473 4U2129+47 V1727 Cyg	Binary X-ray source; distance = 1.2 - 1.6 kpc (THOR79); orbit period = 5.2 h (THOR79,ULME80b,MCCL81,THOR82); X-ray light curve independent of energy, 1 - 7 keV band (MCCL82); compact object mass ~ 0.5 solar mass (THOR82); similar to HZ Her (MCCL81); X-ray position (THOR79); optical (THOR79,THOR82).
1H2138+579 Cep X-1	Transient; X-ray spectrum, $kT \sim 20$ keV (ULME73b).
1H2140+433 SS Cyg	Cataclysmic variable, U Gem type (PATT84); distance estimates = 0.095 kpc (PATT84), 0.150 pc (CORD81); period = 7.3 to 9.7 s (CORD78,PATT78,HORN80,CORD80, HILD81), 6.6 h binary period (JOY56,COWL80); X-ray pulsations, random walk of pulse phase (CORD80); optical oscillations (HILD81) other optical (KIPL79, FABB81, WALK81); UV (MARG78c,FABB81); other X-ray (HEIS78, MASO79a,RAPP74,RICK79,WATS78b,FABB81).
1H2142+380 Cyg X-2 V1341 Cyg	Binary X-ray source; distance = 250 pc (BRAN80); distance = 8 kpc (MARA80a); proposed binary periods 9.8 d to 13.6 d (ILOV79b,HOLT76b,CHEV75,COWL79,CRAM78c) and 20.6 h (CRAM76); mass of X-ray (BURG73a,TANA71a,TOOR71); X-ray spectrum: $kT = 3$ to 10 keV (ULME74a,BLEA72); X-ray luminosity (BRAD79); optical variations (BOPP74,JOHN69); radio (HJEL71b); UV (MARA80a); early X-ray (FRIE67,GIAC67A).
1H2148-200 A2384	Cluster of galaxies; $z = 0.0943$ (SARA82); other Abell clusters nearby; X-ray (JOHN83,ULME81a).
1H2150+171 A2390	Cluster of galaxies; $z = 0.1950$ (JOHN83).
1H2156-304 PKS2155-304	BL Lac object; $z = 0.17$ (CHAR79a); X-ray variability 1 s to 1 d (AGRA79), but see (SNYD80), factor of 2 in 6 h (SNYD80,URRY82); photon power law index ~ 2.4 (AGRA79, GRIF79c,URRY82); X-ray position (PICC82); polarization 2 to 5 % in optical (GRIF79c); infrared (GLAS81); optical (GREE79b); UV (MARA80); X-ray (SCHW79b).
1H2158-602 STR2159-602	Cluster of galaxies; $z = 0.1008$ (PICC82); other X-ray (MARK76b,MURR76).
1H2158-150 2155-152	Quasar, $z = 0.200$, X-ray image (ZAMO81).

TABLE 6—Continued

1H2158+046 2201+044 ?	BL lac object; $z = 0.0281$ (BURB79); rapid optical variability (MILL77b).
1H2205+538 4U2206+54	Recurrent transient; X-ray (VILL76,ULME73b); Be star/neutron star binary system at 2.5 kpc (STEI84).
1H2206-052 A2415	Cluster of galaxies (JOHN83,ULME81a); $z = 0.069$ (LEIR77); other HEAO-1 (MCKE80).
1H2207+455 AR Lac	RS CVn system, distance = 0.050 kpc, orbital period = 1.98 days (HALL84).
1H2207+829 A2387 ?	Cluster of galaxies (JOHN83); $z = 0.1420$ (JOHN83).
1H2209-470 NGC 7213 STR2206-474	Seyfert galaxy (MARS79b); $z = 0.0058$ (DEVA76); other HEAO-1 (DOWE80).
1H2221-017 A2440 3C445	Cluster of galaxies (JOHN83,ULME81a,MCKE80,MARS79b); $z(A2440) = 0.0573$ (NOON81); alternate identification Seyfert galaxy (MARS79b,PICC82); $z(3C445) = 0.0562$ (BURB79).
1H2226-269 NGC 7313/4	Seyfert galaxy or narrow emission-line galaxy (PICC82, MARS81b); $z(7314) = 0.0056$ (DEVA76); X-ray variability (MARS81b).
1H2251-179 MR 2251-178 2A2251-179	Quasar (RICK78); $z = 0.0653$ (PHIL80) to 0.0680 (MARS81b); X-ray variability (MARS81b); optical (PHIL80).
1H2251-035 H2252-035 AO Psc	Binary pulsar/cataclysmic variable (MARS79b,PATT81a); distance = 100 to 750 pc (WHIT81a); optical: pulse period 858 sec, orbital period = 3.6 hrs (PATT81a); X-ray: period = 805 sec arising from beating of optical periods (WHIT81a); X-ray spectrum: photon power law index = 1.4 or $kT > 20$ keV with Fe line (WHIT81a).
1H2251+167 HD216489	RS CVn system, distance = .055 kpc (HALL84).
1H2251+450 EV Lac	Flare star, distance = .005 kpc (VAN72); type dM4.5e, period = 4.37 days (PETT84); X-ray flares with decay times = 22 and 78 min, ratio of flare to quiescent luminosity = 40 (AMBR84).
1H2256+057 A2507 ?	Cluster of galaxies (JOHN83,ULME81a); $z = 0.196$ (LEIR77).
1H2258+585 H2309+59 1E2259+586 G109.1-1.0	Binary pulsar (FAHL81); distance = 3.6-4.7 kpc (GREG80,HUGH81); pulse period = 3.49 s (FAHL81); orbital period = 0.0266 (MIDD82); X-ray detection (WOOD78a); X-ray image: point source in supernova remnant shell plus jet (GREG80); optical counterpart (FAHL82); SNR radio structure (HUGH81).

TABLE 6—Continued

1H2301+086 NGC 7469	Seyfert galaxy; $z = 0.0167$ (PICC82).
1H2307-222 A2550 ?	Cluster of galaxies; X-ray (ULME81a); $z = 0.1660$ (LEIR77), $z = 0.1543$ (KOWA83).
1H2315-423 NGC 7582	Seyfert galaxy; $z = 0.0048$ (PICC82); X-ray variable on timescale < 1 week (MUSH82); X-ray spectrum: for 2 - 20 keV band, photon power law index ~ 1.8 (MUSH82); X-ray images (MACC81).
1H2315+257 3C 463	Quasar; $z = 0.875$ (BURB77).
1H2319+188 A2572 ?	Cluster of galaxies; X-ray (ULME81a); $z = 0.046$ (LEIR77).
1H2320+146 A2593	Cluster of galaxies; X-ray (ULME81a); $z = 0.0440$ (NOON81), $z = 0.046$ (LEIR77).
1H2321+585 Cas A	Supernova remnant; distance = 2.8 kpc (ILOV72); EINSTEIN SSS Spectrum (BECK79b); X-ray spectra and line emission (Si, S, Ar, Fe) (BECK79, DAVI76c, HILL75, PRAV76, SERL73); X-ray spectrum: two component $kT \sim 1$ keV and ~ 4 keV (CHAR75b, DAVI76c); X-ray structure similar to radio (CHAR77b) but with two concentric shells (FABI80); EINSTEIN HRI image (MURR79); radio (BELL75, ROSE70); early X-ray (FRIE67, GORE70).
1H2323+165 A2589	Cluster of galaxies; $z = 0.0421$ (JOHN83); X-ray spectrum (MITC79, MUSH78d).
1H2336+462 Lambda And	RS CVn system; distance = 0.024 kpc, orbital period = 20.5 days (HALL84).
1H2343+090 A2657	Cluster of galaxies; X-ray (JOHN83, MCKE80, ULME81a); $z = 0.0414$ (PICC82), $z = 0.045$ (LEIR77).
1H2348-281 Klem 44	Cluster of galaxies; $z = 0.0276$ (CHIN78).
1H2352+109 A2675	Cluster of galaxies; $z = 0.0726$ (SARA82).
1H2354+285 II Peg HD224085	RS CVn binary system (SCHW81); distance = 26 pc (WALT81a); radio (SPAN77).
1H2357-126 A2704	Cluster of galaxies; $z = 0.227$ (LEIR77).

REFERENCES TO TABLE 6

- Adams et al., (1975), Ap. J. 199, 19
 Adams, (1977), Ap. J. Suppl. 33, 19
 Agrawal et al., (1979), Ap. J. 231, L25
 Agrawal et al., (1980), Ap. J. 237, L33
 Agrawal et al., (1983), Nat. 301, 318
 Allen et al., (1981), MNRAS 195, 155
 Allen, (1973), *Astrophysical Quantities*,
 3rd Ed., (London: Athlone Press)
 Allen, (1977), IAUC 3143
 Ambruster et al., (1979), Bull. APS 24, 583
 Ambruster et al., (1983), Preprint
 Ambruster et al., (1984), Submitted to Ap. J.
 Angel et al., (1971), Ap. J. 169, L57
 Apparao et al., (1978a), Nat. 271, 225
 Apparao et al., (1978b), Nat. 273, 450
 Arp et al., (1980), Ap. J. 230, 68
 Avni et al., (1974), Ap. J. 192, L139
 Bahcall et al., (1972), Ap. J. 178, L1
 Bahcall et al., (1975), MNRAS 171, 41P
 Bahcall et al., (1977a), Ap. J. 213, L105
 Bahcall et al., (1977b), Ap. J. 213, 93
 Bahcall et al., (1977d), Ap. J. 217, L19
 Bahcall, (1974), Ap. J. 193, 529
 Bahcall, (1976a), LECTURES at Fermi
 Summer School, Varenna, on the Physics and
 Astrophysics of Neutron Stars and Black Holes
 (Amsterdam: N. Holland Publishing Co.)
 Bahcall, (1976b), Ap. J. 204, L83
 Bahcall, (1977c), Ap. J. 217, L77
 Bailey et al., (1980), Nat. 285, 306
 Bailey et al., (1981), MNRAS 197, 627
 Bailey et al., (1983), MNRAS 205, 1P
 Baity et al., (1974), Ap. J. 187, 341
 Baity et al., (1975), Ap. J. 199, L5
 Baity et al., (1981), Ap. J. 244, 429
 Baldwin et al., (1973), MNRAS 165, 259
 Barbour et al., (1978), IAUC 3205
 Barr et al., (1977), MNRAS 181, 43P
 Beall et al., (1978), Ap. J. 219, 836
 Beall et al., (1981), Ap. J. 247, 458
 Beall et al., (1983), PREPRINT
 Bechtold et al., (1983), Ap. J. 265, 26
 Becker et al., (1976), Ap. J. 209, L65
 Becker et al., (1977a), Ap. J. 214, 879
 Becker et al., (1977b), Ap. J. 216, L101
 Becker et al., (1978), Ap. J. 221, 912
 Becker et al., (1979a), Ap. J. 227, L21
 Becker et al., (1979b), Ap. J. 234, L73
 Becker et al., (1980), Ap. J. 235, L5
 Becker et al., (1980), Ap. J. 237, L77
 Becker et al., (1981), Ap. J. 248, L23
 Bell et al., (1975), Nat. 257, 463
 Bennett et al., (1976), Astr. and Ap. 51, 475
 Bennett et al., (1977), Astr. and Ap. 61, 279
 Bernacca et al., (1981), Astr. and Ap. 94, 345
 Berthelsdorf et al., (1979), MNRAS 187, 17P
 Biermann et al., (1981), Ap. J. 247, L53
 Biermann et al., (1982), Ap. J. 252, L1
 Blanco et al., (1975), Ap. J. 198, L63
 Blanco, (1977), IAUC 3039
 Bleach et al., (1972), Ap. J. 171, 51
 Bleeker et al., (1973), Ap. J. 183, L1
 Blumenthal et al., (1982), Ap. J. 257, 499
 Bok, (1966), Ann. Rev. Astr. Ap. 4, 95
 Boksenberg et al., (1978), Nat. 275, 404
 Boldt et al., (1969), Ap. J. 156, 427
 Boley et al., (1979), IAUC 3324
 Bolton, (1972), Nat. 235, 271
 Bond et al., (1979), Ap. J. 234, L113
 Bonnet-Bidaud et al., (1981), Astr. and
 Ap. 101, 184
 Bopp et al., (1976), A.J. 81, 771
 Bopp, (1974), Nat. 247, 139
 Bowyer et al., (1964a), Science 146, 912
 Bowyer et al., (1964b), Nat. 201, 1307
 Bowyer et al., (1965a), Science 147, 394
 Bowyer et al., (1965b), Annales d'Astrophys. 28, 791
 Bowyer et al., (1970), Ap. J. 161, L1
 Bowyer et al., (1974), Ap. J. 190, 285
 Bradt et al., (1968), Ap. J. 152, 1005
 Bradt et al., (1971), Nat. 229, 96
 Bradt et al., (1975), Ap. J. 197, 443
 Bradt et al., (1977), Nat. 269, 21
 Bradt et al., (1978b), Ap. J. 226, L111
 Bradt et al., (1979), in (COSPAR) X-Ray
 Astronomy, ed. W.A. Baity and L. E. Peterson
 (Oxford: Pergamon Press) p. 3
 Bradt et al., (1983), submitted to Ann. Rev.
 Astr. Ap., vol. 21
 Bradt, (1978a), AAS MTG AUSTIN, Tx.
 Jan., 1978
 Branduardi et al., (1980), Ap. J. 235, L153
 Branduardi et al., (1981), Ap. J. 248, 55
 Bregman et al., (1973), Ap. J. 185, L117
 Brinkman et al., (1977), Ap. J. 214, 35
 Brucato et al., (1972), Ap. J. 173, L105
 Bunner et al., (1973), Ap. J. 179, 781
 Bunner, (1978), Ap. J. 220, 261
 Burbidge et al., (1979), Ap. J. Suppl. 40, 583
 Burginyon et al., (1973a), Ap. J. 179, 615
 Burginyon et al., (1970), Ap. J. 161, 987
 Burginyon et al., (1973b), Ap. J. 180, L75
 Busko et al., (1974), Inf. Bull. Var. Stars
 No. 939
 Byram et al., (1966), Science 152, 166
 Byram et al., (1971a), Science 169, 366
 Byram et al., (1971b), Nat. 229, 544
 Canizares et al., (1974a), Ap. J. 192, L61

REFERENCES—Continued

- Canizares et al., (1975b), *Ap. J.* 199, L97
 Canizares et al., (1975a), *Ap. J.* 197, 457
 Canizares et al., (1974b), *Ap. J.* 193, L65
 Canizares et al., (1977), *Ap. J.* 214, L119
 Canizares et al., (1973), *Ap. J.* 179, L1
 Canizares et al., (1982), *Ap. J.* 262, 33
 Carlberg, (1979), *Ap. J.* 232, 878
 Carpenter et al., (1977), *MNRAS* 179, 27P
 Carroll et al., (1980), *Ap. J.* 235, L77
 Carter et al., (1980), *MNRAS* 191, 325
 Cash et al., (1979), *Ap. J.* 231, L137
 Cash et al., (1980), *Ap. J.* 238, L71
 Caswell et al., (1967), *MNRAS* 135, 231
 Chanmugam et al., (1977), *Ap. J.* 213, L13
 Charles et al., (1975a), *MNRAS* 170, 17P
 Charles et al., (1975b), *Ap. J.* 197, L61
 Charles et al., (1977a), *IAUC* 3096
 Charles et al., (1977b), *MNRAS* 178, 307
 Charles et al., (1978), *MNRAS* 185, 15P
 Charles et al., (1979a), *Nat.* 281, 285
 Charles et al., (1979b), *Nat.* 282, 691
 Charles et al., (1979c), *Bull. AAS* 11, 720
 Charles et al., (1979d), *Ap. J.* 231, L131
 Charles et al., (1979e), *Ap. J.* 232, L25
 Charles et al., (1980), *Ap. J.* 241, 1148
 Chartres et al., (1977c), *IAUC* 3154
 Chester, (1978), *Ap. J.* 219, L77
 Chevalier et al., (1977), *Astr. and Ap.* 59, L9
 Chevalier et al., (1975), *IAUC* 2859
 Chincarini et al., (1978), *Ap. J.* 221, 34
 Chodil et al., (1965), *Phys. Rev. Lett.* 15, 605
 Chodil et al., (1968), *Ap. J.* 154, 645
 Christensen et al., (1977), *MNRAS* 181, 183
 Chubb, in *Pittsburgh Conf. on BI Lac Obj.*,
 Wolfe, Ed (1978) P163
 Clark et al., (1972), *Ap. J.* 177, L109
 Clark et al., (1975), *Ap. J.* 199, L93
 Clark et al., (1976a), *Ap. J.* 207, L105
 Clark et al., (1976b), *MNRAS* 174, 267
 Clark et al., (1977), *MNRAS* 179, 651
 Clark et al., (1978a), *IAUC* 3161
 Clark et al., (1978b), *Ap. J.* 221, L37
 Clark et al., (1978c), *Nat.* 276, 44
 Clark et al., (1979), *Ap. J.* 227, 54
 Cocke et al., (1969), *Nat.* 221, 525
 Coe et al., (1975), *Nat.* 256, 630
 Coe et al., (1976), *MNRAS* 177, 31P
 Coe et al., (1977), *Nat.* 268, 508
 Coe et al., (1978), *MNRAS* 184, 355
 Coe et al., (1981), *Nat.* 290, 119
 Cohen et al., (1977), *Nat.* 268, 405
 Coleman et al., (1973), *Ap. J.* 185, L121
 Colla et al., (1971), *A.J.* 76, 953
 Comella et al., (1969), *Nat.* 221, 453
 Cominsky et al., (1977), *IAUC* 3163
 Cominsky et al., (1978a), *Ap. J.* 224, 46
 Cominsky et al., (1978b), *Nat.*, 273, 367
 Cominsky et al., (1980), *Ap. J.* 242, 1102
 Cominsky et al., (1983), *IAUC* 3822
 Condon et al., (1977), private communications
 in *Ward + Astr. Ap.* 59, L19
 Cooke et al., (1976b), *MNRAS* 177, 121P
 Cooke et al., (1977), *Astr. and Ap.* 58, L17
 Cooke et al., (1978), *MNRAS* 182, 489
 Cooke, (1976a), *Nat.* 261, 564
 Cooper et al., (1965), *AUS. J. PHYS.* 18, 589
 Cordova et al., (1978), *IAUC* 3235
 Cordova et al., (1979), *MNRAS* 188, 103
 Cordova et al., (1980), *Ap. J.* 235, 163
 Cordova et al., (1981), *Ap. J.* 245, 609
 Cordova et al., (1984), *MNRAS* 206, 879
 Costain et al., (1972), *Ap. J.* 175, L15
 Cowley et al., (1975), *Ap. J.* 201, L65
 Cowley et al., (1977a), *Ap. J.* 212, L121
 Cowley et al., (1977b), *Ap. J.* 218, L3
 Cowley et al., (1978), *IAUC* 3201
 Cowley et al., (1979), *Ap. J.* 231, 539
 Cowley et al., (1980), *Ap. J.* 241, 269
 Cowley et al., (1982a), *Ap. J.* 255, 596
 Cowley et al., (1982b), *Ap. J.* 256, 605
 Cowley et al., (1983), Preprint
 Crampton et al., (1976), *Ap. J.* 207, L171
 Crampton et al., (1978a), *Ap. J.* 223, L79
 Crampton et al., (1978c), *IAUC* 3292
 Crampton et al., (1978b), *Ap. J.* 225, L63
 Crampton et al., (1979), *Ap. J.* 234, 993
 Crampton et al., (1981), *Ap. J.* 243, 567
 Cruddace et al., (1972), *Ap. J.* 174, 529
 Cruddace et al., (1978), *Ap. J.* 222, L95
 Cruddace et al., (1983), *Ap. J.*, in press
 Cruise et al., (1971), *Nat.* 233, 468
 Danziger et al., (1979), *MNRAS* 188, 415
 Davidsen et al., (1972), *Ap. J.* 177, L97
 Davidsen et al., (1974), *Ap. J.* 193, L25
 Davidsen et al., (1976a), *Ap. J.* 203, 448
 Davidsen et al., (1977a), *Ap. J.* 211, 866
 Davidsen, (1975a), *IAUC* 2824
 Davidson et al., (1982b), *Ap. J.* 254, L47
 Davidson et al., (1982a), *Ap. J.* 253, 696
 Davies et al., (1976b), *Nat.*, 261, 476
 Davison et al., (1975b), *Nat.* 253, 610
 Davison et al., (1975c), *Ap. J.* 196, L23
 Davison et al., (1976c), *Ap. J.* 206, L37
 Davison et al., (1977b), *MNRAS* 181, 73P
 Davison et al., (1977c), *MNRAS* 178, 53P
 Davison, (1977), *MNRAS* 179, 35P
 De Bruyn et al., (1976), *Astr. and Ap.* 53, 93
 Deeter et al., (1981), *Ap. J.* 247, 1003

REFERENCES—Continued

- Delvaille et al., (1978), Ap. J. 219, L81
 Delvaille, (1976), IAUC 2936
 Den Boggende, (1978), Astr. and Ap. 62, 1
 deVaucouleurs, (1975), Ap. J. Suppl. 29, 193
 deVaucouleurs et al., (1976), 2nd Ref.Cat.of
 Bright Galaxies (Austin: University of Texas Press)
 Dil et al., (1981), Ap. J. 250, 513
 Disney, (1974), Ap. J. 193, L103
 Dolan, (1970), A.J. 75, 223
 Dolan et al., (1977), Ap. J. 217, 809
 Dolan et al., (1979), Ap. J. 230, 551
 Dolan et al., (1981), Ap. J. 250, 355
 Doty et al., (1981), Ap. J. 243, 257
 Dower et al., (1978), Nat. 273, 364
 Dower et al., (1980), Ap. J. 235, 355
 Downes, (1971), A.J. 76, 305
 Doxsey et al., (1973), Ap. J. 182, L25
 Doxsey et al., (1977a), Nat. 270, 586
 Doxsey et al., (1977b), Nat. 269, 112
 Doxsey et al., (1977c), IAUC 3113
 Doxsey et al., (1978), Ap. J. 221, L53
 Doxsey et al., (1979), Ap. J. 228, L67
 Dufour et al., (1978), Ap. J. 226, L73
 Duin et al., (1975), Astr. and Ap. 39, 33
 Duldig et al., (1979), MNRAS 187, 567
 Dupree et al., (1979), Ap. J. 230, L89
 Duus et al., (1977), Ap. J. Suppl. 35, 209
 Elsner et al., (1980), Ap. J. 239, 335
 Elvis et al., (1978), MNRAS 183, 129
 Epstein et al., (1977b), Ap. J. 216, 103
 Epstein, (1977a), Ap. J., 218, L49
 Erickson et al., (1978), Ap. J. 222, 761
 Eyles et al., (1975a), Nat. 257, 291
 Eyles et al., (1975b), IAUC 2774
 Eyles, (1979), in (COSPAR) X-Ray
 Astronomy, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p. 233
 Fabbiano et al., (1977), Ap. J. 214, 235
 Fabbiano et al., (1978), Ap. J. 221, L49
 Fabbiano et al., (1979), Ap. J. 230, L67
 Fabbiano et al., (1980), Ap. J. 235, L163
 Fabbiano et al., (1981), Ap. J. 243, 911
 Fabbiano, (1982), Ap. J. 262, 709
 Fabian et al., (1980), MNRAS 193, 175
 Fabricant et al., (1980), Ap. J. 241, 552
 Fahlman et al., (1981), Nat. 293, 202
 Fahlman et al., (1982), Ap. J. 261, L1
 Fanti et al., (1973), Astr. and Ap. 24, 69
 Fazio et al., (1972), Ap. J. 175, L117
 Feast et al., (1961), MNRAS 122, 239
 Feigelson et al., (1981), Ap. J. 251, 31
 Feldman, (1977), private communications,
 in Cooke, et al., (1978), MNRAS 182, 489
 Fisher et al., (1966), Ap. J. 143, 203
 Fisher et al., (1968), Ap. J. 151, 1
 Fishman et al., (1969), Ap. J. 156, L107
 Fogarty et al., (1975), Nat. 254, 124
 Forman et al., (1971), Nat. 229, 39
 Forman et al., (1973), Ap. J. 182, L103
 Forman et al., (1976a), Ap. J. 206, L29
 Forman et al., (1976b), Ap. J. 207, L177
 Forman et al., (1976c), Ap. J. 208, 849
 Forman et al., (1978), Ap. J. Suppl. 38, 357
 Forman et al., (1981), Ap. J. 243, L133
 Forman et al., (1982), Ann. Rev. Astr. Ap. 20, 547
 Fosbury et al., (1976), Ap. J. 207, L75
 Friedman et al., (1967), Science 156, 374
 Fritz et al., (1968), Ap. J. 153, L199
 Fritz et al., (1969a), Science 164, 709
 Fritz et al., (1969b), Ap. J. 156, L33
 Fritz et al., (1971a), Ap. J. 164, L81
 Fritz et al., (1971b), Ap. J. 164, L55
 Fritz et al., (1976), Ap. J. 207, L29
 Frontera et al., (1979), Ap. J. 234, 477
 Galas et al., (1980), Ap. J. 236, L13
 Garcia et al., (1980), Ap. J. 240, L107
 Garcia et al., (1982), Ap. J. 267, 291
 Geldzahler et al., (1983), Preprint
 Giacconi et al., (1962), Phys. Rev. Lett. 9, 439
 Giacconi et al., (1967b), Ap. J. 148, L119
 Giacconi et al., (1967a), Ap. J. 148, L129
 Giacconi et al., (1971), Ap. J. 167, L67
 Giacconi et al., (1972), Ap. J. 178, 281
 Giacconi et al., (1973), Ap. J. 184, 227
 Giacconi et al., (1974), Ap. J. Suppl. 27, 37
 Giles, (1981), MNRAS 195, 721
 Gilliland et al., (1982), Ap. J. 261, 617
 Gilmore et al., (1980), A.J. 85, 1486
 Gilmore et al., (1981), A.J. 86, 864
 Glass et al., (1973), Nat. Phys. Sci. 245, 39
 Glass, (1978), MNRAS 183, 335
 Glass, (1979), MNRAS 187, 807
 Glass, (1981), MNRAS 194, 795
 Gorecki et al., (1982), Ap. J. 256, 234
 Gorenstein et al., (1974), Ap. J. 192, 661
 Gorenstein et al., (1979), Ap. J. 230, 26
 Gorenstein et al., (1970), Ap. J. 160, 947
 Goss et al., (1977), MNRAS 181, 255
 Gottlieb et al., (1975), Ap. J. 195, L33
 Grader et al., (1970a), Ap. J. 159, 201
 Grader et al., (1970b), Ap. J. 161, L45
 Graham et al., (1980), Ap. J. 239, L97
 Graham et al., (1981), Ap. J. 247, 813
 Graham, (1979), Ap. J. 232, 60
 Gratton, (1972), Nat. 237, 329
 Greenhill et al., (1979a), MNRAS 189, 563
 Greenstein et al., (1977), Ap. J. 218, L121
 Greenstein et al., (1979b), IAUC 3324

REFERENCES—Continued

- Gregory et al., (1972), *Nat.* 239, 440
 Gregory et al., (1980), *Nat.* 287, 805
 Griffiths et al., (1979c), *Ap. J.* 232, L27
 Griffiths et al., (1978b), *Ap. J.* 221, L63
 Griffiths et al., (1979d), *Ap. J.* 234, 810
 Griffiths et al., (1978c), *IAUC* 3251
 Griffiths et al., (1979a), *MNRAS* 188, 813
 Griffiths et al., (1979e), in *X-ray Astronomy (COSPAR)*, ed. W. Baity and L. Peterson (Oxford: Pergamon Press) p. 93
 Griffiths et al., (1978d), *Bull. AAS* 10, 662
 Griffiths et al., (1978a), *Nat.* 276, 247
 Griffiths et al., (1977), *MNRAS* 180, 75P
 Griffiths et al., (1979b), *Ap. J.* 230, L21
 Grindlay et al., (1975a), *Ap. J.* 197, L9
 Grindlay et al., (1975c), *IAUC* 2879
 Grindlay et al., (1975b), *Ap. J.* 201, L133
 Grindlay et al., (1976a), *Ap. J.* 205, L127
 Grindlay et al., (1976b), *Ap. J.* 206, L23
 Grindlay et al., (1977b), *Ap. J.* 216, L105
 Grindlay et al., (1977a), *Ap. J.* 214, L57
 Grindlay et al., (1978b), *Nat.* 274, 567
 Grindlay et al., (1978a), *Ap. J.* 220, L127
 Grindlay et al., (1981b), *Ap. J.* 247, L17
 Grindlay, (1972), *Ap. J.* 174, L9
 Grindlay, (1979), *Ap. J.* 232, L33
 Grindlay, (1981a), *X-ray Astronomy with the Einstein Satellite*, (R. Giacconi: Reidel Pub. Co.), p.79
 Groote et al., (1978), *Astr. and Ap.* 63, L9
 Gruber et al., (1980), *Ap. J.* 240, L127
 Gull et al., (1977), *Ap. J.* 215, L69
 Gursky et al., (1966), *Ap. J.* 146, 310
 Gursky et al., (1967), *Ap. J.* 150, L75
 Gursky et al., (1971a), *Ap. J.* 165, L43
 Gursky et al., (1971b), *Ap. J.* 167, L15
 Gursky et al., (1971c), *Ap. J.* 167, L81
 Gursky et al., (1978), *Ap. J.* 223, 973
 Gursky et al., (1980), *Ap. J.* 237, 163
 Hackwell et al., (1979), *Ap. J.* 233, L115
 Hakucho et al., (1983), *IAUC* 3624,3628
 Hall et al., (1982), *Ap. J.* 257, L91
 Hall et al., (1984), *Ap. J.* (in press)
 Hammerschlag-Hensberge et al., (1982) *Ap. J. (Letters)* 254, L1
 Hammerschlag-Hensberge et al., (1980), *Astr. and Ap.* 85, 119
 Harden et al., (1979), *Ap. J.* 234, L51
 Hawkins et al., (1974), *MNRAS* 169, 41P
 Hayakawa et al., (1973), *Ap. J.* 183, L5
 Hayakawa et al., (1979), in *(COSPAR) X-Ray Astronomy*, ed. W. Baity and L. Peterson (Oxford: Pergamon Press) p.159
 Haymes et al., (1972), *Ap. J.* 172, L47
 Heao - A3 et al., *IAUC* 3238 (1978)
 Hearn et al., (1977), *Ap. J.* 213, L115
 Hearn et al., (1979), *Ap. J.* 227, L63
 Hearn et al., (1980), *Ap. J.* 235, L67
 Heise et al., (1975), *Ap. J.* 202, L73
 Heise et al., (1978), *Astr. and Ap.* 63, L1
 Henry et al., (1972), *Ap. J.* 174, 389
 Henry et al., (1977), *Ap. J.* 212, L13
 Hermsen et al., (1977), *Nat.* 269, 494
 Hertz et al., (1983), sub. to *Ap. J.*
 Hewitt et al., (1980), *Ap. J. Suppl.* 43, 57
 Hildebrand et al., (1981), *Ap. J.* 243, 223
 Hill et al., (1968), *Ap. J.* 154, 655
 Hill et al., (1972a), *Ap. J.* 171, 519
 Hill et al., (1974), *Ap. J.* 189, L69
 Hill et al., (1975), *Ap. J.* 200, 158
 Hill et al., (1980), *Ap. J.* 242, L69
 Hill, (1967), *Aus. J. Phys.* 20, 297
 Hill, (1972b), *MNRAS* 157, 419
 Hiltner et al., (1970), *Ann. Rev. Astr. Ap.* 8, 139
 Hiltner et al., (1972), *Ap. J.* 175, L19
 Hiltner et al., (1979), *IAUC* 3324
 Hiltner, (1977), *IAUC* 3039
 Hintzen et al., (1979), *Ap. J.* 232, L145
 Hjellming et al., (1971b), *Ap. J.* 168, L21
 Hjellming et al., (1972), *Nat.* 239, 443
 Hjellming et al., (1971a), *Ap. J.* 164, L1
 Hjellming et al., (1981b), *Ap. J.* 246, L141
 Hjellming et al., (1981a), *Nat.* 290, 100
 Hjellming, (1978), *Ap. J.* 221, 225
 Hoessel et al., (1980), *Ap. J.* 241, 486
 Hoffman et al., (1973), *Nat.* 244, 347
 Hoffman et al., (1977a), *Ap. J.* 217, L23
 Hoffman et al., (1977b), *MNRAS* 179, 57P
 Hoffman et al., (1978), *Ap. J.* 221, L57
 Hoffman et al., (1979), *Ap. J.* 233, L51
 Hoffman et al., (1980), *Ap. J.* 240, L27
 Holt et al., (1976a), *Ap. J.* 205, L79
 Holt et al., (1976b), *Ap. J.* 205, L143
 Holt et al., (1976c), *Nat.* 263, 484
 Holt et al., (1977), *IAUC* 3161
 Holt et al., (1979a), *Ap. J.* 233, 344
 Holt et al., (1979b), *Ap. J.* 227, 563
 Holt et al., (1980), *Ap. J.* 241, L13
 Horne et al., (1980), *Ap. J.* 237, 845
 Howard et al., (1965), *Ap. J. Suppl.* 10, 1
 Huckle et al., (1977), *MNRAS* 180, 21P
 Hughes et al., (1981), *Ap. J.* 246, L127
 Humason et al., (1956), *A.J.* 61, 97
 Hutchings et al., (1974a), *Ap. J.* 191, L101
 Hutchings et al., (1973), *Ap. J.* 182, 549
 Hutchings et al., (1974b), *Ap. J.* 191, 743
 Hutchings et al., (1975), *MNRAS* 170, 313
 Hutchings et al., (1981a), *Ap. J.* 247, 222

REFERENCES—*Continued*

- Hutchings et al., (1981b), *Ap. J.* 249, 680
Hutchings et al., (1981c), *A.J.* 86, 871
Hutchings et al., (1982), *Ap. J.* 252, 690
Hutchings et al., (1983), *IAUC* 3791
Hutchings, (1970), *MNRAS* 150, 55
Illingworth et al., (1976), *Ap. J. Suppl.* 30, 227
Ilovaisky et al., (1972), *Astr. and Ap.* 18, 169
Ilovaisky et al., (1979b), *IAUC* 3325
Ilovaisky et al., (1979a), *Astr. and Ap.* 71, L17
Inoue et al., (1981), *Ap. J.* 250, L71
Ives et al., (1976), *Ap. J.* 207, L159
Jameson et al., (1978), *Nat.* 271, 334
Janes et al., (1973), *Nat.* 244, 349
Jensen et al., (1982), *Ap. J.* 261, 625
Jernigan et al., (1978a), *IAUC* 3225
Jernigan et al., (1978b), *Nat.* 272, 701
Jernigan et al., (1979), *Ap. J.* 231, L125
Johnson et al., (1969), *Ap. J.* 155, L91
Johnson et al., (1983), *Ap. J.* 266, 425
Johnson, (1976), *Ap. J.* 208, 706
Johnson, (1978a), *IAUC* 3184
Johnston et al., (1978b), *Ap. J.* 223, L71
Johnston et al., (1978c), *Ap. J.* 225, L59
Johnston et al., (1978d), *IAUC* 3163
Johnston et al., (1979), *Ap. J.* 233, 514
Johnston et al., (1981a), *Ap. J.* 245, 799
Johnston et al., (1981b), *A.J.* 86, 1377
Johnston et al., (1982), *Ap. J.* 262, 61
Jones et al., (1973), *Ap. J.* 182, L109
Jones et al., (1974), *Ap. J.* 191, L71
Jones et al., (1976), *Ap. J.* 209, L131
Jones et al., (1978), *Ap. J.* 224, 1
Jones et al., (1979), *Ap. J.* 234, L21
Jones, (1977), *Ap. J.* 214, 856
Joss et al., (1978), *Ap. J.* 225, 994
Joy, (1956), *Ap. J.* 124, 317
Kahler et al., (1982), *Ap. J.* 252, 239
Kahn et al., (1979), *Ap. J.* 234, L107
Kahn et al., (1980), *Ap. J.* 242, L19
Kahn et al., (1981), *Ap. J.* 250, 733
Kallman et al., (1982), *Ap. J.* 261, L35
Kaluzienski et al., (1977a), *IAUC* 3106
Kaluzienski et al., (1977b), *IAUC* 3104
Kaluzienski et al., (1977c), *IAUC* 3099
Kaluzienski et al., (1978), *IAUC* 3174
Kaluzienski et al., (1976), *Ap. J.* 208, L71
Kaluzienski et al., (1975), *Nat.* 256, 633
Kamper et al., (1978), *Ap. J.* 224, 851
Kaplan et al., (1980), *A.J.* 85, 64
Karpen et al., (1977), *Ap. J.* 216, 479
Kasturirangan et al., (1976), *Nat.* 260, 226
Katz et al., (1982), *Ap. J.* 260, 780
Kayat et al., (1980), *MNRAS* 191, 729
Kellerman et al., (1971), *Ap. Lett.* 8, 153
Kelley et al., (1980), *Ap. J.* 238, 699
Kelley et al., (1982), *IAUC* 3667
Kelley et al., (1983), *Ap. J.* 264, 568
Kendziorra et al., (1977), *Ap. J.* 217, L93
Kestenbaum et al., (1977), *Ap. J.* 216, L19
Kestenbaum et al., (1975), *Ap. J.* 202, L21
Khachikian et al., (1974), *Ap. J.* 192, 581
Kimble et al., (1981), *Ap. J.* 251, 585
Kinzer et al., (1971), *Nat.* 229, 187
Kinzer et al., (1978), *Bull. AAS* 10, 503
Kiplinger, (1979), *Ap. J.* 234, 997
Knight, (1982), *Ap. J.* 260, 538
Koch-Miramond, (1979), in (COSPAR) X-Ray Astronomy, ed. W. Baity and L. Peterson (Oxford: Pergamon Press) p.277
Kondo et al., (1981), *Ap. J.* 243, 690
Kowalski et al., (1983), *Ap. J. Suppl.*, in prep.
Kriss et al., (1980), *Ap. J.* 242, 492
Kriss et al., (1983), *Ap. J.* 266, 806
Krzeminski, (1974), *Ap. J.* 192, L135
Ku et al., (1976), *Ap. J.* 204, L77
Ku et al., (1979), *Ap. J.* 234, L59
Kuhr et al., (1981), *A.J.* 86, 854
Kurfess, (1971), *Ap. J.* 168, L39
Lacy et al., (1982), *Ap. J.* 256, 75
Lamb et al., (1979), *Ap. J.* 229, L19
Lamb et al., (1980), *Ap. J.* 239, 651
Lampton et al., (1972), *Ap. J.* 171, L45
Lasker, (1974), *Nat.* 250, 308
Lauque et al., (1972), *Nature Phys. Science* 239, 119
Lawrence, (1978), *MNRAS* 185, 423
Lea et al., (1982), *Ap. J.* 262, 24
Ledden et al., (1976), *Nat.* 262, 669
Ledden et al., (1981), *Ap. J.* 243, 47
Leir et al., (1977), *Ap. J. Suppl.* 34, 381
Leong et al., (1971), *Ap. J.* 170, L67
Levine et al., (1979), *Ap. J.* 228, L99
Levine et al., (1982), *Ap. J.* 262, 294
Lewin et al., (1970), *Ap. J.* 162, L109
Lewin et al., (1971a), *Ap. J.* 166, L69
Lewin et al., (1971b), *Ap. J.* 169, L17
Lewin et al., (1976b), *MNRAS* 177, 93P
Lewin et al., (1976c), *IAUC* 2984
Lewin et al., (1976d), *IAUC* 2994
Lewin et al., (1977a), *IAUC* 3075
Lewin et al., (1977b), *IAUC* 3087
Lewin et al., (1977c), *Nat.* 270, 211
Lewin et al., (1978), *IAUC* 3190
Lewin et al., (1980), *MNRAS* 193, 15
Lewin et al., (1981), *Sp. Sci. Rev.* 28, 3
Lewin, (1976a), *IAUC* 2922
Lewin, (1979), in (COSPAR) X-Ray Astronomy, ed. W. Baity and L. Peterson (Oxford: Pergamon Press) p.133

REFERENCES—Continued

- Li et al., (1976a), IAUC 2983
 Li et al., (1976b), IAUC 2983
 Li et al., (1977a), IAUC 3095
 Li et al., (1977b), IAUC 3154
 Li et al., (1977c), MNRAS 179, 21P
 Li et al., (1978a), Nat. 271, 37
 Li et al., (1978b), Nat. 276, 799
 Liller et al., (1978), Ap. J. 224, 383
 Liller, (1975), IAUC 2780
 Long et al., (1975), Ap. J. 197, L57
 Long et al., (1977), Ap. J. 212, 427
 Long et al., (1979), in (COSPAR) X-Ray
 Astronomy, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p.105
 Long et al., (1980), Ap. J. 239, L65
 Long et al., (1981), Ap. J. 246, L61
 Longair et al., (1974), MNRAS 168, 479
 Lucke et al., (1979), Ap. J. 228, 763
 Lugger, (1978), Ap. J. 221, 745
 Lynds et al., (1969), Ap. J. 155, L121
 Maccacaro et al., (1981), Ap. J. 246, L11
 Maccacaro et al., (1982), Ap. J. 257, 47
 Maccagni et al., (1978), Astr. and Ap. 62, 127
 Makishima et al., (1982), Ap. J. 255, L49
 Makishima et al., (1981), Ap. J. 244, L79
 Malina et al., (1976), Ap. J. 207, 894
 Malina et al., (1978), Ap. J. 219, 795
 Manchanda et al., (1982), Ap. J. 252, 172
 Maraschi et al., (1978), Nat. 272, 679
 Maraschi et al., (1980b), Nat. 285, 555
 Maraschi et al., (1980a), Ap. J. 241, L23
 Margon et al., (1971a), Ap. J. 169, L23
 Margon et al., (1971b), Ap. J. 169, L45
 Margon et al., (1972a), Ap. J. 174, L141
 Margon et al., (1972b), Ap. J. 174, 471
 Margon et al., (1973), Ap. J. 185, L113
 Margon et al., (1974), Ap. J. 191, L117
 Margon et al., (1976), Ap. J. 208, L35
 Margon et al., (1978a), A.J. 83, 1021
 Margon et al., (1978b), Ap. J. 224, L43
 Margon et al., (1978c), Ap. J. 224, 167
 Margon et al., (1978d), IAUC 3246
 Margon et al., (1979), Ap. J. 233, L63
 Margon, (1978e), Ap. J. 219, 613
 Mark et al., (1969), Ap. J. 155, L143
 Markert et al., (1973), Ap. J. 184, L67
 Markert et al., (1975), Ap. J. 196, L55
 Markert et al., (1976a), Ap. J. 206, 265
 Markert et al., (1976b), Ap. J. 208, L115
 Markert et al., (1977), Ap. J. 218, 801
 Markert et al., (1983), Ap. J. 275, 571
 Marscher et al., (1979a), Ap. J. 233, 498
 Marscher et al., (1981a), Ap. J. 249, 406
 Marshall et al., (1978), Nat. 275, 624
 Marshall et al., (1979b), Ap. J. Suppl. 40, 657
 Marshall et al., (1979c), Ap. J. 230, L145
 Marshall et al., (1980), MNRAS 193, 7P
 Marshall et al., (1981b), MNRAS 194, 987
 Marshall et al., (1981c), Ap. J. 245, 840
 Marshall et al., (1981d), Nat. 293, 379
 Marshall et al., (1983), Ap. J. 269, L31
 Mason et al., (1974), Ap. J. 192, L65
 Mason et al., (1976), MNRAS 177, 513
 Mason et al., (1979a), in (COSPAR) X-Ray
 Astronomy, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p.121
 Mason et al., (1979b), Ap. J. 230, L163
 Mason et al., (1982a), Ap. J. 255, 603
 Mason et al., (1982b), Ap. J. 262, 253
 Mason et al., (1983), Ap. J. 264, 575
 Mathewson et al., (1973), Ap. J. 180, 725
 Matsuoka et al., (1974), Nat. 250, 38
 Mauder, (1975), Ap. J. 195, L27
 Mauder, (1976), IAUC 2946
 Maurer et al., (1982), Ap. J. 254, 271
 Mayer et al., (1970), Ap. J. 159, L115
 Mayo et al., (1976), IAUC 2957
 Maza et al., (1978), Ap. J. 224, 368
 McClintock et al., (1978a), Ap. J. 223, L75
 McClintock et al., (1980), Ap. J. 235, L81
 McClintock et al., (1971), Ap. J. 166, L73
 McClintock et al., (1982), Ap. J. 258, 245
 McClintock et al., (1976), Ap. J. 206, L99
 McClintock et al., (1981), Ap. J. 243, 900
 McClintock et al., (1978b), IAUC 3251
 McClintock et al., (1977a), Ap. J. 216, L15
 McClintock et al., (1977b), Nat. 270, 320
 McClintock, (1977c), IAUC 3088
 McCray et al., (1982), Ap. J. 262, 301
 McGee et al., (1972), Aus. J. Phys. 25, 619
 McKee et al., (1980), Ap. J. 242, 843
 Meegan et al., (1979), Ap. J. 233, 510
 Meekins et al., (1969), Ap. J. 157, 197
 Meekins et al., (1971), Nat. 231, 107
 Meekins et al., (1979), in (COSPAR) X-Ray
 Astronomy, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p.205
 Meekins et al., (1983), Ap. J. in press
 Melnick et al., (1975), Ap. J. 198, L97
 Michalsky et al., (1975), Ap. J. 198, L101
 Middleditch et al., (1981), Ap. J. 244, 1001
 Middleditch et al., (1982), IAUC 3745
 Milgrom, (1979), Astr. and Ap. 76, L3
 Miller et al., (1977a), Ap. J. 217, 382
 Miller, (1975), Ap. J. 201, L109
 Miller, (1977b), Ap. J. 212, 34
 Miller, (1979), Ap. J. 227, 52
 Mills et al., (1977c), Aus. J. Phys. 30, 509

REFERENCES—Continued

- Milne et al., (1970), *Astr. J. Phys.* 23, 425
 Milne et al., (1975), *Astr. J. Phys.* 28, 209
 Mitchell et al., (1977), *MNRAS* 181, 25P
 Mitchell et al., (1979), *MNRAS* 189, 329
 Mitchell et al., (1980), *Ap. J.* 236, 730
 Moffat et al., (1973), *Astr. and Ap.* 23, 433
 Montmerle et al., (1983), *Ap. J.* 269, 182
 Mook et al., (1971), *Ap. J.* 163, L69
 Mook et al., (1975), *Ap. J.* 197, 425
 Moroz, (1964), *Sov. Astr. - AJ* 7, 755
 Motch et al., (1981), *Astr. and Ap.* 100, 277
 Motch et al., (1982), *Astr. and Ap.* 109, L1
 Mouchet et al., (1980), *Astr. and Ap.* 90, 113
 Mufson et al., (1980), *Ap. J.* 241, 74
 Mufson et al., (1981), *Ap. J.* 248, L61
 Mufson et al., (1983), Preprint
 Murakami et al., (1980), *Ap. J.* 240, L143
 Murdin et al., (1974), *MNRAS* 169, 23
 Murdin et al., (1980), *MNRAS* 192, 709
 Murray et al., (1976), *Ap. J.* 210, 230
 Murray et al., (1979), *Ap. J.* 234, L69
 Mushotzky et al., (1978c), *NASA Tech Memo 79551*
 Mushotzky et al., (1977), *Ap. J.* 211, L129
 Mushotzky et al., (1978b), *Ap. J.* 226, L65
 Mushotzky et al., (1979), *Ap. J.* 232, L17
 Mushotzky et al., (1978a), *Ap. J.* 220, 790
 Mushotzky et al., (1978d), *Ap. J.* 225, 21
 Mushotzky et al., (1981), *Ap. J.* 244, L47
 Mushotzky et al., (1980a), *Ap. J.* 235, 377
 Mushotzky et al., (1980b), *Ap. J.* 239, L5
 Mushotzky, (1982), *Ap. J.* 256, 92
 Nagase et al., (1982), *Ap. J.* 263, 814
 Naranan et al., (1977), *Ap. J.* 213, L53
 Nelson et al., (1977), *Ap. J.* 212, 215
 Neugebauer et al., (1969), *Ap. J.* 156, L115
 Newell et al., (1976), *Ap. J.* 208, L55
 Nolan et al., (1981), *Ap. J.* 246, 494
 Nolan et al., (1982), *Ap. J.* 262, 727
 Noonan, (1973), *A.J.* 78, 26
 Noonan, (1981), *Ap. J. Suppl.* 45, 613
 Nousek et al., (1983), *Ap. J.* 226, L39
 Nugent et al., (1983), *Ap. J. Suppl.* 51, 1
 Nulsen et al., (1979), *MNRAS* 189, 183
 O'Dell, (1962), *Ap. J.* 135, 809
 Oda et al., (1971), *Ap. J.* 166, L1
 Oda, (1965), *Nat.* 205, 554
 Ogelman et al., (1977), *Astr. and Ap.* 58, 385
 Oke et al., (1979), *Ap. J.* 231, L13
 Oke, (1978), *Ap. J.* 219, L97
 Osmer, (1978), *Ap. J.* 226, L79
 Osterbrock et al., (1975), *Ap. J.* 197, 535
 Osterbrock, (1977), *Ap. J.* 215, 733
 Pacholczyk, (1978), *Hdbk. of Radio Sources*,
 Pachart Press
 Pakull, (1976), *IAUC* 3017
 Palmieri et al., (1975), *Ap. J.* 202, 494
 Parkes et al., (1977), *MNRAS* 179, 55
 Parkes et al., (1978), *MNRAS* 184, 73P
 Parkes et al., (1980), *MNRAS* 190, 537
 Parkinson et al., (1974), *Nat.* 249, 746
 Parsignault et al., (1972), *Nat. Phys. Sci.* 239, 123
 Parsignault et al., (1976), *Symp. on X-ray Binaries*, (NASA Pub. Sp-389:GSFC), p.267
 Parsignault et al., (1978), *Ap. J.* 225, 970
 Patterson et al., (1978), *Ap. J.* 226, L137
 Patterson et al., (1981b), *Ap. J.* 245, 618
 Patterson et al., (1981a), *Ap. J.* 243, L83
 Patterson et al., (1984), *Ap. J.* (in press)
 Pearson et al., (1981), *Nat.* 290, 365
 Pedersen et al., (1982), *Ap. J.* 263, 340
 Pelling, (1973), *Ap. J.* 185, 327
 Pennypacker, (1981), *Ap. J.* 244, 286
 Penston et al., (1975), *MNRAS* 172, 377
 Perotti et al., (1980), *Ap. J.* 239, L49
 Perotti et al., (1981), *Ap. J.* 247, L63
 Perrenod et al., (1981), *Ap. J.* 247, L1
 Persi et al., (1979), *MNRAS* 187, 293
 Pesch, (1976), *IAUC* 3023
 Peterson et al., (1975), *A.J.* 80, 427
 Petre et al., (1982), *Ap. J.* 258, 22
 Petro et al., (1981), *Ap. J.* 251, L7
 Pettersen, (1976), *Catalog of Flare Star Data*,
 Rept 46, *Inst. Theor. Ap., Blindern-Oslo*
 Phillips, (1979), *Ap. J.* 227, L121
 Phillips, (1980), *Ap. J.* 236, L45
 Piccinotti et al., (1982), *Ap. J.* 253, 485
 Pineda et al., (1980), *Ap. J.* 237, 414
 Pounds et al., (1975), *MNRAS* 172, 473
 Pravdo et al., (1976), *Ap. J.* 206, L41
 Pravdo et al., (1977a), *Ap. J.* 215, L61
 Pravdo et al., (1977b), *Ap. J.* 216, L23
 Pravdo et al., (1978), *Ap. J.* 225, 988
 Pravdo et al., (1979a), in *(COSPAR) X-Ray Astronomy*, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p.219
 Pravdo et al., (1979b), *Ap. J.* 231, 912
 Pravdo et al., (1980a), *Ap. J.* 235, L9
 Pravdo et al., (1980b), *Ap. J.* 237, L71
 Pravdo et al., (1981), *Ap. J.* 248, 591
 Pravdo et al., (1984), *Ap. J.* (in press)
 Priedhorsky et al., (1983), *Nat.* 303, 681
 Priedhorsky et al., (1978), *Ap. J.* 219, 597
 Priedhorsky, (1977), *Ap. J.* 212, L117
 Primini et al., (1981), *Ap. J.* 243, L13
 Proctor et al., (1978), *MNRAS* 185, 745
 Puetter et al., (1981), *Ap. J.* 243, 345
 Purton et al., (1977), *MNRAS* 180, 97P
 Pye et al., (1976), *Nat.* 260, 410

REFERENCES—Continued

- Rankin et al., (1974), Ap. J. 193, L71
 Rapley et al., (1974), Ap. J. 191, L113
 Rappaport et al., (1976), Ap. J. 208, L119
 Rappaport et al., (1971b), Ap. J. 168, L43
 Rappaport et al., (1971c), Ap. J. 169, L93
 Rappaport et al., (1978b), IAUC 3171
 Rappaport et al., (1977), Ap. J. 217, L29
 Rappaport et al., (1978a), Ap. J. 224, L1
 Rappaport et al., (1974), Ap. J. 187, L5
 Rappaport et al., (1971a), Ap. J. 168, L17
 Rappaport et al., (1975), Ap. J. 196, L15
 Reichert et al., (1981), Ap. J. 247, 803
 Reid et al., (1980), A.J. 85, 1062
 Reid et al., (1982), Ap. J. 261, 485
 Richards et al., (1969), Nat. 222, 551
 Ricker et al., (1973), Ap. J. 184, 237
 Ricker et al., (1975a), Ap. J. 197, L83
 Ricker et al., (1976a), Ap. J. 204, L73
 Ricker et al., (1976b), Ap. J. 207, 333
 Ricker et al., (1978), Nat. 271, 35
 Ricketts et al., (1975b), Nat. 256, 631
 Ricketts et al., (1976c), Nat. 259, 546
 Ricketts et al., (1979), MNRAS 186, 233
 Rieke et al., (1975), Ap. J. 200, L67
 Rieke et al., (1977), Ap. J. 218, L37
 Rieke, (1972), Ap. J. 176, L95
 Rose et al., (1979), Ap. J. 231, 919
 Rose, (1976), Astr. and Ap. Suppl. 23, 109
 Rosenberg et al., (1975), Nat. 256, 628
 Rosenberg, (1970), MNRAS 151, 109
 Rothschild et al., (1981), Ap. J. 250, 723
 Rothschild et al., (1977), Ap. J. 213, 818
 Rothschild et al., (1974), Ap. J. 189, L13
 Rowan-Robinson et al., (1975), MNRAS 170, 199
 Rudy et al., (1982), Ap. J. 257, 570
 Ryckman et al., (1977), Nat. 266, 431
 Ryle et al., (1978), Nat. 276, 571
 Sadeh et al., (1979a), in (COSPAR) X-Ray
 Astronomy, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p.209
 Sadeh et al., (1979b), Nat. 278, 436
 Sadeh et al., (1982a), Ap. J. 257, 214
 Sadeh et al., (1982b), Ap. J. 258, 770
 Samimi et al., (1979), Nat. 278, 434
 Sandage et al., (1966), Ap. J. 146, 316
 Sanduleak et al., (1974), Ap. J. 187, L73
 Sanduleak et al., (1977), IAUC 3134
 Sanduleak et al., (1976), IAUC 3023
 Sanford et al., (1975), MNRAS 173, 9P
 Sarazin et al., (1982), Ast. and Ap. 108, L7
 Schmidt et al., (1983), Ap. J. 269, 352
 Schneider et al., (1980), Ap. J. 238, 946
 Schnopper et al., (1978), AP. J. 222, L91
 Schnopper et al., (1977a), Ap. J. 215, L7
 Schnopper et al., (1977b), Ap. J. 217, L15
 Schnopper et al., (1970), Ap. J. 161, L161
 Schreier et al., (1971), Ap. J. 170, L21
 Schreier et al., (1972), Ap. J. 172, L79
 Schreier et al., (1976), Ap. J. 204, 539
 Schreier et al., (1979), Ap. J. 234, L39
 Schreier et al., (1982), Ap. J. 261, 42
 Schwartz et al., (1972), Ap. J. 173, L51
 Schwartz et al., (1978), Ap. J. 224, L103
 Schwartz et al., (1979a), A.J. 84, 1560
 Schwartz et al., (1979b), Ap. J. 229, L53
 Schwartz et al., (1980c), A.J. 85, 549
 Schwartz et al., (1980a), Ap. J. 238, L53
 Schwartz et al., (1980b), Ap. J. 238, L59
 Schwartz et al., (1981), MNRAS 196, 95
 Schwartz et al., (1983), Ap. J. 266, 459.
 Schwarz et al., (1979c), Ap. J. 231, L105
 Seaquist et al., (1979), A.J. 84, 1037
 Seaquist et al., (1982), Ap. J. 260, 220
 Seaquist, (1977), Ap. J. 211, 547
 Serlemitsos et al., (1973), Ap. J. 184, L1
 Seward et al., (1972), Ap. J. 178, 131
 Seward et al., (1976a), MNRAS 175, 39P
 Seward et al., (1976b), MNRAS 177, 13P
 Seward et al., (1979), Ap. J. 234, L55
 Seward et al., (1980), Nat. 287, 806
 Seward et al., (1982), Ap. J. 256, L45
 Shafter et al., (1980), Ap. J. 240, 612
 Share et al., (1978a), IAUC 3190
 Share et al., (1978b), IAUC 3169
 Share et al., (1979a), in (COSPAR) X-Ray
 Astronomy, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p.535
 Share et al., (1979b), Nat. 282, 692
 Shawl et al., (1980), Ap. J. 239, L61
 Shen et al., (1972), Ap. J. 171, 457
 Shields et al., (1972), Ap. J. 176, 75
 Shuder, (1980), Ap. J. 240, 32
 Shulman et al., (1971), Ap. J. 168, L49
 Shulman et al., (1975), Ap. J. 199, L101
 Shulman et al., (1976), Ap. J. Lett. 17, 15
 Shulman et al., (1979a), in (COSPAR) X-Ray
 Astronomy, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p.337
 Shulman, (1979b), in (COSPAR) X-Ray
 Astronomy, ed. W. Baity and L. Peterson
 (Oxford: Pergamon Press) p.423
 Skinner et al., (1980), Ap. J. 240, 619
 Slingo, (1974), MNRAS 168, 307
 Smith et al., (1976), Pub. ASP. 88, 621
 Sniijders et al., (1979), MNRAS 189, 873
 Snyder et al., (1978), Ap. J. 222, L13
 Snyder et al., (1980), Ap. J. 237, L11
 Snyder et al., (1982), Ap. J. 259, 38

- 1984APJS...56...507W
- Sofia, (1974), *Ap. J.* 188, L45
 Soifer et al., (1979), *Nat.* 278, 231
 Spangler et al., (1977), *A.J.* 82, 989
 Speybroeck et al., (1979), *Ap. J.* 234, L45
 Spinrad, (1977), *P.A.S.P.* 89, 116
 St.John, (1976), *Ap. J.* 208, L31
 Staelin et al., (1968), *Science* 162, 1481
 Stark et al., (1976), *MNRAS* 174, 35P
 Stark et al., (1978), *MNRAS* 182, 23P
 Staubert et al., (1975), *Ap. J.* 201, L15
 Staubert et al., (1980a), *Ap. J.* 239, 1010
 Stauffer et al., (1980b), *Ap. J.* 235, 347
 Steiner et al., (1981a), *Ap. J.* 249, L21
 Steiner et al., (1984), *Ap. J.* (in press)
 Steiner, (1981b), *Ap. J.* 250, 469
 Stier et al., (1976), *Ap. J.* 206, 257
 Strickman et al., (1979), *Ap. J.* 230, L15
 Strickman et al., (1980), *Ap. J.* 240, L21
 Strickman et al., (1982), *Ap. J.* 253, L23
 Sulentic et al., (1973), *The Revised New General Catalog of Nonstellar Astronomical Objects*(Tuscon:U. of Arizona)
 Swank et al., (1976a), *IAUC* 3000
 Swank et al., (1976b), *IAUC* 3010
 Swank et al., (1976c), *IAUC* 2963
 Swank et al., (1977), *Ap. J.* 216, L71
 Swank et al., (1978), *MNRAS* 182, 349
 Swank et al., (1981), *Ap. J.* 246, 208
 Swank et al., (1982), *Ap. J.* 259, L67
 Swank et al., (1984), *Ap. J.* 277, 274
 Szkody et al., (1977), *Ap. J.* 212, L113
 Szkody et al., (1980), *Ap. J.* 241, 1070
 Szkody et al., (1982), *Ap. J.* 257, 686
 Tananbaum et al., (1971b), *Ap. J.* 168, L25
 Tananbaum et al., (1972b), *Ap. J.* 177, L5
 Tananbaum et al., (1976), *Ap. J.* 209, L125
 Tananbaum et al., (1972a), *Ap. J.* 174, L143
 Tananbaum et al., (1979), *Ap. J.* 234, L9
 Tananbaum et al., (1971a), *Ap. J.* 165, L37
 Tananbaum et al., (1978), *Ap. J.* 223, 74
 Tapia et al., (1982), *IAUC* 3685
 Tapia, (1977), *Ap. J.* 212, L125
 Tapia, (1979), *IAUC* 3327
 Telesco et al., (1980), *Ap. J.* 235, 392
 Tennant et al., (1981), *Ap. J.* 251, 15
 Terrell, (1972), *Ap. J.* 174, L35
 Thackeray, (1978), *MNRAS* 182, 11P
 Thomas et al., (1975), *MNRAS* 170, 569
 Thomas et al., (1978), *MNRAS* 185, 29P
 Thomas et al., (1979), *MNRAS* 187, 299
 Thompson et al., (1977), *Ap. J.* 213, 252
 Thorne et al., (1975), *Ap. J.* 195, L101
 Thorstensen et al., (1980), *Ap. J.* 238, 964
 Thorstensen et al., (1982), *Ap. J.* 253, 756
 Thorstensen et al., (1979), *Ap. J.* 233, L57
 Thorstensen et al., (1978), *IAUC* 3253
 Toor et al., (1970), *Ap. J.* 160, 209
 Toor et al., (1971), *Ap. J.* 168, L15
 Toor et al., (1976), *Ap. J.* 207, 96
 Toor, (1977), *Ap. J.* 215, L57
 Toor, (1980), *A.J.* 85, 184
 Trimble, (1968), *A.J.* 73, 535
 Trumper et al., (1978), *Ap. J.* 219, L105
 Tsikoudi, (1982), *Ap. J.* 262, 263
 Tucker et al., (1973), *Ap. J.* 180, 715
 Tuohy et al., (1978), *Ap. J.* 226, L17
 Tuohy et al., (1979), *Ap. J.* 234, L101
 Tuohy et al., (1982), *Ap. J.* 260, L65
 Tuohy, (1976), *MNRAS* 174, 45P
 Tzanetakakis et al., (1978), *MNRAS* 185, 63P
 Ulmer et al., (1972), *Ap. J.* 178, L121
 Ulmer et al., (1973a), *Ap. J.* 181, L33
 Ulmer et al., (1973b), *Ap. J.* 184, L117
 Ulmer et al., (1974a), *Ap. J.* 189, 339
 Ulmer et al., (1974b), *Ap. J.* 191, 593
 Ulmer et al., (1976), *Ap. J.* 208, 47
 Ulmer et al., (1979a), *Ap. J.* 227, L73
 Ulmer et al., (1979b), in *(COSPAR) X-Ray Astronomy*, ed. W. Baity and L. Peterson (Oxford: Pergamon Press) p.405
 Ulmer et al., (1980a), *Ap. J.* 235, 351
 Ulmer et al., (1980b), *Ap. J.* 235, L159
 Ulmer et al., (1980c), *Ap. J.* 236, 58
 Ulmer et al., (1981a), *Ap. J.* 243, 681
 Ulmer et al., (1981b), *Ap. J.* 246, L99
 Ulmer, (1977), *Ap. J.* 218, L1
 Ulrich et al., (1975), *Ap. J.* 198, 261
 Ulrich, (1978), *Ap. J.* 222, L3
 Urry et al., (1982), *Ap. J.* 253, 38
 Vaiana et al., (1981), *Ap. J.* 245, 163
 Van Den Bergh, (1976), *Ap. J.* 208, L17
 Van Paradijs, (1978), *Nat.* 274, 650
 Van der Klis et al., (1982), *Astr. Ap. Suppl.* 50, 129
 Van der klis et al., (1980), *Astr. and Ap.* 88, 8
 Vandenberg et al., (1973), *Ap. J.* 180, L27
 Vidal et al., (1975), *Pub. A. S. P.* 87, 625
 Vidal, (1973), *Ap. J.* 186, L81
 Vidal, (1975), *P.A.S.P.* 87, 625
 Villa et al., (1976), *MNRAS* 176, 609
 Violes et al., (1982), *Ap. J.* 263, 320
 Visvanathan et al., (1982), *IAUC* 3658
 Voges et al., (1982), *Ap. J.* 263, 803
 Wade et al., (1971), *Ap. J.* 170, 523
 Wade et al., (1977), *Ap. J.* 215, 568
 Wade et al., (1982), *Bull. A.A.S.* 14, 880
 Walborn et al., (1982), *Ap. J.* 252, 156
 Walborn, (1973), *Ap. J.* 179, L123

REFERENCES—*Continued*

- Walker, (1981), *Ap. J.* 248, 256
Walter et al., (1978), *Nat.* 274, 569
Walter et al., (1980), *Ap. J.* 236, 212
Walter et al., (1981a), *Ap. J.* 245, 671
Walter et al., (1982), *Ap. J.* 253, L67
Walter, (1976), *IAUC* 2959
Walter, (1981b), *Ap. J.* 245, 677
Ward et al., (1977), *Astr. and Ap.* 59, L19
Warner et al., (1980), *MNRAS* 190, 69P
Warren et al., (1975), *MNRAS* 172, 41P
Watson et al., (1978a), *Ap. J.* 221, L69
Watson et al., (1978b), *MNRAS* 184, 79P
Watson et al., (1979), in (COSPAR) X-Ray Astronomy, ed. W. Baity and L. Peterson (Oxford: Pergamon Press) p.101
Watson et al., (1981a), *Ap. J.* 250, 142
Watson et al., (1981b), *MNRAS* 195, 197
Watts et al., (1980), *MNRAS* 191, 25P
Webster et al., (1972), *Nat.* 235, 37
Weedman et al., (1972), *Ap. J.* 176, L19
Weedman, (1977), *Ann. Rev. Astr. Ap.* 15, 69
Weedman, (1978), *MNRAS* 184, 11P
Weedman, (1979), invited talk at Montreal IAU General Assembly
Weiler et al., (1978), *Ap. J.* 225, 919
Weiler et al., (1979), *A.J.* 84, 1372
Weisskopf et al., (1978a), *Ap. J.* 220, L117
Weisskopf et al., (1978b), *Ap. J.* 221, 228
Weistrop et al., (1979), *Ap. J.* 233, 504
Weistrop et al., (1981), *Ap. J.* 249, 3
Westerlund et al., (1969), *A.J.* 74, 335
Wheaton et al., (1978), *IAUC* 3238
Whelan et al., (1977), *MNRAS* 181, 259
White et al., (1976a), *MNRAS* 176, 91
White et al., (1976b), *Ap. J.* 209, L119
White et al., (1977a), *IAUC* 3095
White et al., (1977b), *Nat.* 267, 229
White et al., (1978a), *Nat.* 274, 569
White et al., (1978b), *Nat.* 274, 664
White et al., (1978c), *Ap. J.* 220, 600
White et al., (1980a), *MNRAS* 193, 731
White et al., (1980b), *Ap. J.* 241, 864
White et al., (1980c), *Ap. J.* 239, 655
White et al., (1981a), *Ap. J.* 249, L25
White et al., (1981b), *Ap. J.* 247, 994
White et al., (1982a), *Ap. J.* 263, 277
White et al., (1982b), *Ap. J.* 253, L61
White et al., (1983a), *IAUC* 3806
White et al., (1983b), *IAUC* 3882
White, (1978d), *Nat.* 271, 38
White, (1978e), *Nat.* 271, 38
White, (1981c), *Ap. J.* 244, L85
Whiteoak et al., (1968), *Ap. J.* 154, 807
Williams et al., (1979), *Nat.* 281, 48
Williams et al., (1982), *Ap. J.* 252, 277
Willmore et al., (1974), *MNRAS* 169, 7
Wilson et al., (1976), *IAUC* 2965
Wilson et al., (1977), *Ap. J.* 215, L111
Wilson et al., (1979a), *MNRAS* 187, 109
Wilson et al., (1981), *A.J.* 86, 1289
Wilson, (1972), *Ap. J.* 174, L27
Wilson, (1979b), in (COSPAR) X-Ray Astronomy, ed. W. Baity and L. Peterson (Oxford: Pergamon Press) p.229
Wing, (1973), *A.J.* 78, 684
Winkler et al., (1975), *Ap. J.* 199, L139
Winkler et al., (1976), *Ap. J.* 204, L111
Winkler et al., (1981a), *Ap. J.* 245, 574
Winkler et al., (1981b), *Ap. J.* 246, L27
Winkler, (1978), *Ap. J.* 221, 220
Wolff et al., (1974), *Ap. J.* 193, L53
Wolff et al., (1975), *Ap. J.* 202, L15
Woltjer, (1972), *Ann. Rev. Astr. Ap.* 10, 129
Wood et al., (1978a), *IAUC* 3169
Wood et al., (1978b), *IAUC* 3203
Wood et al., (1979), in (COSPAR) X-Ray Astronomy, ed. W. Baity and L. Peterson (Oxford: Pergamon Press) p.97
Worrall et al., (1980), *Ap. J.* 240, 421
Worrall et al., (1981a), *Ap. J.* 247, L31
Worrall et al., (1981b), *Ap. J.* 243, 53
Wright et al., (1975), *Ap. J.* 200, 171
Young et al., (1982), *Ap. J.* 252, 269
Zamorani et al., (1981), *Ap. J.* 245, 357
Zarnecki et al., (1978), *Ap. J.* 219, L17
Zaumen et al., (1972), *Nat.* 235, 378

Non-X-ray cross references are made on several bases. Whenever an identification has been firmly established, for example, by a precise position from a modulation collimator or from the *Einstein Observatory*, it is always shown, but so are many additional tentative identifications. Some of these have been suggested by earlier work (in which case the earlier literature appears either in Table 5 or Table 6) and the remainder have been found by searching the non-X-ray catalogs in Table 5. Sources found in such searches are not shown invariably but rather are required to meet additional criteria appropriate to what is presently known concerning the class to which the candidate counterpart belongs. Thus, quasars fainter than 17th magnitude are not reported, nor are galaxies fainter than 10th magnitude unless there is reason to suspect they either contain active galactic nuclei or are members of small groups or clusters that would have escaped cataloging in the cluster catalogs listed in Table 5. This procedure may tend to suppress identification of new source classes, but it has the compensating virtue of minimizing the number of incorrect identifications proposed in the list. Objects shown as counterparts all belong to classes for which there is a demonstrated excess number of coincidences over chance expectation. Thus for example, Abell clusters in distance class 6 are reported because there is a highly significant excess number of such clusters falling inside 1H boxes.

Whenever "(R)" appears in Table 4, it signifies that additional references and comments appear in Table 6. The entries in Table 6 are intended primarily to provide a sketch of the basic background and current state of knowledge concerning the sources, to direct readers to further literature, and to clarify ambiguities. They are not intended as a comprehensive bibliography, and many references are omitted. Catalog references appearing in Table 4 are, in general, not repeated in Table 6. Effort has been made to include in Table 6 early detections, the identification history, references establishing key parameters such as distance, spectrum, and temporal variability characteristics, and the basic classification of a source. We have also made special effort to provide cross references to other *HEAO 1* literature wherever possible, since other *HEAO 1* observations are simultaneous with and complementary to those shown in the catalog.

V. DISCUSSION

No detailed statistical analysis of the catalog is presented here. We offer brief remarks on the makeup of the catalog by source classes and on comparison with other catalogs and surveys.

Source classification summaries for the catalog appear in Table 7. Totals shown there are made by assuming that all proposed identifications in the catalog are correct (although there must in reality be a number of coincidental misidentifications). No new source class appears in that table, i.e., all classes occurring there were represented by at least one instance in literature published prior to the launch of *HEAO 1*. The source classes with soft spectra (for example, supernova remnants and stars with coronal activity) are seen in greater numbers than in the *Uhuru* and *Ariel V* catalogs, and individual members of these classes often appear at higher flux levels than in those catalogs (e.g., the Puppis supernova remnant).

TABLE 7
CLASSIFICATIONS OF IDENTIFIED SOURCES

Active Galactic Nuclei:	90
BL Lacertae objects	13
N Galaxies	4
Quasars	20
Seyfert galaxies	37
Other AGNs	16
Clusters, Groups, and Galaxies:	176
Clusters	158
Loose groups	14
Other galaxies	4
Binary X-Ray Sources (galaxy plus Magellanic clouds):	98
Black hole candidates	5
Binary pulsars	14
Cataclysmic variables	10
X-ray bursters	16
Globular clusters	2
Transients	2
Other compact sources	49
Supernova Remnants:	22
Stellar Coronae:	28
RS CVn systems	12
Flare stars	6
W Ursae Majoris stars	1
Other stars	4
Star formation regions, associations	5
No Classification Proposed:	428

Both of these effects are consequences of the response of the A-1 instrument to soft X-rays.

There remain 428 sources for which no classifications are proposed at this time. Of this total, ~ 80 are consistent with being confirmations of unidentified sources appearing in earlier catalogs and *HEAO 1* literature. The unidentified sources are all fainter than 1.2×10^{-2} counts $\text{cm}^{-2} \text{s}^{-1}$. Of 66 sources in the range from 0.6 to 1.2×10^{-2} counts $\text{cm}^{-2} \text{s}^{-1}$, or ~ 1.5 –3 UFU, 27 are seen in other catalogs. Below this limit, the coverage in other surveys becomes uneven and the fraction of confirmations drops, as would be expected.

One possible interpretation of the unidentified sources is that, when identified, they will yield primarily further instances of the source classes appearing in Table 7. This is supported by several considerations. First, the surveying of the optical sky for the counterpart classes is, in general, uneven. The most thoroughly surveyed class is probably clusters of galaxies. The catalog shows 114 members of this class at fluxes above 4×10^{-3} counts $\text{cm}^{-2} \text{s}^{-1}$; the number-flux relation observed in the catalog for clusters alone follows a power-law of index of -1.5 down to about this flux, but the count increases much more slowly as flux is further decreased. At a flux a factor of 2 lower, a deficiency of ~ 150 clusters is evident from comparison of the actual count with an extrapolation of the power law. Two hundred nine unidentified sources fall in this same flux range. Hence, it is possible that many of the unidentified sources are clusters of galaxies. (However, it should also be noted that the *Einstein* medium sensitivity survey (Maccacaro *et al.* 1982) found that the ratio of clusters

to active galaxies declines significantly at flux levels well below our threshold, so that extrapolation of the power law is not necessarily correct.) Similar conclusions could be drawn for the other classes, but even more strongly, since they are far less thoroughly surveyed than the clusters. For example, only optically identified radio sources have been listed as possible counterparts, and these identifications are more complete for the northern than for the southern hemisphere. The medium level and deep surveys from the *Einstein Observatory* further support the idea that the remaining identifications will be primarily clusters, various kinds of active galactic nuclei, and stars, although the proportion may change at lower fluxes, and may vary with galactic latitude.

There is some possibility that extreme examples of long-term source variability remain to be demonstrated within the source classes already recognized. This conclusion derives in part from comparison with the fourth *Uhuru* and second *Ariel V* catalogs. Of 107 sources in the 2A catalog, we detect all but eight. Of these, two are known to be highly variable. There are 101 sources in the 4U catalog not detected by *HEAO A-1*. We have excluded from this total several known transients and highly variable objects, plus two sources seen in the A-1 data, but not appearing in the catalog, so that the total reflects the number whose absence cannot be accounted for in terms of previously established intrinsic variability. Of these 101 sources, 60 are at galactic latitudes greater than 15° , and at least 37 carry no indication of source variability, source confusion ("C"), or marginal acceptance ("X") in the 4U catalog. If these sources had been present at the flux levels shown in the 4U catalog, they would have been readily detectable in A-1; moreover, in searching the 4U catalog for counterparts we have taken not only 4U error boxes that geometrically intersect our own but also those judged to be in sufficient proximity that the same source may be responsible for both detections. Thus, the only recourses for explaining the non-detections are that the unconfirmed sources were spurious or that they had decreased in brightness at the epoch of *HEAO 1*. Decreases by factors of 3–10 are required to account for the discrepancy. Since the unconfirmed *Uhuru* sources are by no means limited to those flagged as confused or marginal, source variability appears the more plausible explanation. If this is correct, then the present catalog may well contain further

examples of this same type, since a corresponding number of sources should have brightened to levels above the *HEAO A-1* threshold. It is possible that differences in the time interval over which the satellite scans a given region affect the number of detections of this kind appearing in the resulting catalog. The scanning pattern of *HEAO 1* is favorable for detection of sources that have active periods lasting a few days. It is partly because of this that the known flare stars and RS CVn systems appearing in the catalog were able to be identified. These are issues that will be pursued in further work.

The authors wish to express their appreciation and gratitude to many colleagues and coworkers who were involved with *HEAO A-1* during the payload construction, mission operations, and production of the catalog. We thank particularly D. Brousseau, E. McDonald, D. Moody, and R. Giroux for engineering and management assistance during the hardware development and subsequent mission. R. Wagner and his associates at New Mexico State University provided further electronic design and fabrication support. Support with technical aspects of mission operations was provided by C. McDonald, M. Swinney, W. Griffith, F. Feldt, and K. Scala. W. Evans, R. Morin, R. Hedler, S. Shulman, R. Kinzer, and W. Johnson developed much of the data processing system used to prepare the data base; G. Share, R. Kinzer, W. Snyder, C. Ambruster, R. Cruddace, and M. Strickman helped with preparation of data summations; J. Samimi and R. Kinzer carried much of the burden of determining best fit collimator response functions; technical support in data processing was provided by J. Johnson, C. McDonald, M. Stitts, L. Stanbery, and S. Klein. R. Kinzer, C. Ambruster, W. Snyder, P. Hertz, M. Kowalski, and J. Beall have generously provided many consultations regarding source identifications. We thank S. Klein and T. Long for production assistance in preparing the catalog tables, and we thank M. Wesley and J. Mangrum for typing the manuscript. Finally, we take this opportunity to express our gratitude to the many NASA personnel who helped make the *HEAO 1* mission successful and particularly those associated with the *HEAO* Project Office at Marshall Space Flight Center. This work was supported by the National Aeronautics and Space Administration and the Office of Naval Research.

REFERENCES

- Abell, G. 1958, *Ap. J. Suppl.*, **3**, 211.
 Amnuel, P. R., Guseinov, O. H., and Rakhimov, Sh. Yu. 1979, *Ap. J. Suppl.*, **41**, 327.
 Apparao, K., Bradt, H., Dower, R., Doxsey, R., Jernigan, J., and Li, F. 1978, *Nature*, **271**, 225.
 Arp, H. 1965, in *Stars and Stellar Systems*, Vol. 5, *Galactic Structure*, ed. A. Blaauw and M. Schmidt (Chicago: University of Chicago Press), p. 401.
 ———. 1966, *Ap. J. Suppl.*, **14**, 1.
 Bennett, A. S. 1962, *Mem. R.A.S.*, **68**, 163.
 Bradt, H. 1978, *Proc. AAS Meeting*, Austin.
 Bradt, H., Apparao, K., Dower, R., Doxsey, R., Jernigan, J., and Markert, T. 1977, *Nature*, **269**, 496.
 Bradt, H., Doxsey, R., and Jernigan, J. 1979, in *X-Ray Astronomy*, Proc. 21st Plenary Meeting of the Committee on Space Research, ed. W. Baity and L. Peterson (New York: Pergamon), p. 3.
 Burbidge, G., Crowne, A., and Smith, H. 1977, *Ap. J. Suppl.*, **33**, 113.
 Clark, D., and Caswell, J. 1976, *M.N.R.A.S.*, **174**, 267.
 Cooke, B., et al. 1978, *M.N.R.A.S.*, **182**, 489.
 de Vaucouleurs, G. 1964, *Reference Catalog of Bright Galaxies* (1st ed.; Austin: University of Texas Press).
 Dower, R., Apparao, K., Bradt, H., Doxsey, R., Jernigan, J., and Kulik, J. 1978, *Nature*, **273**, 364.
 Doxsey, R., Apparao, K., Bradt, H., Dower, R., and Jernigan, J. 1977a, *Nature*, **269**, 112.
 ———. 1977b, *Nature*, **270**, 586.
 Dreyer, J. L. E. 1895, *Index Catalog of Nebulae Found in the Years 1888 to 1894; with Notes & Corrections to the New General Catalogue* (*Mem. R.A.S.*, **51**, 185) (reprinted by the Royal Astronomical Society, London [1962]).
 ———. 1908, *Second Index Catalogue of Nebulae & Clusters of Stars, Containing Objects Found in the Years 1895 to 1910; with Notes & Corrections to the New General Catalogue and to the Index Catalogue for 1888 to 1894* (*Mem. R.A.S.*, **59**, 105) (reprinted by the Royal Astronomical Society, London [1962]).
 Duus, A., and Newell, B. 1977, *Ap. J. Suppl.*, **35**, 209.
 Fairall, A. P. 1970, *M.N.A.S. So. Africa*, **29**, 48.
 Forman, W., Jones, C., Cominsky, L., Julien, P., Murray, S., Peters, G., Tananbaum, H., and Giacconi, R. 1978, *Ap. J. Suppl.*, **38**, 357.
 Friedman, H. 1979, *Proc. Roy. Soc. London, A*, **366**, 423.
 Gliese, W. 1969, *Catalogue of Nearby Stars* (Astr. Rechen-Institute, Heidelberg, Rept. No. 22).

- Ilovaisky, S., and Lequeux, J. 1972*a*, *Astr. Ap.*, **18**, 169.
 _____ J. 1972*b*, *Astr. Ap.*, **20**, 347.
- Jernigan, J., Apparao, K., Bradt, H., Doxsey, R., and McClintock, J. 1977, *Nature*, **270**, 231.
- Jernigan, J., Apparao, K., Bradt, H., Doxsey, R., Dower, R., and McClintock, J. 1978, *Nature*, **272**, 701.
- Klemola, A. 1969, *Ap. J.*, **74**, 804.
- Kowal, C. T., Huchra, J., and Sargent, W. C. W. 1976, *Pub. A.S.P.*, **88**, 521.
- Kowal, C. T., Zwicky, F., Sargent, W. C. W., and Searle, L. 1974, *Pub. A.S.P.*, **86**, 516.
- Kukarkin, B., *et al.* 1970, *General Catalogue of Variable Stars* (3d. ed.; Moscow: Soviet Academy of Sciences).
- Luyten, W. J. 1970, *White Dwarfs* (Minneapolis: University of Minnesota Press).
- Maccacaro, T., *et al.* 1982, *Ap. J.*, **253**, 504.
- Markarian, B. 1974, *Astrofizika*, **10**, 307.
- Markert, T., *et al.* 1979, *Ap. J. Suppl.*, **39**, 573.
- Marshall, F., Boldt, E., Holt, S., Mushotzky, R., Pravdo, S., Rothschild, R., and Serlemitsos, P. 1979, *Ap. J. Suppl.*, **40**, 657.
- Masnou, J. L., *et al.* 1977, *Proc. 12th ESLAB Symposium* (ESA Spec. Pub. 124).
- Meekins, J. F., Wood, K. S., Hedler, R. L., Byram, E. T., Yentis, D. J., Chubb, T. A., and Friedman, H. 1984, *Ap. J.*, **278**, 288.
- Neugebauer, B., and Leighton, R. 1969, NASA SP-3047.
- Pettersen, B. R. 1976, *Catalog of Flare Star Data* (Institute of Theoretical Astrophysics, Blindern-Oslo, Rept. No. 46).
- Price, S., and Walker, R. 1976, AFGL-TR-76-0208.
- Seward, F., Page, C., Turner, M., and Pounds, K. 1976, *M.N.R.A.S.*, **175**, 39P.
- Stein, W., O'Dell, S., and Strittmatter, P. 1976, *Ann. Rev. Astr. Ap.*, **14**, 173.
- Sulentic, J. W., and Tift, W. G. 1973, *The Revised New General Catalog of Nonstellar Astronomical Objects* (Tucson: University of Arizona Press).
- Veron, M., and Veron, P. 1974, *Astr. Ap. Suppl.*, **18**, 309.
- Wackerling, L. 1970, *Mem. R.A.S.*, **73**, 153.
- Weiler, K., and Johnston, K. 1980, *M.N.R.A.S.*, **190**, 269.

R. D. BLEACH, E. T. BYRAM, T. A. CHUBB, H. FRIEDMAN, D. P. MCNUTT, J. F. MEEKINS, H. W. SMATHERS, K. S. WOOD, and D. J. YENTIS: Naval Research Laboratory, Washington, DC 20375

M. MEIDAV: Department of Physics, Tel Aviv University, Tel Aviv, Israel