

Fauerbach, M. (2021). "Rotational Period and Lightcurve Determination of 755 Quintilla, 2699 Kalinin, 3523 Arina, 5182 Bray, 5401 Minamioda, 5405 Neverland, (7288) 1991 FE1, and 18418 Ujibe." *Minor Planet Bulletin* **48**, 386-389.

Fauerbach, M.; Brown, A. (2018). "Lightcurve Analysis of Minor Planets 1132 Hollandia, 1184 Gaea 1322 Copernicus, 1551 Argelander, and 3230 Vampilov." *Minor Planet Bulletin* **45**, 240-241.

Fauerbach, M.; Fauerbach, M. (2019). "Rotational Period Determination for Asteroids 755 Quintilla, 1830 Pogson, 5076 Lebedev-Kumach, and (29153) 1998 SY2." *Minor Planet Bulletin* **46**, 138-139.

Franco, L.; Marchini, A.; Saya, L.-F.; Galli, G.; Baj, G.; Ruocco, N.; Tinelli, L.; Scarfi, G.; Aceti, P.; Banfi, M.; Bacci, P.; Maestripietri, M.; Papini, R.; Salvaggio, F.; Mortari, F.; Bachini, M.; Casalnuovo, G.B.; Chinaglia, B. (2020a). "Collaborative Asteroid Photometry from UAI: 2020 January - March." *Minor Planet Bulletin* **47**, 242-246.

Franco, L.; Buchheim, R.K.; Pray, D.; Fauerbach, M.; Mortari, F.; Casalnuovo, G.B.; Chinaglia, B.; Scarfi, G.; Papini, R.; Salvaggio, F. (2020b). "Preliminary Spin-Shape Model for 755 Quintilla." *Minor Planet Bulletin* **47**, 267-269.

Harris, A.W.; Young, J.W.; Scaltriti, F.; Zappala, V. (1984). "Lightcurves and phase relations of the asteroids 82 Alkmene and 444 Gyttis." *Icarus* **57**, 251-258.

Keel, W.C.; Oswalt, T.; Mack, P.; Henson, G.; Hillwig, T.; Batcheldor, D.; Berrington, R.; De Pree, C.; Hartmann, D.; Leake, M.; Licandro, J.; Murphy, B.; Webb, J.; Wood, M.A. (2017). "The Remote Observatories of the Southeastern Association for Research in Astronomy (SARA)." *Publications of the Astronomical Society of the Pacific* **129**:015002 (12pp).
<http://iopscience.iop.org/article/10.1088/1538-3873/129/971/015002/pdf>

Sauppe, J.; Torno, S.; Lemke-Oliver, R.; Ditteon, R. (2007). "Asteroid Lightcurve Analysis at the Oakley Observatory - March/April 2007." *Minor Planet Bulletin* **34**, 119-122.

Warner, B.D. (2017). *MPO Canopus* software version 10.7.10.0. <http://www.bdwpublishing.com>

ASTEROID PHOTOMETRY AND LIGHTCURVE ANALYSIS AT GORA'S OBSERVATORIES, PART V.

Milagros Colazo

Instituto de Astronomía Teórica y Experimental
(IATE-CONICET), ARGENTINA

Facultad de Matemática, Astronomía y Física,

Universidad Nacional de Córdoba, ARGENTINA

Grupo de Observadores de Rotaciones de Asteroides (GORA),
ARGENTINA

milirita.colazovinovo@gmail.com

César Fornari, Aldo Wilberger, Mario Morales,

Ezequiel Bellocchio, Eduardo Pulver, Damián Scotta,

Néstor Suárez, Raúl Melia, Francisco Santos, Aldo Mottino,

Ariel Stechina, Alberto García, Andrés Chapman, Carlos Colazo

Grupo de Observadores de Rotaciones de Asteroides (GORA),
ARGENTINA

Observatorio Cruz del Sur (MPC I39) -
San Justo (Buenos Aires-Argentina)

Observatorio de Sencelles (MPC K14) -
Sencelles (Mallorca-Islas Baleares-España)

Observatorio Los Cabezones (MPC X12) -
Santa Rosa (La Pampa-Argentina)

Observatorio Galileo Galilei (MPC X31) -
Oro Verde (Entre Ríos-Argentina)

Observatorio Antares (MPC X39) -
Pilar (Buenos Aires-Argentina)

Observatorio AstroPilar (GORA APB) -
Pilar (Buenos Aires-Argentina)

Observatorio de Aldo Mottino (GORA OAM) -
Rosario (Santa Fe-Argentina)

Observatorio Astro Pulver (GORA OAP) -
Rosario (Santa Fe-Argentina)

Observatorio de Ariel Stechina 1 (GORA OAS) -
Reconquista (Santa Fe-Argentina)

Observatorio de Damián Scotta 1 (GORA ODS) -
San Carlos Centro (Santa Fe-Argentina)

Observatorio de Damián Scotta 2 (GORA OD2) -
San Carlos Centro (Santa Fe-Argentina)

Observatorio Astronómico Giordano Bruno (GORA OGB) -
Piconcillo (Córdoba-España)

Observatorio Río Cofio (GORA ORC) -
Robledo de Chavela (Madrid-España)

Observatorio de Raúl Melia (GORA RMG) -
Gálvez (Santa Fe-Argentina)

(Received: 2021 May 3)

Synodic rotation periods and amplitudes are reported for
153 Hilda, 357 Ninina, 366 Vincentina, 709 Fringilla, and
739 Mandeville.

Observatory	Telescope	Camera
I39 Obs.Astr.Cruz del Sur	Telesc. Newtoniano (D=200mm; f=4.0)	CMOS QHY174
K14 Obs.Astr.de Sencelles	Telesc. Newtoniano (D=250mm; f=4.0)	CCD SBIG ST-7XME
X12 Obs.Astr.Los Cabezones	Telesc. Newtoniano (D=200mm; f=5.0)	CMOS QHY174MGPS
X31 Obs.Astr.Galileo Galilei	Telesc. RCT ap (D=405mm; f=8.0)	CCD SBIG STF8300M
X39 Obs.Astr.Antares	Telesc. Newtoniano (D=250mm; f=4.7)	CCD QHY9 Mono
APB Obs.Astr.AstroPilar	Telesc. Refractor (D=150mm; F=7.0)	CCD ZWO-ASI1830AM
Obs.Astr.de Aldo Mottino	Telesc. Newtoniano (D=250mm; f=4.7)	CCD SBIG STF8300M
OAP Obs.Astr.Astro Pulver	Telesc. SCT (D=203mm; f=7.0)	CMOS QHY5 LII M
OAS Obs.Astr.de Ariel Stechina 1	Telesc. Newtoniano (D=254mm; f=4.7)	CCD SBIG STF402
ODS Obs.Astr.de Damián Scotta 1	Telesc. Newtoniano (D=300mm; f=4.0)	CCD SBIG St-402 XME
OD2 Obs.Astr.de Damián Scotta 2	Telesc. Newtoniano (D=250mm; f=4.0)	CCD Atik 314L+
OGB Obs.Astr.Giordano Bruno	Telesc. SCT (D=203mm; f=6.0)	CCD Atik 420 m
ORC Obs.Astr.Río Cofio	Telesc. SCT (D=254mm; f=6.3)	CCD SBIG ST8-XME
RMG Obs.Astr.de Raúl Melia	Telesc. SCT (D=200mm; f=10.0)	CCD Meade DSI Pro II

Table I. List of observatories and equipment.

Number	Name	20yy/ mm/dd- 20yy/ mm/dd	Phase	L _{PAB}	B _{PAB}	Period(h)	P.E.	Amp	A.E.	Grp
153	Hilda	21/02/19-21/04/02	2.4,10.4	150	-8	5.962	0.005	0.040	0.007	HIL
357	Ninina	21/01/10-21/03/03	3.3,15.5	112	-7	35.982	0.010	0.17	0.01	MB-O
366	Vincentina	21/03/21-21/04/17	1.5,10.2	177	-3	17.338	0.010	0.09	0.01	MB-O
709	Fringilla	21/03/06-21/04/06	*3.3,10.0	169	-9	52.172	0.011	0.23	0.02	MB-O
739	Mandeville	20/11/07-21/01/25	*12.9,18.9	69	-23	35.842	0.008	0.09	0.01	MB-O

Table II. Observing circumstances and results. The phase angle is given for the first and last date. If preceded by an asterisk, the phase angle reached an extremum during the period. L_{PAB} and B_{PAB} are the approximate phase angle bisector longitude/latitude at mid-date range (see Harris et al., 1984). Grp is the asteroid family/group (Warner et al., 2009). MB-O: main-belt outer.


The periods and amplitudes of asteroid lightcurves presented here are the product of a collaborative work by GORA (Grupo de Observadores de Rotaciones de Asteroides). In all the studies we have applied relative photometry assigning V magnitudes to the calibration stars.

The image acquisition was performed without filters and with exposure times of a few minutes. All images used were corrected using dark frames and in some cases bias and flat-field were also used. Photometry measurements were performed using *FotoDif* software and for the analysis we employed *Periodos* software (Mazzone, 2012).


Below, we present the results for each asteroid under study. The lightcurve figures contain the following information: the estimated period and period error and the estimated amplitude and amplitude error. In the reference boxes the columns represent, respectively, the marker, observatory MPC code or, failing that, the GORA internal code, session date, session off-set, and number of data points.

Targets were selected based on the following criteria: 1) those asteroids with magnitudes accessible to the equipment of all participants, 2) those with favorable observation conditions from Argentina, i.e., with negative declinations, and 3) objects with few periods reported in the literature and/or with Lightcurve Database (LCDB) (Warner et al., 2009) quality codes (U) of less than 3.


153 Hilda is a dark P-type asteroid. It was discovered in 1875 by Johann Palisa. Our analysis yields a period of $P = 5.962 \pm 0.005$ h with $\Delta m = 0.040 \pm 0.007$ mag. This period is in agreement with the one measured by Shevchenko et al. (2009), who obtained $P = 5.9587 \pm 0.0005$ h with $\Delta m = 0.20 \pm 0.02$ mag. The difference in Δm is likely due to a change in the aspect angle.




357 Ninina is a main-belt asteroid. It was discovered in 1893 by Auguste Charlois. The latest periods reported in the literature are $P = 35.98 \pm 0.07$ h with $\Delta m = 0.12 \pm 0.01$ mag (Behrend, 2005web) and $P = 35.9 \pm 0.1$ h with $\Delta m = 0.12 \pm 0.01$ mag (Oey, 2014). The results we obtained, $P = 35.982 \pm 0.010$ h with $\Delta m = 0.17 \pm 0.01$ mag, are consistent with those presented by the authors mentioned above.




366 Vincentina was discovered in 1893 by Auguste Charlois. The periods published for this asteroid are $P = 15.5 \pm 0.1$ h with $\Delta m = 0.08 \pm 0.03$ mag (Robinson, 2002) and $P = 12.7365 \pm 0.0005$ h with $\Delta m = 0.05 \pm 0.01$ mag (Benishek, 2013). Our results show a period longer than those previously reported. Our data give $P = 17.338 \pm 0.010$ h and $\Delta m = 0.09 \pm 0.01$ mag.



709 Fringilla is a X-type asteroid. It was discovered in 1911 by Joseph Helffrich. We found in the literature two different periods calculated for this object: $P = 52.4 \pm 0.2$ h with $\Delta m = 0.18 \pm 0.02$ mag (Harris & Young, 1980) and $P = 20$ h with $\Delta m = 0.05$ mag (Behrend, 2008web). The results we obtained are $P = 52.172 \pm 0.011$ h and $\Delta m = 0.23 \pm 0.02$. Our period well agrees with the one measured by Harris & Young (1980), which is also the one exhibiting the highest U quality code.



739 Mandeville is classified as type X in the Tholen taxonomy. It was discovered by Joel Hastings Metcalf. This was a very difficult case to solve since we had to deal with candidate periods that were integer multiple or divisors of 12 h. Harris & Young (1989) reported a period of 11.931 ± 0.010 h. Our own previous estimation (Colazo et al., 2020) was 23.92 ± 0.02 h, twice the period proposed by Harris & Young. We are currently proposing a new period, different from all those reported previously. We have determined a period of 35.842 ± 0.008 h (~1.5 times our last published period). Our new contribution is based on several observations including five performed linking two or three consecutive nights. The same equipment, identical configurations and calibration stars were used in these particular observations. Further coordinated observations from different longitudes would help confirm our latest result.



Acknowledgements

We want to thank Julio Castellano as we use his *FotoDif* program for preliminary analyses, Fernando Mazzone for his *Periods* program, used in final analyses and Matias Martini for his *CalculadorMDE* v0.2 used for generate ephemerides used in the planning stage of the observations. This research has made use of the Small Bodies Data Ferret (<http://sbn.psi.edu/ferret/>), supported by the NASA Planetary System and made use of data and/or services provided by the International Astronomical Union's Minor Planet Center.

References

- Behrend, R. (2005web, 2008web). Observatoire de Geneve web site. http://obswww.unige.ch/~behrend/page_cou.html
- Benishek, V. (2013). "Lightcurves for 366 Vincentina, 592 Bathseba, and 1554 Yugoslavia from Belgrade Astronomical Observatory." *Minor Planet Bulletin* **40**, 100-101.
- Colazo, M.; Fornari, C.; Santucho, M.; Mottino, A.; Colazo, C.; and 16 colleagues (2020). "Asteroid Photometry and Lightcurve Analysis at Gora's Observatories." *Minor Planet Bulletin* **47**, 188-191.
- Harris, A.W.; Young, J.W. (1980). "Asteroid rotation: III. 1978 Observations." *Icarus* **43**, 20-32.
- Harris, A.W.; Young, J.W.; Scaltriti, F.; Zappala, V. (1984). "Lightcurves and phase relations of the asteroids 82 Alkmene and 444 Gryptis." *Icarus* **57**, 251-258.
- Harris, A.W.; Young, J.W. (1989). "Asteroid lightcurve observations from 1979-1981." *Icarus* **81**, 314-364.
- Mazzone, F.; Colazo, C.; Mina, F.; Melia, R.; Spagnotto, J.; Bernal, A. (2014). "Collaborative asteroid photometry and lightcurve analysis at observatories OAEGG, OAC, EABA, AND OAS." *Minor Planet Bull.* **41**, 17-18
- Oey, J. (2014). "Lightcurve Analysis of Asteroids from Blue Mountains Observatory in 2013." *Minor Planet Bulletin* **41**, 276-281.
- Robinson, L.E. (2002). "Photometry of Five Difficult Asteroids: 309 Fraternitas, 366 Vincentina, 421 Zahringia, 578 Happelia, 959 Anne." *Minor Planet Bulletin* **29**, 30-31.
- Shevchenko, V.G.; Tungalag, N.; Chiorny, V.G.; Gaftonyuk, N.M.; Krugly, Yu.N.; Harris, A.W. (2009). "CCD-photometry and pole coordinates for eight asteroids." *Planetary and Space Science* **57**, 1514-1520.
- Warner, B.D.; Harris, A.W.; Pravec, P. (2009) "The asteroid lightcurve database." *Icarus* **202**, 134-146. Updated 2021 April 1. <http://www.minorplanet.info/lightcurvedatabase.html>